

QINGDAO QHCY INTERNATIONAL TRADING CO.,LTD.

Web:cartradinghub.com Tel: 86-15176650760 E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

4	Aion Haopin	SSR parameter table	
	Haopin SSR 2024 Standard Edition	Haopin SSR 2024 Extreme Speed Edition	Haopin SSR 2024 Ultimate Track Edition
	\ Basic	parameters	J
Manufacturer	Aian	Aian	Aian
level	sports car	sports car	sports car
Energy type	pure electric	pure electric	pure electric
time to market	2023.10	2023.10	2023.10
CLTC pure electric cruising range (km)	506	506	506
Fast charging time (hours)	- \) -	<u> </u>
Slow charging time (hours)		-	-
Fast charging percentage	-		- (
Maximum power(kW)	900	900	900
Maximum torque $(N \cdot m)$	1230	1230	1230
Motor(Ps)	1224	1224	1224
Length*width*heig ht (mm)	4556*1988*1230	4556*1988*1230	4556*1988*1230
Body structure	2-door, 2-seater hardtop sports car	2-door, 2-seater hardtop sports car	2-door, 2-seater hardtop sports car
Maximum speed (km/h)	251	251	251
Official 0-100km/h acceleration (s)	2.3	1.9	1.9
Vehicle warranty	-	-	-
First owner warranty policy	-	<u>-</u>	-
		Body	
Length(mm)	4556	4556	4556

Width(mm)	1988	1988	1988
Height(mm)	1230	1230	1230
Wheelbase(mm)	2650	2650	2650
Front wheelbase (mm)	1680	1680	1680
Rear wheelbase (mm)	1687	1687	1687
Approach angle	9	9	9
Departure angle	14	14	14
Body structure	hardtop sports car	hardtop sports car	hardtop sports car
Car door opening method	butterfly door	butterfly door	butterfly door
Number of doors (number)	2	2	2
Number of seats (seats)	2	2	2
T <mark>r</mark> unk volume (L)	- \	-	-
Curb weight (kg)	1990	1990	1990
<mark>1</mark> aximum full load mass (kg)	2180	2180	2180
	Elec	ctric Motor	
	Permanent	Permanent	Permanent
Motor type	magnet/synchronous	magnet/synchronous	magnet/synchronous
otal motor power (kW)	900	900	900
otal motor power (Ps)	1224	1224	1224
Total torque of motor $(N \cdot m)$	1230	1230	1230
Maximum power of front electric	320	320	320
motor (kW)			
	580	580	580
Maximum power of rear electric	580 Three motors	580 Three motors	580 Three motors

· · · · · · · · · · · · · · · · · · ·			
Battery Type	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery
Battery brand	China New Airlines	China New Airlines	China New Airlines
Battery cooling method	liquid cooling	liquid cooling	liquid cooling
CLTC pure electric cruising range (km)	506	506	506
Battery energy (kWh)	74.69	74.69	74.69
Electricity consumption per 100 kilometers (kWh/100km)	16.7	16.7	16.7
Battery pack warranty	-	-	
Fast charging function	support	support	support
High voltage fast charging	support	support	support
Fast charging time (hours)		- 1	-
Slow charging time (hours)	-		- (
Fast charging capacity (%)	4 -		-
electric motor	900	900	900
Number of gears	1	Gearbox 1	1
Gearbox type	fixed ratio gearbox	fixed ratio gearbox	fixed ratio gearbox
abbreviation	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox
	Chas	ssis Steering	
Drive mode	Three-motor four-wheel drive	Three-motor four-wheel drive	Three-motor four-wheel drive
four-wheel drive	Electric four-wheel drive	Electric four-wheel drive	Electric four-wheel drive
Center differential structure		-	-

Front suspension type	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension
rear suspension	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension
Assist type	electric assist	electric assist	electric assist
Body structure	Load-bearing	Load-bearing	Load-bearing
	WI	neel Brake	
Front brake type	ceramicventilated disc	ceramicventilated disc	ceramicventilated disc
rear brake type	ceramicventilated disc	ceramicventilated disc	ceramicventilated disc
Parking brake type	Electronic parking	Electronic parking	Electronic parking
Front tire specifications	245/35 R20	245/35 R20	245/35 R20
Rear tire	305/30 R20	305/30 R20	305/30 R20
Spare tire specifications	none	none	none
	Pas	ssive Safety	
Main/passenger	Main ●/Deputy ●	Main ●/Deputy ●	Main ●/Deputy ●
Front/rear side	Before● / After-	Before● / After-	Before● / After-
Front/rear head airbags (curtain airbags)	Before● / After-	Before● / After-	Before● / After-
Tire pressure monitoring function	●Tire pressure display	●Tire pressure display	Tire pressure display
Run-flat tires		-	-
Seat belt not fastened reminder	• The whole car	• The whole car	●The whole car
ISOFIX child seat interface	-		
ABS anti-lock	•	•	•
Braking force			\
distribution (EBD/CBC, etc.)	•	•	•

Brake assist (EBA/BAS/BA,	•	•	•
etc.)			
Traction control (ASR/TCS/TRC, etc.)	•	\(\sigma^\circ\)	•
Body stability control (ESC/ESP/DSC,		•	4 .
etc.))
<i>y</i>	Ac	tive Safety	
Lane Departure Warning System		0)	- 1
Active braking/active safety system	-	-	
Fatigue driving tips	-	-	
Low speed warning	•	•	•
7	Driv	ing Control	
Driving mode switch	● Sports ● Standard/Comfortable ● Customized/Personalized	●Sports ● Standard/Comfortable ● Customized/Personalized	●Sports ● Standard/Comfortable ● Customized/Personalized
energy recovery system	•	O -•	4.
automatic parking	•	•	•
Hill assist	•	•	•
steep descent Variable suspension function	Suspension soft and hard adjustment	Suspension soft and hard adjustment	Suspension soft and hard adjustment
	Drivin	ng Hardware	
Front/rear parking radar	Front-/Back●	Front-/Back●	Front-/Back●
Driving assistance images	●360-degree panoramic image	●360-degree panoramic image	● 360-degree panoramic image
Number of cameras	●4 pieces	●4 pieces	•4 pieces

Ultrasonic radar quantity	•4 pieces	●4 pieces	●4 pieces
quantity	Driv	ing Function	
cruise system	• Cruise speed	• Cruise speed	● Cruise speed
satellite navigation	-	-	-
Navigation traffic information display	-	_	4 -
Parallel assistance	<u> </u>	-	J -
Lane Keeping Assist System			_
	Appear	ance/Anti-Theft	
Sport appearance package	•	•	
Electric spoiler	•	•	
Rim material	●Aluminum alloy	•Aluminum alloy	● Aluminum alloy
Frameless design	•	•	•
door Electric trunk			
Central locking in car		• ~	•
Key type	● Remote key	● Remote key	●Remote key
Keyless start	•	•	•
Keyless entry function	-	-	
Hidden electric door handle	•4	•	
Battery preheating	•	• (
external discharge		•	•
	Ext	terior Lights	
Low beam light source	●LED	●LED	●LED
high beam light source	●LED	●LED	• LED
LED daytime running lights	•	•	•
Adaptive high and low beam	-		_

headlight car front fog lights Headlight height adjustable	-		
Headlight height	-		
			-
	•	•	•()
Delayed turn off of headlights	•	•	•
	Skyl	ight/Glass	
Skylight type	-	-	-
Front/rear electric windows	Before● /After-	Before● / After-	Before● /After-
One-touch window lifting function	•The whole car	●The whole car	●The whole car
Window anti-pinch	•	•	•
Car vanity mirror	<u>. </u>	-	-
rear wiper	-	_	
Sensing wiper function	Rain sensor type	● Rain sensor type	● Rain sensor type
	Exterior 1	Rearview Mirror	
Exterior rearview mirror function	 ◆ Automatic flip down when reversing ◆ Automatic folding when locking the car ◆ Automatic anti-dazzle 	● Electric adjustment ● Electric folding ● Rearview mirror memory ● Rearview mirror heating ● Automatic flip down when reversing ● Automatic folding when locking the car ● Automatic anti-dazzle	◆Electric adjustment ◆ Electric folding ◆Rearview mirror memory ◆Rearview mirror heating ◆ Automatic flip down when reversing ◆Automatic folding when locking the car ◆Automatic anti- dazzle
Central control	Scre	en/System	
	●Touch LCD screen	● Touch LCD screen	●Touch LCD screen
color screen Central control screen size	●14.6 inches	●14.6 inches	●14.6 inches

Mobile phone),
interconnection/m apping			- \
Voice recognition control system	-		-
	Intelliger	nt Configuration	
Internet of Vehicles	-) -	1
4G/5G network	● 4G	●4G	●4G
OTA upgrade	•	•	•
Wi-Fi hotspot		•	•
simulated sound		D	•
	Steering Wheel/I	nterior Rearview Mirre	or
Steering wheel material	●Genuine leather	●Genuine leather	●Genuine leather
Steering wheel	●Electric up and down +	• Electric up and down +	•Electric up and down +
position adjustment	front and rear adjustment	front and rear adjustment	front and rear adjustment
Shift pattern	●Electronic gear shift	●Electronic gear shift	●Electronic gear shift
Multifunction steering wheel	-		-
steering wheel gear shift	-		-
Steering wheel heating	-	<u></u>	4
steering wheel memory	•	•	\(\cdot \cd
Trip computer display screen	⊕ Color	● Color	● Color
Full LCD instrument panel	•	•	•
LCD instrument	• 8.88 inches	●8.88 inches	●8.88 inches
Interior rearview mirror function ETC device	◆ Auto-dimming ◆ Streaming media rearview mirror	● Auto-dimming ● Streaming media rearview mirror	◆ Auto-dimming ◆ Streaming media rearview mirror
ETC device	Char	ging in Car	
	— Cilui	Ighig in Cai	

Multimedia/chargi ng interface	● USB ● Type-C	● USB ● Type-C	● USB ● Type-C
Number of USB/Type-C interfaces	•4 in the front row	•4 in the front row	•4 in the front row
Mobile phone wireless charging function	-	-	-
Luggage compartment 12V power interface	•	•	•
	Seat C	Configuration	4
seat material	•Genuine leather	● Genuin <mark>e leath</mark> er	●Genuine leather
Sports style seats	•	•	
Main seat adjustment method	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Waist support (2-way)	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Waist support (2-way)	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Waist support (2-way)
Secondary seat adjustment method	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Waist support (2-way)	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Waist support (2-way)	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Waist support (2-way)
Main/passenger seat electric adjustment	Main ●/Deputy ●	Main ●/Deputy ●	Main ●/Deputy ●
Front seat functions	● Heating ● Ventilation	● Heating ● Ventilation	● Heating ● Ventilation
Power seat memory function	Oriving position	Driving position	Driving position
Adjustable buttons for the passenger seat and rear row	-		
Second row seat	-	-	-
Rear seats fold down		- 6	-

Front/rear center	Before● /After-	Before● /After-	Before● / After-
armrest Rear cup holder		_	- \
Real cap notice	Audio/	Interior Lighting	
Speaker brand	-	<u> </u>	
Number of speakers	●8 speakers	●8 speakers	●8 speakers
Car interior ambient lighting	●Multicolor	●Multicolor	●Multicolor
	Air Condi	tioner/Refrigerator	
Air conditioning temperature control method	• Automatic air conditioning	• Automatic air conditioning	• Automatic air conditioning
Independent air conditioning in the rear		. 4 -	
Rear seat air outlet	-	-	<u> </u>
Temperature zone		•	•
control Car air purifier			•
In-car PM2.5 filter			
device	•		•
negative ion generator	•	•	•
Car fragrance device	•	•	<u> </u>
	Opti	onal Package	

	Phantom Carbon Black,	Hao Platinum Orange,	
	Hao Platinum Orange,	Phantom Carbon Black,	
	Phantom Blue, Quantum	Phantom Blue, Aurora	
\	Red, Aurora Green,	Green, Quantum Red,	
	Titanium Crystal Yellow,	Titanium Crystal Yellow,	
	Phantom Carbon	Phantom Carbon	
	Black/Hao Platinum	Black/Hao Platinum	
Exterior color	Orange, Phantom Carbon	Orange, Phantom Carbon	
Exterior color	Black/Phantom Blue,	Black/Phantom Blue,	
	Phantom Carbon	Phantom Carbon	
	Black/Aurora Green,	Black/Aurora Green,	
	Phantom Carbon	Phantom Carbon	
	Black/Quantum Red,	Black/Quantum Red,	
	Phantom Carbon	Phantom Carbon	
	Black/Titanium Crystal	Black/Titanium Crystal	
	Yellow	Yellow	
interior color	red,orange,black	orange, black, red	

Note: ●Standard ○ Optional - None