

QINGDAO QHCY INTERNATIONAL TRADING CO.,LTD.

Web:cartradinghub.com Tel: 86-15176650760

E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

4		
	Basic parameters	
	Wenjie M5 2023 pure electric rear-	Wenjie M5 2022 pure electric rear-
	wheel drive standard version	wheel drive standard version
Manufacturer	Cyrus Automotive	Cyrus Automotive
level	Medium SUV	Medium SUV
Energy type	pure electric	pure electric
Environmental		
protection standards		
time to market	2023.08	2022.09
WLTC pure electric	- 4	
cruising range (km)		
CLTC pure electric	620	620
cruising range (km)	020	020
Fast charging time	0.5	0.5
(hours)	0.5	0.3
Slow charging time	10.5	10.5
(hours)	10.5	10.5
Fast charging	80	80
percentage	00	
Maximum power(kW)	200	200
Maximum torque	360	360
$(N \cdot m)$	300	
engine	p <mark>u</mark> re electric	p <mark>ure</mark> ele <mark>c</mark> tric
Motor(Ps)	272	272
gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox
Length*width*height (mm)	4785*1930*1620	4785*1930*1620
Body structure	5-door, 5-seater SUV	5-door, 5-seater SUV
Maximum speed (km/h)	200	200
Official 0-100km/h	7.1	7.1
acceleration (s) Official 0-50km/h		
	3.6	3.6
acceleration (s)		· ·

WLTC comprehensive fuel consumption (L/100km)	Ox, - 4	-
Minimum state of charge fuel consumption (L/100km)		-
Electric energy equivalent fuel consumption (L/100km)	1.79	1.79
Vehicle warranty	Four years or 100,000 kilometers	Four years or 100,000 kilometers
First owner warranty policy	8 years or 160,000 kilometers	8 years or 160,000 kilometers
T (1/)	Body	4705
Length(mm)	4785 1930	4785 1930
Width(mm) Height(mm)	1620	1620
Wheelbase(mm)	2880	2880
Front wheelbase (mm)	1655	1655
Rear wheelbase (mm)	1650	1650
Minimum ground clearance with full load (mm)	150	150
Minimum ground clearance without load (mm)	170	170
Approach angle (°)	17	17
Departure angle (°)	twenty four	twenty four
Body structure	SUV	SUV
Car door opening method	swing door	swing door
Number of doors (number)	5	5
Number of seats (seats)	5	5
Fuel tank volume (L)	-	_

Front trunk volume (L)	80	80
Trunk volume (L)	369-776	369-776
Drag coefficient (Cd)	0.266	0.266
Curb weight (kg)	2235	2235
Maximum full load mass (kg)	2610	2610
	Engine	
engine model	-	-
Displacement (mL)	-	-
Displacement(L)	-	-
Intake form		-
Engine layout	- (-
Cylinder arrangement	<u>-</u>	- ()
Number of cylinders		
(number)		
Number of valves per		
cylinder (number)		
Compression ratio	-	<u>-</u>
Air Supply	<i>-</i>	-
Bore diameter(mm)	-	-
Stroke(mm)	-	-
Maximum horsepower	272	272
(Ps)	272	272
Maximum power(kW)	200	200
Maximum power speed (rpm)	-	
Maximum torque		
(N · m)	360	360
Maximum torque		
speed (rpm)		-
Maximum net power		
(kW)		-
fuel form	pure electric	pure electric
fuel mark	- 1	-
Fuel supply method	-	-
Cylinder head material		-
Cylinder material	-	-
,	4	

Environmental protection standards		- (
protection standards	Electric motor	
Motor type	Permanent magnet/synchronous	Permanent magnet/synchronous
Total motor power (kW)	200	200
Total motor power (Ps)	272	272
Total torque of motor $(N \cdot m)$	360	360
Maximum power of front electric motor (kW)		-
Maximum torque of front electric motor (N · m)		
Maximum power of rear electric motor (kW)	200	200
Maximum torque of rear electric motor (N · m)	360	360
Number of drive motors	single motor	single motor
Motor layout	rear	rear
Battery Type	Lithium iron phosphate battery	Lithium iron phosphate battery
Battery brand	Ningde era	Ningde era
Battery cooling method	liquid cooling	liquid cooling
WLTC pure electric cruising range (km)		
CLTC pure electric cruising range (km)	620	620
Battery energy (kWh)	80	80
Battery energy density (Wh/kg)	141.7	141.7
Electricity consumption per 100 kilometers (kWh/100km)	15.1	15.1

Battery pack warranty	Eight years or 160,000 kilometers	Eight years or 160,000 kilometers
Fast charging function	support	support
Fast charging power (kW)		
Fast charging time (hours)	0.5	0.5
Slow charging time (hours)	10.5	10.5
Fast charging capacity (%)	80	80
	Gearbox	<i>y</i>
Number of gears	1	1
Gearbox type	fixed ratio gearbox	fixed ratio gearbox
abbreviation	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox
chassis steering	Wenjie M5 2023 pure electric rear- wheel drive standard version	Wenjie M5 2022 pure electric rear- wheel drive standard version
Drive mode	rear wheel drive	rear wheel drive
four-wheel drive	-	-
Center differential structure		-
Front suspension type	Double wishbone independent suspension	Double wishbone independent suspension
rear suspension type	Multi-link independent suspension	Multi-link independent suspension
Assist type	electric assist	electric assist
Body structure	Load-bearing	Load-bearing
	Wheel brake	
Front brake type	ventilated disc	ventilated disc
rear brake type	ventilated disc	ventilated disc
Parking <mark>b</mark> rake type	Electronic parking	Electronic parking
Front tire specifications	255/50 R19	255/50 R19
Rear tire specifications	255/50 R19	255/50 R19

main/passenger scat airbags Front/rear side airbags Front/rear head airbags (curtain airbags) Tire pressure monitoring function Run-flat tires Seat belt not fastened reminder ISOFIX child sear interface ABS anti-lock Braking force distribution (IEBD/CBC, crc.) Brake assist (EBA/BAS/BA, etc.) Traction control (ASR/TCS/TRC, ctc.) Body stability control (ESC/ESP/DSC, ctc.) Lane Departure Warning System Active braking/active safety system Fatigue driving tips	Spare tire	none	none
Main passenger seat airbags Front/rear side airbags before ● after - be	specifications	passive safety	
Front/rear head airbags (curtain airbags) Tire pressure monitoring function Run-flat tires Seat belt not fastened reminder ISOFIX child seat interface ABS anti-lock Braking force distribution (EBD/CBC, etc.) Brake assist (EBA/BAS/BA, ctc.) Traction control (ASR/TCS/TRC, etc.) Body stability control (ESC/ESP/DSC, etc.) Active safety Lane Departure Warning System Active braking/active safety system Fatigue driving tips DOW opening warning forward collision warning	_		Main ● Deputy ●
airbags (curtain airbags) Tire pressure monitoring function Run-flat tires Seat belt not fastened reminder ISOFIX child seat interface ABS anti-lock Braking force distribution (EBD/CBC, etc.) Brake assist (EBA/BAS/BA, etc.) Traction control (ASR/TCS/TRC, etc.) Body stability control (ESC/ESP/DSC, etc.) Lane Departure Warning System Active braking/active safety system Fatigue driving tips DOW opening warning forward collision warning	Front/rear side airbags	before • after -	before • after -
monitoring function Run-flat tires Seat belt not fastened reminder ISOFIX child seat interface ABS anti-lock Braking force distribution (EBD/CBC, etc.) Brake assist (EBA/BAS/BA, etc.) Traction control (ASR/TCS/TRC, etc.) Body stability control (ESC/ESP/DSC, etc.) Active safety Lane Departure Warning System Active braking/active safety system Fatigue driving tips DOW opening warning forward collision warning	airbags (curtain	before ● after ●	before ● after ●
Seat belt not fastened reminder ISOFIX child seat interface ABS anti-lock Braking force distribution (EBD/CBC, etc.) Brake assist (EBA/BAS/BA, etc.) Traction control (ASR/TCS/TRC, etc.) Body stability control (ESC/ESP/DSC, etc.) Active safety Lane Departure Warning System Fatigue driving tips DOW opening warning forward collision warning		Tire pressure display	● Tire pressure display
ISOFIX child seat interface ABS anti-lock Braking force distribution (EBD/CBC, etc.) Brake assist (EBA/BAS/BA, etc.) Traction control (ASR/TCS/TRC, etc.) Body stability control (ESC/ESP/DSC, etc.) Active safety Lane Departure Warning System Active braking/active safety system Fatigue driving tips DOW opening warning forward collision warning	Seat belt not fastened	- ●The whole car	- ●The whole car
Braking force distribution (EBD/CBC, etc.) Brake assist (EBA/BAS/BA, etc.) Traction control (ASR/TCS/TRC, etc.) Body stability control (ESC/ESP/DSC, etc.) Active safety Lane Departure Warning System Active braking/active safety system Fatigue driving tips DOW opening warning forward collision warning	ISOFIX child seat	•	
Brake assist (EBA/BAS/BA, etc.) Traction control (ASR/TCS/TRC, etc.) Body stability control (ESC/ESP/DSC, etc.) Active safety Lane Departure Warning System Active braking/active safety system Fatigue driving tips DOW opening warning forward collision warning	Braking force		
(EBA/BAS/BA, etc.) Traction control (ASR/TCS/TRC, etc.) Body stability control (ESC/ESP/DSC, etc.) Active safety Lane Departure Warning System Active braking/active safety system Fatigue driving tips DOW opening warning forward collision warning	(EBD/CBC, etc.)		4
(ASR/TCS/TRC, etc.) Body stability control (ESC/ESP/DSC, etc.) Active safety Lane Departure Warning System Active braking/active safety system Fatigue driving tips DOW opening warning forward collision warning	(EBA/BAS/BA, etc.)	•	•
Active safety Lane Departure Warning System Active braking/active safety system Fatigue driving tips DOW opening warning forward collision warning	(ASR/TCS/TRC, etc.)	•	•
Lane Departure Warning System Active braking/active safety system Fatigue driving tips DOW opening warning forward collision warning		•	
safety system Fatigue driving tips DOW opening warning forward collision warning		Active safety	•
DOW opening warning forward collision warning		•	•
forward collision warning	Fatigue driving tips	<i>y</i> • 1	•
warning	DOW opening warning		
rear collision warning		•	•
	rear collision warning		

Sentry		
mode/clairvoyance		_
Low speed warning	•	•
Built-in driving		
recorder		
oadside assistance call	•	•
	Driving control	
	●Sports ●Economy ●	●Sports ●Economy ●
Driving mode switch	Standard/Comfortable ●	Standard/Comfortable ●Snow ●
	Customized/Personalized	Customized/Personalized
nergy recovery system	•	•
automatic parking	•	•
Hill assist	•	•
steep descent	•	• . ()
	Driving hardware	
Front/rear parking	before • after •	before ● after ●
radar	before & unter	before & diter
Driving assistance	● 360-degree panoramic image	● 360-degree panoramic image
images	- 500-degree panorame image	- 500-degree panoranne image
Transparent		
chassis/540 degree	•	-
image		
Number of cameras	●5 pieces	●8 pieces
Ultrasonic radar	•12 pieces	●12 pieces
quantity	• 12 pieces	•12 pieces
Millimeter wave radar	•3 pieces	• 3 pieces
quantity	- 5 pieces	- 5 pieces
LiDAR quantity	-	-
	Driving function	
cruise system	●Full-speed adaptive cruise	● Full-speed adaptive cruise
Assisted driving level	●L2	●L2
Reverse side warning		
system		
satellite navigation		
system		
Navigation traffic		
information display		_
map brand		●Gaode

Lane Keeping Assist	•	• (
System		
Lane centering Road traffic sign		•
Road traffic sign recognition	• ()	• ()
Automatic parking		•
remote control parking		•
Traffic light		
identification	<u>-</u>	
Follow the trail and		_
reverse		
Di cari al	Appearance/anti-theft	▲ A1
Rim material Electric trunk	Aluminum alloy	● Aluminum alloy
induction trunk	-	
Electric trunk position		
memory		(•)
Engine electronic anti-		
theft		-
Central locking in car	•	•
	●Remote key ●Bluetooth key ●	● Remote key ● Bluetooth key ●
Key type	NFC/RFID key	NFC/RFID key
	112 0, 22 22,	212 3, 42 22 32,
Keyless start system	• ()	•
Keyless entry function	● The whole car	●The whole car
Hidden electric door	•	
handle		
Active closing air		•
intake grille		
Remote start function	•	•
Battery preheating		•
external discharge	•	•
4	Exterior lights	
Low beam light source	●LED	●LED
high beam light source	• LED	●LED
LED daytime running	_	
LED daytime running lights	•	•

Adaptive high and low beam	•	•
automatic headlight	•	• >
car front fog lights	-	-
Headlight height adjustable		. 0
Delayed turn off of headlights		•
	Skylight/Glass	
Skylight type	●The panoramic sunroof cannot be opened	●The panoramic sunroof cannot be opened
Front/rear electric windows	before ● after ●	before ● after ●
One-touch window lifting function	●The whole car	●The whole car
Window anti-pinch function	•	
Multilayer soundproof glass	● The whole car	●The whole car
Rear side privacy glass	•	•
Car vanity mirror	●Main driver + lighting ●Co-pilot + lighting	●Main driver + lighting ●Co-pilot + lighting
rear wiper	•	•
Sensing wiper function	●Rain sensor type	●Rain sensor type
	Exterior rearview mirror	
	●Electric adjustment ●Electric	●Electric adjustment ●Electric
	folding Rearview mirror memory	folding • Rearview mirror memory •
Exterior rearview	Heated rearview mirrors	Heated rearview mirrors
mirror function	Automatically flip down when	Automatically flip down when
	reversing Automatically fold when the car is locked	reversing Automatically fold when
	Screen/System	the car is locked
Central control color	● Touch LCD screen	● Touch LCD screen
Central control screen size	●15.6 inches	●15.6 inches
Bluetooth/car phone		•
	4	

Mobile phone		
interconnection/mappi ng	Original interconnection/mapping	● Original interconnection/mapping
Voice recognition control system	●Multimedia system ●Navigation ● Telephone ●Air conditioning	● Multimedia system ● Navigation ● Telephone ● Air conditioning
face recognition	•	•
Vehicle intelligent system	●HarmonyOS	● HarmonyOS
Vehicle smart chip	-	●Kirin 990A
Vehicle system memory (GB)		•6
Vehicle system storage (GB)	-	●128
Voice wake word free	-	•
Voice area wake-up	(-)	●Four areas
Speech continuous recognition	-	•
It can be said that it is visible		4 •
4	Intelligent configuration	
Internet of Vehicles	•	•
4G/5G network	● 4G	● 4G
OTA upgrade	•	•
M. H. A.P.P.	● Door control ● Vehicle starting ●	● Door control ● Vehicle starting ●
Mobile APP remote function	Charging management ●Vehicle condition inquiry/diagnosis ● Schedule	
	maintenance/repair	Schedule maintenance/repair
Car KTV		- 1
4	Steering wheel/interior rearview	mirror
Steering wheel material	●Genuine leather	●Genuine leather
Steering wheel position adjustment	● Manual up and down + front and rear adjustment	● Manual up and down + front and rear adjustment

Shift pattern	• Electronic gear shift	●Electronic gear shift
Multifunction steering wheel		•
steering wheel gear shift		
Steering wheel heating		
steering wheel memory	-	
Trip computer display screen	● Color	● Color
Full LCD instrument	•	• 4
LCD instrument size	● 10.25 inches	●10.25 inches
HUD heads up digital		
Interior rearview	● Automatic anti-dazzle	• Automatic anti-dazzle
	Charging in car	
Multimedia/charging interface	●USB ●Type-C	●USB ●Type-C
Number of USB/Type- C interfaces	●4 people in the front row/2 people in the back row	● 4 people in the front row/2 people in the back row
220V/230V power supply		
Mobile phone wireless charging function	• Front row	●Front row
Luggage compartment 12V power interface		
Seat configuration	Wenjie M5 2023 pure electric rear- wheel drive standard version	Wenjie M5 2022 pure electric rear- wheel drive standard version
seat material	●Imitation leather ● Genuine leather	●Imitation leather ● Genuine leather
4		

Main seat adjustment method	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Waist support (4-way)	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Waist support (4-way)
Secondary seat adjustment method	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Waist support (4-way)	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Waist support (4-way)
Main/passenger seat electric adjustment	Main ● / Deputy●	Main ● / Deputy●
Front seat functions	◆Heating ◆Ventilation ○ Massage	
Power seat memory function	• Driving position	●Driving position
Adjustable buttons for the passenger seat and	_	4
rear row		
_	-	-
rear row Second row seat	- OHeating	- Heating
rear row Second row seat adjustment Second row seat	- ○Heating ● Inverted proportions	- Heating ● Inverted proportions
rear row Second row seat adjustment Second row seat functions		●Inverted proportions
rear row Second row seat adjustment Second row seat functions	●Inverted proportions	●Inverted proportions
rear row Second row seat adjustment Second row seat functions Rear seats fold down	●Inverted proportions	●Inverted proportions
rear row Second row seat adjustment Second row seat functions Rear seats fold down Rear cup holder	● Inverted proportions Front/rear center armrest Wenjie M5 2023 pure electric rear-	●Inverted proportions t Wenjie M5 2022 pure electric rear-
rear row Second row seat adjustment Second row seat functions Rear seats fold down Rear cup holder Audio/interior lighting	● Inverted proportions Front/rear center armrest ● Wenjie M5 2023 pure electric rearwheel drive standard version	Wenjie M5 2022 pure electric rearwheel drive standard version
second row seat adjustment Second row seat functions Rear seats fold down Rear cup holder Audio/interior lighting Speaker brand name	● Inverted proportions Front/rear center armrest ● Wenjie M5 2023 pure electric rearwheel drive standard version ● HUAWEI SOUND	● Inverted proportions Wenjie M5 2022 pure electric rearwheel drive standard version ● HUAWEI SOUND

	Air conditioner/refrigerate	or
Air conditioning temperature control method	Automatic air conditioning	• Automatic air conditioning
heat pump air conditioner	• , , \	
Independent air conditioning in the rear		4
Rear seat air outlet Temperature zone control	•	•
Car air purifier	•	•
In-car PM2.5 filter device	•	• ()
negative ion generator	-	
Car fragrance device	•	
	Optional package	
Exterior color	Azure blue, warm nebula, dawn pink, gilt black, pine frost green, ceramic white	Ceramic white, dawn pink, gilt black, warm nebula, pine frost green, azure blue
interior color	Shaohua apricot, amber brown, polar night black, black/bird feather red	Shaohua apricot, black/bird feather red, amber brown, polar night black