

## QINGDAO QHCY INTERNATIONAL TRADING CO., LTD. Web:cartradinghub.com Tel: 86-15176650760

E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

	Benz EQC con:	figuration table	
	Mercedes-Benz EQC	Mercedes-Benz EQC 2022	Mercedes-Benz EQC
	2022 facelift EQC	facelift EQC 350	20 <mark>22 facelift EQC</mark>
	350 4MATIC	4MATIC Special Edition	400 4MATIC
		parameters	
Manufacturer	Beijing Benz	Beijing Benz 📏 🔪	Deijing Benz
level	Medium SUV	Medium SUV	Medium SUV
Energy type	pure electric	pure electric	pure electric
time to market	2022. 05	2022. 05	2022. 05
CLTC pure electric	440	440	443
cruising range (km)	110	110	110
Fast charging time	_	_	_\_\
(hours)			
Slow charging time	_	_	_
(hours)			
Fast charging	-	_	_
percentage			
Maximum power(kW)	210	210	300
Maximum torque	590	590	760
(N • m)			
Motor(Ps)	286	286	408
Length*width*height	4774*1890*1622	4774*1890*1622	4774*1923*1622
(mm)			
Body structure	5-door, 5-seater	5-door, 5-seater SUV	5-door, 5-seater
	SUV		SUV
Maximum speed	180	180	180
(km/h)			
Official 0-100km/h	6.9	6. 9	5. 1
acceleration (s)			
Electric energy			
equivalent fuel	2. 26	2. 26	2. 23
consumption			
(L/100km)	Three years with no	Three years with no	Three years with no
Vehicle warranty	limit on kilometers	limit on kilometers	limit on kilometers
			Timit on kilometers
Length(mm)	4774	Body 4774	4774
Width (mm)	1890	1890	1923
Height (mm)	1622	1622	1622
Wheelbase (mm)	2873	2873	2873
Front wheelbase			2010
(mm)	1630	1630	1630
Rear wheelbase (mm)	1621	1621	1621
Approach angle (°)	19	19	19
ubbroach angre ( )	13	13	13

Departure angle (°)  Body structure  Car door opening method  Number of doors (number)  Number of seats (seats)	SUV swing door 5	19 SUV swing door	19 SUV swing door
Car door opening method Number of doors (number) Number of seats	swing door	swing door	
Car door opening method Number of doors (number) Number of seats			swing door
(number) Number of seats	5	1_	
		5	5
	5	5	5
Trunk volume (L)	-	_	-
Drag coefficient (Cd)	0. 29	0. 29	0. 29
Curb weight (kg)	2485	2485	2485
Maximum full load mass (kg)	2975	2975	2975
		ric motor	
Motor type	communicative/async hronous	communicative/asynchro nous	communicative/async hronous
Total motor power (kW)	210	210	300
Total motor power (Ps)	286	286	408
Total torque of motor (N•m)	590	590	760
Number of drive motors	Dual motor	Dual motor	Dual motor
Motor layout	Front + rear	Front + rear	Front + rear
Battery Type	Ternary lithium battery	Ternary lithium battery	Ternary lithium ( battery
Battery brand	Beijing Benz	Beijing Benz	Beijing Benz
Battery cooling method	liquid cooling	liquid cooling	liquid cooling
CLTC pure electric cruising range (km)	440	440	443
Battery energy (kWh)	79. 2	79. 2	79. 2
Battery energy density (Wh/kg)	125	125	125
Electricity consumption per 100 kilometers (kWh/100km)	20	20	19. 7
Battery pack warranty	Eight years or 160,000 kilometers	Eight years or 160,000 kilometers	Eight years or 160,000 kilometers
Fast charging function	support	support	support
Fast charging time (hours)	-	_	-
Slow charging time (hours)	-	- ~	-

Fast charging	1	-	-
capacity(%) electric motor	210	210	300
ciccuite motor		earbox	300
Number of gears	1	1	1
Gearbox type	fixed ratio gearbox	fixed ratio gearbox	fixed ratio gearbox
	Electric vehicle	Electric vehicle	Electric vehicle
abbreviation	single speed	single speed gearbox	single speed
	gearbox		gearbox
		s steering	D 1
Drive mode	Dual motor four- wheel drive	Dual motor four-wheel drive	Dual motor four- wheel drive
four-wheel drive	Electric four-wheel drive	Electric four-wheel drive	Electric four-wheel drive
ъ .	Double wishbone		Double wishbone
Front suspension	independent	Double wishbone	independent
type	suspension	independent suspension	suspension
rear suspension	Multi-link	Multi-link independent	Multi-link
type	independent	suspension	independent
	suspension		suspension
Assist type Body structure	electric assist	electric assist	electric assist Load-bearing
body structure	Load-bearing Whoo	Load-bearing I brake	Load-bearing
Front brake type	ventilated disc	ventilated disc	ventilated disc
rear brake type	ventilated disc	ventilated disc	ventilated disc
Parking brake type	Electronic parking	Electronic parking	Electronic parking
Front tire specifications	235/55R19	235/55R19	235/55R19
Rear tire	255/50R19	255/50R19	255/50R19
specifications Spare tire	•		
specifications	none	none	none
<b>W</b> · /	Passi	ve safety	
Main/passenger seat airbag	Main●Deputy●	Main●Deputy●	Main⊕Deputy⊕
Front/rear side airbags	before ● after ○	before ● after O	before ● after O
Front/rear head			
airbags (curtain airbags)	before ● after ●	before ● after ●	before ● after ●
knee air bag		<u> </u>	•
Tire pressure	•Tire pressure	●Tire pressure	●Tire pressure
monitoring function	display	display	display
Run-flat tires	_	<del>-                                    </del>	
Seat belt not fastened reminder	•Front row	•Front row	•Front row
IS <mark>OFI</mark> X child seat			_
interface	•	_	
ABS anti-lock	•	•	•

	4			
Braking force distribution (EBD/CBC, etc.)	•	•	•	
Brake assist (EBA/BAS/BA, etc.)	•		•	
Traction control (ASR/TCS/TRC, etc.) Body stability	•	•	•	
control (ESC/ESP/DSC, etc.)	•	•	•	
I D	Activ	e safety		
Lane Departure Warning System Active	-	-	<b>)</b> •	
braking/active safety system			•	
Fatigue driving tips	•	•	• (	
forward collision warning	•	•	•	
Low speed warning Built-in driving recorder	0	0	0	
roadside assistance	•	•	•	
			●Sport ●Economy	
Driving mode switch	Standard/Comfortabl e	●Sport ●Economy ● Standard/Comfortable	Standard/Comfortabl e	
energy recovery system automatic parking	Standard/Comfortabl		• Standard/Comfortabl	
energy recovery system automatic parking Hill assist	Standard/Comfortabl		• Standard/Comfortabl	
energy recovery system automatic parking	Standard/Comfortable  e  Suspension soft and hard adjustment	Standard/Comfortable   Suspension soft and hard adjustment	• Standard/Comfortabl	
energy recovery system automatic parking Hill assist steep descent Variable suspension	Standard/Comfortable  e  Suspension soft and hard adjustment	Standard/Comfortable   Suspension soft and	Standard/Comfortabl e   Suspension soft	
energy recovery system automatic parking Hill assist steep descent Variable suspension function Front/rear parking	Standard/Comfortable  e  Suspension soft and hard adjustment  Driving  before • after •  Reversing image	Standard/Comfortable  Output  Suspension soft and hard adjustment hardware before output after output  360-degree panoramic image	Standard/Comfortabl e  Suspension soft and hard adjustment	
energy recovery system automatic parking Hill assist steep descent Variable suspension function  Front/rear parking radar Driving assistance	Standard/Comfortable  e  Suspension soft and hard adjustment  Driving  before • after •  Reversing image	Standard/Comfortable   Suspension soft and hard adjustment  hardware  before • after •  360-degree panoramic	Standard/Comfortabl e  Suspension soft and hard adjustment  before • after •  360-degree panoramic image	
energy recovery system automatic parking Hill assist steep descent Variable suspension function  Front/rear parking radar Driving assistance images  cruise system Assisted driving	Standard/Comfortable  e  Suspension soft and hard adjustment  Driving before • after •  Reversing image	Standard/Comfortable  Output  Suspension soft and hard adjustment hardware before output after output  360-degree panoramic image g function	Standard/Comfortabl e  Suspension soft and hard adjustment  before • after •  360-degree panoramic image	
energy recovery system automatic parking Hill assist steep descent Variable suspension function  Front/rear parking radar Driving assistance images  cruise system Assisted driving level satellite navigation system	Standard/Comfortable  e  Suspension soft and hard adjustment  Driving before • after •  Reversing image	Standard/Comfortable  Output  Suspension soft and hard adjustment hardware before output after output  360-degree panoramic image g function	Standard/Comfortabl e  Suspension soft and hard adjustment  before • after •  360-degree panoramic image  Full-speed adaptive cruise	
energy recovery system automatic parking Hill assist steep descent Variable suspension function  Front/rear parking radar Driving assistance images  cruise system Assisted driving level satellite	Standard/Comfortable  e  Suspension soft and hard adjustment  Driving before after   Reversing image  Driving  Cruise speed	Standard/Comfortable  Output  Suspension soft and hard adjustment hardware before output after output  360-degree panoramic image g function	Standard/Comfortabl e  Suspension soft and hard adjustment  before • after •  360-degree panoramic image  Full-speed adaptive cruise	

map brand	●Gaode	●Gaode	●Gaode	
AR real-life navigation	0	0	0	
Parallel assistance	-		•	
Lane Keeping Assist System	-		•	
Lane centering	_	-	•	
Road traffic sign recognition	•	•	•	
Automatic parking	Annearanc	e/anti-theft		
Sport appearance package		-	J •	
Rim material	●Aluminum alloy	●Aluminum alloy	●Aluminum alloy	
Electric trunk			•	
induction trunk Electric trunk	•	•	0	
position memory Central locking in	•	•		
car Key type	●Remote key	●Remote key	●Remote key	
Keyless start system	• Nemote key	) •	• Nemote Key	
Keyless entry function	OThe whole car	OThe whole car	OThe whole car	
Active closing air intake grille	•	• 1	•	
Remote start function	•	•	•	
car side pedals	_	_	●Fixed	
Battery preheating	F4	1 :		
low beam light source	● LED	or lights ●LED	●LED	
high beam light source	●LED	●LED	● LED	
Lighting features	●Geometric multi- beam	●Geometric multi-beam	●Geometric multi- beam	
LED daytime running lights	•	•	•	
Adaptive high and low beam	•	•	•	
automatic headlight	•		•	
Turn assist light turn headlight	•			
car front fog lights	-	_	-	
Headlight height adjustable	• \	•	•	
Delayed turn off of headlights	•	•	•	

	Skyli:	ght/glass		
Skylight type	●Electric sunroof	●Electric sunroof	●Electric sunroof	
Front/rear electric windows	before ● after ●	before ● after ●	before ● after ●	
One-touch window lifting function	●The whole car	●The whole car	●The whole car	
Window anti-pinch function	•	•	•	
Multilayer s <mark>oundproo</mark> f glass	•Front row	●Front row	●Front row	
Car vanity mirror	● Main driver + lighting ● Co-pilot + lighting	●Main driver + lighting ●Co-pilot + lighting	●Main driver + lighting ●Co-pilot + lighting	
rear wiper			•	
Sensing wiper function	•Rain sensor type	●Rain sensor type	●Rain sensor typ <mark>e</mark>	
Heated water nozzle	0	0	0	
	Exterior re	earview mirror	●Electric	
Exterior rearview mirror function	adjustment  Electric folding  Heated rearview  mirrors  Automatically flip down when reversing  Automatically fold when the car  is locked  Automatic anti- dazzle	● Electric adjustment ● Electric folding ● Heated rearview mirrors ● Automatically flip down when reversing ● Automatically fold when the car is locked ● Automatic anti- dazzle	adjustment ● Electric folding ● Rearview mirror memory ● Rearview mirror heating ● Automatic flip down when reversing ● Automatic folding when locking the car ● Automatic anti-dazzle	
		en/system	anti adzzio	
Central control color screen	●Touch LCD screen	●Touch LCD screen	●Touch LCD screen	
Central control screen size	●10.25 inches	●10.25 inches	●10.25 inches	
Bluetooth/car phone	•	•	•	
Mobile phone interconnection/map ping	●Support CarPlay ●Support CarLife	●Support CarPlay ● Support CarLife	●Support CarPlay ●Support CarLife	
Voice recognition control system	●Multimedia system ●Navigation ● Telephone ●Air conditioning	<ul><li>Multimedia system ●</li><li>Navigation ● Telephone</li><li>● Air conditioning</li></ul>	●Multimedia system ●Navigation ● Telephone ●Air conditioning	
Vehicle intelligent system	● MBUX	●MBUX	●MBUX	
	Intelligent	configuration		
Internet of Vehicles	•	•	•	
4G/5G network OTA upgrade	● 4G	●4G	● 4G	
om upgrauc	1			

Mobile APP remote function	● Door control ● Air conditioning control ● Vehicle status inquiry/diagnosis ● Vehicle positioning/car search	●Door control ●Air conditioning control ●Vehicle status inquiry/diagnosis ● Vehicle positioning/car search	● Door control ● Air conditioning control ● Vehicle status inquiry/diagnosis ● Vehicle positioning/car search
Steering wheel	Steering wheel/int	terior rearview mirror	
material	•Genuine leather	●Genuine leather	•Genuine leather
Steering wheel position adjustment	• Manual up and down + front and rear adjustment	• Manual up and down + front and rear adjustment	• Electric up and down + front and rear adjustment
Shift pattern	• Electronic gear shifting	●Electronic gear shifting	●Electronic gear shifting
Multifunction steering wheel	•	•	• (
steering wheel gear shift	•	1 •	•
Steering wheel heating	-	_	
steering wheel memory	-	-	•
Trip computer display screen	• Color	● Color	● Color
Full LCD instrument panel	•	•	•
LCD instrument size	●10.25 inches	●10.25 inches	●10.25 inches
HUD heads up digital display	0	O	0
Interior rearview	• Automatic anti-	•Automatic anti-	●Automatic anti-
mirror function	dazzle	dazzle	dazzle
ETC device	Change	0	O
Multimedia/charging interface	● Type-C	ing in car ●Type-C	●Type-C
Number of USB/Type- C interfaces	●3 people in the front row/2 people	●3 people in the front row/2 people in	•3 people in the front row/2 people
Mobile phone wireless charging function	in the back row  Front row	the back row  • Front row	in the back row  Front row
Tuno vion	Seat co	nfiguration	
seat material	• Genuine leather	• Genuine leather	●Genuine leather

Main seat adjustment method	●Front and back adjustment ● Backrest adjustment ●Height adjustment (4-way) ●Leg rest adjustment ●Waist support (4-way)	●Front and back adjustment ●Backrest adjustment ●Height adjustment (4-way) ● Leg rest adjustment ● Waist support (4-way)	● Front and back adjustment Backrest adjustment ● Height adjustment (4-way) ● Leg rest adjustment ● Waist support (4-way)	
Secondary seat adjustment method	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Leg rest adjustment ● Waist support (4-way)	●Front and back adjustment ●Backrest adjustment ●Height adjustment (4-way) ● Leg rest adjustment ● Waist support (4-way)	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Leg rest adjustment ● Waist support (4-way)	
Main/passenger seat electric adjustment	Main●Deputy●	Main⊕Deputy●	Main⊕Deputy⊕	
Front seat functions	●Heating	●Heating	●Heating○Massage	
Power seat memory function	-	\ -	●Driving position	
Adjustable buttons for the passenger seat and rear row	- (	-		
Second row seat adjustment		-	-	
Second row seat functions	OHeating	OHeating	OHeating	
Rear seats fold down	●Inverted proportions	•Inverted proportions	●Inverted proportions	
Front/rear center armrest Rear cup holder	before ● after ●	before ● after ●	before ● after ●	
Real cap notaer	Audio/inte	erior lighting		
Speaker brand name	OBurmester Berlin Voice	○Burmester Berlin Voice	OBurmester Berlin Voice	
Number of speakers	●8-9 speakers○≥ 12 speakers	●8-9 speakers○≥12 speakers	●8-9 speakers○≥ 12 speakers	
Car interior ambient lighting	●64 colors	●64 colors	●64 colors	
<u> </u>	Air condition	ner/refrigerator		
Air conditioning temperature control method	•Automatic air conditioning	<ul><li>Automatic air conditioning</li></ul>	●Automatic air conditioning	
Independent air conditioning in the rear	-	\( \begin{align*}	0	
Rear seat air outlet	•	•	•	
Temperature zone control	•	• 6	•	
Car air purifier	•	•	•	

In-car PM2.5 filter		•	•
device			
	Optiona	al package	
	Smart Enjoyment	Smart Enjoyment Suite	Smart Enjoyment
	Suite (3800) Smart	(3800) Smart	Suite (3800) Smart
<u> </u>	Connectivity Suite	Connectivity Suite	Connectivity Suite
	(3800)	(3800)	(3800)
	Haosha silver,		Time and Space
	graphite gray,	Arctic white, graphite	Silver, Obsidian
	sapphire blue,	gray, sapphire blue,	Black, Sapphire
Exterior color	arctic white,	zircon red, Haosha	Blue, Arctic White,
	zircon red, space-	silver, space-time	Z <mark>i</mark> rcon Red, Haosha
	time silver,	silver, obsidian black	Silver, Graphite
	obsidian black		Gray
interior color	black/blue, black, bl	black/blue, black, black	Black, black/blue,
	ack/beige	/beige	black/beige
Note: ●Standard	O Optional - None		