

QINGDAO QHCY INTERNATIONAL TRADING CO., LTD. Web:cartradinghub.com Tel: 86-15176650760

E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

Benz EQS SUV configuration table		
	Mercedes-Benz EQS SUV 2023 450 4MATIC Pioneer Edition	Mercedes-Benz EQS SUV 2023 450 4MATIC Luxury Edition
	Basic parameters	
Manufacturer	Mercedes-EQ	Mercedes-EQ
level	Large SUV	Large SUV
Energy type	pure electric	pure electric
time to market	2023. 02	2023. 02
CLTC pure electric	673	670
cruising range (km)	073	070
Fast charging time (hours)	0. 62	0. 62
Slow charging time (hours)	16	16
Fast charging percentage	80	80
Maximum power(kW)	265	265
Maximum torque (N•m)	800	800
Motor (Ps)	360	360
Length*width*height (mm)	5137*1965*1721	5137*1965*1721
Body structure	5-door, 5-seater SUV	5-door, 7-seater SUV
Maximum speed (km/h)	200	200
Official 0-100km/h acceleration (s)	6. 2	6. 2
Electric energy equivalent fuel consumption (L/100km)	2. 02	2. 02
Vehicle warranty	Three years with no limit on kilometers	Three years with no limit on kilometers
First owner warranty policy	- 4	
	Body	
Length(mm)	5137	5137
Width(mm)	1965	1965
Height(mm)	1721	1721
Wheelbase(mm)	3210	3210
Front wheelbase (mm)	1668	1668

Rear wheelbase (mm)	1681	1681
Approach angle (°)	18.8	18.8
Departure angle (°)	19.6	19. 6
Body structure	SUV	SUV
Car door opening method	swing door	swing door
Number of doors (number)	5	5
Number of seats (seats)	5	7
Trunk volume (L)	645-2100	645-2100
Drag coefficient (Cd)	0. 26	0. 26
Curb weight (kg)	2905	2905
Maximum full load mass (kg)	3500	3500
	Electric motor	
Motor type	Permanent magnet/synchronous	Permanent magnet/synchronous
Total motor power (kW)	265	265
Total motor power (Ps)	360	360
Total torque of motor (N•m)	800	800
Maximum power of front electric motor (kW)	88	88
Maximum power of rear electric motor (kW)	178	178
Number of drive motors	Dual motor	Dual motor
Motor layout	Front + rear	Fr <mark>ont + re</mark> ar
Battery Type	Ternary lithium battery	Ternary lithium battery
Battery brand	Vision Dynamics	Vision Dynamics
Battery cooling method	liquid cooling	liquid cooling
Exchange battery 🌈	not support	not support
CLTC pure electric cruising range (km)	673	670
Battery energy (kWh)	111.8	111.8
Electricity consumption per 100 kilometers (kWh/100km)	17. 9	17.9
Battery pack warranty	Ten years or 250,000 kilometers	Ten years or 250,000 kilomete

	1		
Fast charging function	support	support	
Fast charging power (kW)	145	145	
Fast charging time (hours)	0. 62	0. 62	
Slow charging time (hours)	16	16	
Fast charging capacity(%)	80	80	
electric motor	265	265	
W 1 C	Gearbox		
Number of gears	final matic manhan	Circl matic marrhau	
Gearbox type abbreviation	fixed ratio gearbox Electric vehicle single speed gearbox	fixed ratio gearbox Electric vehicle single speed gearbox	
	Chassis steering		
Drive mode	Dual motor four-wheel drive	Dual motor four-wheel drive	
four-wheel drive	Electric four-wheel drive	Electric four-wheel drive	
Center differential structure	<u> </u>	-	(
Front suspension type	Multi-link independent suspension	Multi-link independent suspension	
rear suspension type	Multi-link independent suspension	Multi-link independent suspension), '
Assist type	electric assist	electric assist	
Body structure	Load-bearing 🖊	Load-bearin <mark>g</mark>	
	Wheel brake		
Front brake type	ventilated disc	ventil <mark>a</mark> ted disc	
rear brake type	ventilated disc	ventilated disc	
Parking brake type Front tire	Electronic parking	Electronic parking	
specifications Rear tire	275/45 R21	275/45 R21	
specifications Spare tire	275/45 R21	275/45 R21	
specifications	none	none	
	Passive safety		
Main/passenger seat airbag	Main●Deputy●	Main●Deputy●	
Front/rear side airbags	before ● after ○	before ● after ○	
Front/rear head airbags (curtain airbags)	before ● after ●	before ● after ●	
knee air bag	•		J
	•		

passive pedestrian protection	•	•
Tire pressure	•Tire pressure display	•Tire pressure display
monitoring function	Tire pressure display	Tiffe pressure display
Run-flat tires	-	-
Seat belt not	●The whole car	●The whole car
fastened reminder	The whole car	The whole car
ISOFIX child seat		
interface		4
ABS anti-lock	•	•
Braking force	_	
distribution	•	
(EBD/CBC, etc.)		
Brake assist	•	•
(EBA/BAS/BA, etc.)		
Traction control	•	•
(ASR/TCS/TRC, etc.)		
Body stability		
control	•	
(ESC/ESP/DSC, etc.)	A - + i	
I D	Active safety	
Lane Departure		•
Warning System Active		
braking/active		
safety system		
Fatigue driving		
tips	•	•
forward collision		
warning	•	•
Low speed warning	•	•
Built-in driving		
recorder		•
roadside assistance		
cal1	•	
	Driving control	
	●Sports ●Economy ●	●Sports ●Economy ●
Driving mode switch	Standard/comfortable •Off-road	
bilving mode bwitten	• Customized/personalized	• Customized/personalized
	Dan tamibod, poi sonarizod	2 tas tamizou, poi sonarizou
energy recovery	•	•
system	•	•
system automatic parking	•	•
system automatic parking Hill assist	•	•
system automatic parking	•	•
system automatic parking Hill assist steep descent	• Suspension soft and hard	• • • • • • • • • • • • • • • • • • •
system automatic parking Hill assist	Suspension soft and hard adjustment Suspension height	Suspension soft and hard adjustment Suspension height

air suspension	•	•
variable steering ratio	• ,	•
	4WD/off-road	
Integral active	•	•
steering system	Driving hardware	
Front/rear parking		
radar Driving assistance	before ● after ●	before ● after ●
images	●360-degree panoramic image	●360-degree panoramic image
	Driving function	. ()
cruise system	●Full-speed adaptive cruise	●Full-speed adaptive cruise
Assisted driving level	●L2	●L2
Reverse side		
warning system		
satellite	•	•
navigation system Navigation traffic		
information display	•	•
map brand	●Gaode	●Gaode
AR real-life		
navigation		4
HD map	•	•
Parallel assistance	•	•
Lane Keeping Assist System	•	•
Lane centering	•	
Road traffic sign		
recognition		•
Automatic parking	•	•
remote control	_	0 1
parking Automatic lane		
change assist	•	•
	Appearance/anti-thef	t L
Sport appearance package	•	•
Rim material 🌈	●Aluminum alloy	●Aluminum alloy
Electric trunk		•
induction trunk	•	•
Electric trunk position memory	• ()	• \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ \
Central locking in		_
car	•	•
Ke <mark>y</mark> type	●Re <mark>m</mark> ote <mark>ke</mark> y	●Remote key
Keyless start		
system		

Keyless entry function	●The whole car	●The whole car
		The whole car
Hidden electric door handle	• 1	•
Remote start function	• . ()	•
Battery preheating	•	•
	Exterior lights	
low beam light source	●LED	● LED
high beam light source	●LED	● LED
Lighting features	●Digital	●Digital
LED daytime running lights	•	•
Adaptive high and low beam		• 4
nutomatic headlight	•	• (,
turn headlight	•	• \
car front fog lights		
Headlight height adjustable		
Delayed turn off of headlights	•	•
	Skylight/glass	
Skylight type	●The panoramic sunroof can be opened	●The panoramic sunroof can be opened
Front/rear electric windows	before ● after ●	before ● after ●
One-touch window lifting function	●The whole car	●The whole car
Window anti-pinch function	•	•
Car vanity mirror	●Main driver + lighting ●Co- pilot + lighting	●Main driver + lighting ●Co- pilot + lighting
rear wiper		•
Sensing wiper function	●Rain sensor type	●Rain sensor type

Exterior rearview mirror function Central control	● Electric adjustment ● Electric folding ● Rearview mirror memory ● Rearview mirror heating ● Automatic flip down when reversing ● Automatic folding when locking the car ● Automatic anti-dazzle Screen/system ● Touch OLED screen	Electric folding ●Rearview mirror memory ●Rearview mirr heating ●Automatic flip downwhen reversing ●Automatic
color screen Central control screen size	•17.7 inches	•17.7 inches
Passenger entertainment screen Bluetooth/car phone	●12.3 inches	•12.3 inches
Mobile phone interconnection/map ping	●Support CarPlay ●Support Android Auto	●Support CarPlay ●Suppor Android Auto
Voice recognition control system	●Multimedia system ●Navigation ●Telephone ●Air conditioning	●Multimedia system ● Navigation ●Telephone ●Ai conditioning
gesture control	_	•
Vehicle intelligent system	●MBUX	●MBUX
rear LCD screen	-	•
Rear LCD screen		
size	_	•11.6 inches
size Rear seat control		•11.6 inches
size	- Intelligent_configurat	
Rear seat control multimedia Internet of	Intelligent configurat	
size Rear seat control multimedia	Intelligent configurat •	
Rear seat control multimedia Internet of Vehicles	•	ion
Rear seat control multimedia Internet of Vehicles 4G/5G network	•	ion
Rear seat control multimedia Internet of Vehicles 4G/5G network OTA upgrade Mobile APP remote	• 4G • Air conditioning control • Vehicle condition query/diagnosis • Vehicle	• 4G • Air conditioning control Vehicle condition query/diagnosis • Vehicle

Steering wheel material	•Genuine leather	•Genuine leather
Steering wheel position adjustment	•Electric up and down + front and rear adjustment	●Electric up and down + front and rear adjustment
Shift pattern	●Electronic gear shifting	•Electronic gear shifting
Multifunction steering wheel	•	•
steering wheel gear shift		
Steering wheel heating	0	0
steering wheel memory	•	•
Trip computer display screen	●Color	●Color
Full LCD instrument panel	•	•
LCD instrument size HUD heads up	●12.3 inches	● 12. 3 inches
digital display AR-HUD augmented reality head-up display	0	0
Interior rearview mirror function	●Automatic anti-dazzle	•Automatic anti-dazzle
ETC device	Characian in an	0
Multimedia/charging interface	Charging in car ● Type-C	●HDMI ●Type-C
Number of USB/Type- C interfaces	●6 people in the front row/2 people in the back row	●6 people in the front row/6 people in the back row
Mobile phone wireless charging	●Front row ●Back row	●Front row ●Back row
function Luggage compartment		•
function		•
function Luggage compartment		● Genuine leather

Secondary seat adjustment method	●Front and back adjustment ● Backrest adjustment ●Height adjustment (4-way) ●Leg rest adjustment ●Waist support (4- way)	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Leg rest adjustment ● Waist support (4- way)
Main/p <mark>assenge</mark> r seat elect <mark>r</mark> ic adjustment	Main⊕Deputy●	Main⊕Deputy⊕
Front seat functions	●Heating○Ventilation	● Heating ○ Ventilation ○ Massage
Power seat memory function	●Driver's seat ●Co-pilot's seat	●Driver's seat ●Co-pilot's seat
Adjustable buttons for the passenger seat and rear row), • 7
Second row seat adjustment	●Fore and aft adjustment ● Backrest adjustment	●Fore and aft adjustment ● Backrest adjustment
Electrically adjustable second row seats		
Second row seat functions	OHeating	OHeating
Seat layout	O2-3-2	●2-3-2
Rear seats fold down	●Inverted proportions	●Inverted proportions
Electrically reclining rear seats		•
Front/rear center armrest	before ● after ●	before ● after ●
Rear cup holder	•	
	Audio/interior lighti	ing
Speaker brand name	OBurmester Berlin Voice	●Burmester Berlin Voice
Number of speakers	●9 speakers○15 speakers	•15 speakers
touch reading light	•	•
Car interior ambient lighting	●64 colors	●64 colors
	Air conditioner/refrige:	rator
Air conditioning temperature control method	•Automatic air conditioning	•Automatic air conditioning
Independent air conditioning in the rear		4
Rear seat air		

Temperature zone	•	•
control		
Car air purifier		•
In-car PM2.5 filter	•	•
device		
negative ion	-	0
generator		
Car fragrance	_	0
device		4
	Optional package	
2	Rear wheel active steering system (10 degree steering angle) (16200)	Rear wheel active steering system (10 degree steering angle) (16200)
Exterior color	Arctic white, sodalite blue, space-time silver, obsidian black, moonlight lime, emerald green, diamond white (bright color)	Obsidian black, sodalite blue, moonlight lime, diamond white (bright), arctic white, spacetime silver, emerald green
interior color	Balau brown/Nebula gray, black/space gray, Macchidomi/space gray, black/balau brown, black/Bizcaya blue	Black/Bizcaya Blue, Black/Space Gray, Balau Brown/Nebula Gray, Black/Balau Brown, Macchidomi/Space Gray
Note: •Standard	O Optional - None	