

QINGDAO QHCY INTERNATIONAL TRADING CO.,LTD.

Web:cartradinghub.com Tel: 86-15176650760 E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

(AVATR Avita 1	2 configuration table	
	Avita 12 2023 700 triple laser rear drive luxury version	Avita 12 2023 650 triple laser four-wheel drive performance version	Avita 12 2023 650 triple laser four-wheel drive GT version
	Basic	parameters	
Manufacturer	Avita Technologies	Avita Technologies	Avita Technologies
level	Medium and large cars	Medium and large cars	Medium and large cars
Energy type	pure electric	pure electric	pure electric
time to market	2023.11	2023.11	2023.11
CLTC pure electric cruising range (km)	700	650	650
Fast charging time (hours)	- //	-	<u> </u>
Slow charging time (hours)		-	-
Fast charging percentage	30-80	30-80	30-80
Maximum power(kW)	230	425	425
Maximum torque (N · m)	370	650	650
Motor(Ps)	313	578	578
Length*width*height (mm)	5020*1999*1460	5020*1999*1460	5020*1999*1450
Body structure	4-door, 5-seat sedan	4-door, 5-seat sed <mark>a</mark> n	4-door, 5-seat sedan
Maximum speed (km/h)	215	220	220
Official 0-100km/h acceleration (s)	6.7	3.9	3.9
Electric energy equivalent fuel consumption (L/100km)	1.70	1.81	1.81
Vehicle warranty	Five years or 120,000 kilometers	Five years or 120,000 kilometers	Five years or 120,000 kilometers

First owner warranty	_	-	-
policy		D 1	
Length(mm)	5020	Body 5020	5020
Width(mm)	1999	1999	1999
Height(mm)	1460	1460	1450
Wheelbase(mm)	3020	3020	3020
Front wheelbase	1688	1688	1688
(mm)	1702	1702	1702
Rear wheelbase (mm) Minimum ground	1702	1702	1702
clearance with full load (mm)	120	120	120
Approach angle (°)	15	15	13
Departure angle (°)	20	20	18
Longitudinal passage	11	11	9
Maximum grade(%)	30	30	30
Minimum turning radius (m)	6.25	6.25	6.25
Body structure	Sedan	Sedan	Sedan
Car door opening method	swing door	swing door	swing door
Number of doors (number)	4	4	4
Number of seats (seats)	5	5	5
Front trunk volume (L)	65	65	65
Trunk volume (L)	350	350	350
Curb weight (kg)	2180	2300	2300
Maximum full load mass (kg)	2580	2700	2700
	elec	ctric motor	
Motor type	Permanent magnet/synchronous	Front AC/asynchronous rear permanent magnet/synchronous	Front AC/asynchronous rear permanent magnet/synchronous
Total motor power (kW)	230	425	425

motor (Maximum front election (N) Maximum front election (N) Maximum rear election (N) Maximum rear election (N) Number mot	regue of (N · m) repower of tric motor (W) repower of tric motor (m) repower of tric motor (W) repower of tric motor (W) repower of tric motor (m) r	313 370 - 230 370 single motor rear Ternary lithium battery	578 650 195 280 230 370 Dual motor Front + rear	578 650 195 280 230 370 Dual motor	
motor (Maximum front election (N) Maximum rear election (N) Maximum rear election (N) Mumber motor Battery	N · m) n power of tric motor W) n torque of tric motor m) n power of ric motor W) n torque of ric motor m) n of drive tors layout y Type	230 370 single motor rear	280 230 370 Dual motor	280 230 370 Dual motor	
front elective (k) Maximum front elective (N) Maximum rear elective (k) Maximum rear elective (N) Number more Motor Battery	tric motor W) torque of tric motor m) power of ric motor W) torque of ric motor m) of drive tors layout	370 single motor rear	280 230 370 Dual motor	280 230 370 Dual motor	
front elect (N) Maximum rear elect (k) Maximum rear elect (N) Number more Motor Battery	tric motor m) n power of ric motor W) n torque of ric motor m) of drive tors layout y Type	370 single motor rear	230 370 Dual motor	230 370 Dual motor	
rear elect (k) Maximum rear elect (N) Number mor Motor Battery	torque of ric motor m) of drive tors layout	370 single motor rear	370 Dual motor	370 Dual motor	
rear elect (N - Number mor Motor Battery	ric motor m) of drive tors layout y Type	single motor	Dual motor	Dual motor	
Motor Battery	tors layout y Type	rear			
Battery	у Туре		Front + rear	The set I see	
Battery		Ternary lithium battery		Front + rear	
	. h.u.u.d	Termary minum buttery	Ternary lithium battery	Ternary lithium battery	
Battery	brana	Ningde era	Ningde era	Ningde era	
met		liquid cooling	liquid cooling	liquid cooling	
CLTC pur	re electric ange (km)	700	650	650	
Battery en	ergy (kWh)	94.5	94.5	94.5	
Elect consumpti kilom (kWh/	on per 100 neters	15.0	16.0	16.0	
Batter	y pack	Eight years or 160,000	Eight years or 160,000	Eight years or 160,000	
warr		kilometers	kilometers	kilometers	
Fast ch		support	support	support	
Fast charg		240	240	240	
High vol	tage fast	support	support	support	

Fast charging time (hours)		-	(
llow charging time (hours)			-
Fast charging capacity(%)	30-80	30-80	30-80
electric motor	230	425	425
	g	earbox	
Number of gears	1	1	1
Gearbox type	fixed ratio gearbox	fixed ratio gearbox	fixed ratio gearbox
abbreviation	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox
		sis steering	1 0
Drive mode	rear wheel drive	Dual motor four-wheel drive	Dual motor four-wheel drive
four-wheel drive		Electric four-wheel drive	Electric four-wheel drive
Center differential structure	-)	-	
Front suspension type	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension
ear suspension type	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension
Assist type	electric assist	electric assist	electric assist
Body structure	Load-bearing	Load-bearing	Load-bearing
	wh	eel brake	
Front brake type	ventilated d <mark>i</mark> sc	ventilated disc	ventilated disc
rear brake type	vent <mark>ilated disc</mark>	ventilated disc	ventilated disc
Parking brake type	Electronic parking	Electronic parking	Electronic parking
Front tire specifications	265/45 R20	265/45 R20	265/40 R21
Rear tire specifications	265/45 R20	265/45 R20	265/40 R21
Spare tire specifications	-		
	pass	sive safety	
lain/passenger seat airbag	Main ● Deputy ●	Main ● Deputy ●	Main ● Deputy ●

	Main Deputy	Main ● Deputy ●	Main ● Deputy ●
airbags	1,7	- , , ,	- 1 , 3
Front/rear head			
airbags (curtain	Main ● Deputy ●	Main ● Deputy ●	Main ● Deputy ●
airbags)			
Tire pressure	●Tire pressure display	• Tire pressure display	●Tire pressure display
monitoring function	The pressure display	The pressure display	The pressure display
Run-flat tires	-	-	-
Seat belt not fastened	♠ Eucart vo	●Euont vor	A Frant norm
reminder	• Front row	●Front row	• Front row
ISOFIX child seat			_
interface			•
ABS anti-lock	•	• /	• .
Braking force			
distribution	•	•	
(EBD/CBC, etc.)	<u>-</u>		
Brake assist			
(EBA/BAS/BA, etc.)	•	•	
Traction control		7	
(ASR/TCS/TRC, etc.)		•	•
Body stability control			
(ESC/ESP/DSC, etc.)		•	•
(EOC/EOF/DOC. CIC.)			
	<u>act</u>	ive safety	
4	acti	ive safety	
Lane Departure	acti	ive safety	•
4	acti	ive safety	•
Lane Departure Warning System	acti	ive safety	•
Lane Departure Warning System Active	acti	eive safety •	•
Lane Departure Warning System Active braking/active safety system	acti	e ve safety	•
Lane Departure Warning System Active oraking/active safety system	• acti	• •	
Lane Departure Warning System Active Oraking/active safety system Fatigue driving tips DOW opening	• • • • • • • • • • • • • • • • • • •	e ve safety • • •	•
Lane Departure Warning System Active oraking/active safety system Fatigue driving tips DOW opening warning	•	• •	•
Lane Departure Warning System Active Oraking/active safety system Fatigue driving tips DOW opening warning forward collision	•	• • • •	
Lane Departure Warning System Active Oraking/active safety system Fatigue driving tips DOW opening warning forward collision warning	• • • • • • • • • • • • • • • • • • •	• • • •	•
Lane Departure Warning System Active oraking/active safety system Fatigue driving tips DOW opening warning forward collision warning rear collision	•	• • • • •	•
Lane Departure Warning System Active oraking/active safety system Fatigue driving tips DOW opening warning forward collision warning rear collision warning	•	• • • • •	
Lane Departure Warning System Active oraking/active safety system Fatigue driving tips DOW opening warning forward collision warning rear collision warning Sentry	•	• • • • • • •	
Lane Departure Warning System Active oraking/active safety system Fatigue driving tips DOW opening warning forward collision warning rear collision warning Sentry mode/clairvoyance	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • • • • • • • • • • •	
Lane Departure Warning System Active Oraking/active safety system Fatigue driving tips DOW opening warning forward collision warning rear collision warning Sentry mode/clairvoyance Low speed warning	• • • • • • • • • • • • • • • • • • •	• • • • • • • • • •	
Lane Departure Warning System Active braking/active safety system Fatigue driving tips DOW opening warning forward collision warning rear collision warning Sentry mode/clairvoyance	•	• • • • • • • • • • • • • • • • • • •	

roadside assistance call	•	•	• (
Anti-rollover system	•	•	•)
	Driv	ing control	
Driving mode switch	● Sports ● Economy ● Standard/Comfortable ● Customized/Personalized	● Sports ● Economy ● Standard/Comfortable ● Customized/Personalized	● Sports ● Economy ● Standard/Comfortable ● Customized/Personalized
energy recovery system	4.	•	•
automatic parking	•	6)	• .
Hill assist	•	•	
steep descent	•	•	•)
Variable suspension function	○ Suspension soft and hard adjustment ○Suspension height adjustment	○ Suspension soft and hard adjustment ○Suspension height adjustment	● Suspension soft and hard adjustment ● Suspension height adjustment
air suspension	0	0	•
Front/rear parking radar	driving driving before ● after ●	g hardware before ● after ●	before ● after ●
Driving assistance images	●360-degree panoramic image	● 360-degree panoramic image	● 360-degree panoramic image
Transparent chassis/540 degree image	•	•	
Assisted driving chip	●Huawei MDC 810	●Huawei MDC 810	●Huawei MDC 810
Chip total computing power	●400 TOPS	● 400 TOPS	●400 TOPS
Number of cameras Ultrasonic radar	●11 pieces ●12 pieces	●11 pieces ●12 pieces	●11 pieces ●12 pieces
quantity Millimeter wave radar quantity	• 3 pieces	• 3 pieces	•3 pieces
LiDAR quantity	•3 pieces	•3 pieces	•3 pieces
cruise system	●Full-speed adaptive cruise	● Full-speed adaptive cruise	● Full-speed adaptive cruise

Assisted driving system	●AVATRANS	●AVATRANS	●AVATRANS
Assisted driving level	●L2	•L2	●L2
Reverse side warning system	•		•
satellite navigation system	•	•	•
Navigation traffic information display	•	• ;	•
HD map	•	•)
Parallel assistance	•	•	•
Lane Keeping Assist System	•		•
Lane centering	•	•	
Road traffic sign recognition	•	•	
Automatic parking	•	•	•
remote control parking	• \	•	V .
Automatic lane change assist	•	•	•
Automatic ramp exit (entry)	•	•	•
Traffic light identification	•	•	•
Steering wheel hand off detection	•	•	~
Autonomous driving assistance road section	○Urban sections ● High-speed sections	○Urban sections ●High- speed sections	○Urban sections ● High-speed sections
	Appear	rance/anti-theft	
Sport appearance package	0	0	• (
Electric spoiler	•	•	•
Rim material	● Aluminum alloy	● Aluminum alloy	● Aluminum alloy
Electric suction door	○The whole car	● The whole car	●The whole car
Automatic opening and closing of car doors	0	0	•
Frameless design door	•	• . ()	•

O

Electric trunk		•	•
Electric trunk		4.	
position memory			
Central locking in car	•		•
Key type	●Bluetooth key ●	●Bluetooth key ●	●Bluetooth key ●
ricy type	NFC/RFID key	NFC/RFID key	NFC/RFID key
Keyless start system	•	•	•
Keyless entry function	●The whole car	● The whole car	• The whole car
Hidden electric door handle	1.	• \	•
Remote start function	•		• \
Battery preheating	•	•	•
external discharge	•	•	
	exte	erior lights	
low beam light	● LED	●LED	•LED
source	TED		TED
high beam light	O LED	●LED	●LED
source	LED		
LED daytime			
running lights			
Adaptive high and			
low beam			
automatic he <mark>adli</mark> ght	•	•	•
car front fog lights	-	<i>J</i> -	-
Headlight height adjustable	•	•	
Delayed turn off of headlights		•	•
	skyl	light/glass	_
Skylight type	●The panoramic sunroof cannot be opened	●The panoramic sunroof cannot be opened	●The panoramic sunroof cannot be opened
Light-sensing awning	-	-	
Front/rear electric windows	before ● after ●	before ● after ●	before ● after ●
One-touch window lifting function	● The whole car	● The whole car	● The whole car
Window anti-pinch	•	• (•

Multilayer soundproof glass	●Front row	●Front row	●Front row
Rear side privacy	0		•
Car vanity mirror	● Main driver + lighting ● Co-pilot + lighting	● Main driver + lighting ● Co-pilot + lighting	●Main driver + lighting ●Co-pilot + lighting
rear wiper	-	/	-
Sensing wiper function	Rain sensor type	• Rain sensor type	• Rain sensor type
	exterior r	earview mirror	
Exterior rearview mirror function Electronic exterior mirror function	● Electric adjustment ● Electric folding ● Rearview mirror memory ● Rearview mirror heating ● Automatic flip down when reversing ● Automatic folding when locking the car ○ Automatic anti-dazzle	 Electric adjustment Electric folding Rearview mirror memory Rearview mirror heating Automatic flip down when reversing Automatic folding when locking the car ○ Automatic anti-dazzle 	●Electric adjustment ● Electric folding ● Rearview mirror memory ● Rearview mirror heating ● Automatic flip down when reversing ● Automatic folding when locking the car ○ Automatic anti-dazzle
Electronic exterior	○Dual 6.7 inches	ODual 6.7 inches	ODual 6.7 inches
	scre	en/system	
Central control color screen	●Touch LCD screen	●Touch LCD screen	●Touch LCD screen
Central control screen size	●15.6 inches	●15.6 inches	●15.6 inches
Bluetooth/car phone	•	•	•
Mobile phone interconnection/map ping	•		

Voice recognition control system	 Multimedia system ● Navigation ● Telephone ● Air conditioning ● Seat heating ● Seat ventilation ● Seat massage 	 Multimedia system Navigation Telephone Air conditioning Seat heating Seat ventilation Seat massage 	 Multimedia system Navigation Telephone Air conditioning Seat heating Seat ventilation Seat massage
gesture control	•	•	•
face recognition	•	•	•
Vehicle intelligent system	◆ HarmonyOS	● HarmonyOS	● HarmonyOS
Multi-finger flying screen control			• \
Voice wake word free	•	•	•
Voice area wake-up recognition	●Four areas	●Four areas	● Four areas
Speech continuous recognition	• (•	•
It can be said that it is visible		•	•
	Intelligen	nt configuration	
Internet of Vehicles	•		•
4G/5G network	● 5G	●5G	●5G
OTA upgrade	•	•	•
Wi-Fi hotspot	•	•	•
In-vehicle biometric monitoring system	•	•	
Mobile APP remote function	Door control Window control Vehicle start ● Charging management ● Light control ● Air conditioning control ● Vehicle condition inquiry/diagnosis ● Vehicle positioning/car search	 Door control ● Window control ● Vehicle start ● Charging management ● Light control ● Air conditioning control ● Vehicle condition inquiry/diagnosis ● Vehicle positioning/car search 	Door control ● Window control ● Vehicle start ● Charging management ● Light control ● Air conditioning control ● Vehicle condition inquiry/diagnosis ● Vehicle positioning/car search
Active noise			
reduction	●	• (•

simulated sound		•	•
	Steering wheel/i	nterior rearview mirror	
Steering wheel material	• Genuine leather	• Genuine leather	●Genuine leather
Steering wheel position adjustment	● Electric up and down + front and rear adjustment	• Electric up and down + front and rear adjustment	●Electric up and down + front and rear adjustment
Shift pattern	●Electronic gear shifting	● Electronic gear shifting	• Electronic gear shifting
Multifunction)
steering wheel			_
steering wheel gear shift			-
Steering wheel heating	•	•	
steering wheel memory	•	4 •	•
Trip computer display screen	● Color	● Color	Color
Full LCD instrument	•	• \	•
LCD instrument size	<u>-</u>		-
Interior rearview	● Auto-dimming ● Streaming media rearview mirror	● Auto-dimming ● Streaming media rearview mirror	◆ Auto-dimming ◆ Streaming media rearview mirror
	Chai	ging in car	
Multimedia/charging interface	● USB ● Type-C	● USB ● Type-C	● USB ● Type-C
Number of USB/Type-C interfaces	●2 in the front row/1 in the back row	●2 in the front row/1 in the back row	•2 in the front row/1 in the back row
Mobile phone wireless charging function	●Front row	●Front row	●Front row
Mobile phone wireless charging power	● 50W	●50W	●50W
Luggage compartment 12V power interface	. 0	•	•
	Seat co	onfiguration	

seat material	• Genuine leather	• Genuine leather	• Genuine leather
Main seat adjustment method	● Front and rear adjustment ● Backrest adjustment ● Height adjustment (4-way) ○ Leg rest adjustment ● Waist support (4-way)	● Front and rear adjustment ● Backrest adjustment ● Height adjustment (4-way) ○ Leg rest adjustment ● Waist support (4-way)	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Leg rest adjustment ● Waist support (4-way)
Secondary seat adjustment method	●Front and rear adjustment ●Backrest adjustment ●Height adjustment (4-way) ○ Leg rest adjustment ●Waist support (4-way)	● Front and rear adjustment ● Backrest adjustment ● Height adjustment (4-way) ○ Leg rest adjustment ● Waist support (4-way)	●Front and back adjustment ●Backrest adjustment ●Height adjustment (4-way) ● Leg rest adjustment ●Waist support (4-way)
Main/passenger seat electric adjustment	Main ● Deputy ●	Main ● Deputy ●	Main ● Deputy ●
Front seat functions	● Heating ● Ventilation ● Massage	Heating ●VentilationMassage	◆ Heating ◆ Ventilation◆ Massage
Power seat memory function	● Driver's seat ●Copilot's seat	● Driver's seat ● Copilot's seat	● Driver's seat ● Copilot's seat
Adjustable buttons for the passenger seat and rear row	•		•
Second row seat	-		4
Second row seat functions	●Heating	◆ Heating	Heating
Rear seats fold down	●Inverted proportions	●Inverted proportions	•Inverted proportions
Front/rear center armrest	before ● after ●	before ● after ●	before ● after ●
Rear cup holder	•	•	•
Speaker brand name	Audio/ir	nterior lighting	
Number of speakers	● 14 speakers ○ 27 speakers	●27 speakers	●27 speakers
touch reading light	•	•	•
Car interior ambient lighting	●64 colors	●64 colors	●64 colors

	Air conditi	oner/refrigerator	
Air conditioning	All Colldition	oner/renrigerator	
temperature control	● Automatic air	●Aut <mark>o</mark> matic air	● Automatic air
method	conditioning	conditioning	conditioning
heat pump air conditioner	•	•	•
Independent air conditioning in the			1
rear	-	-	
Rear seat air outlet			
	1		•
Temperature zone control		•	•
Car air purifier In-car PM2.5 filter	•		•
	•	•	
device		1	
negative ion	•	•	
generator			
Car fragrance device	•	nal package	
	20-inch starburst six- spoke low-resistance wheels ADS high-end function package (1) 21- inch beam multi-spoke sports wheels 21-inch air- spun five-spoke sports wheels front dual zero- gravity seats ultra-clear electronic exterior mirror kit high performance Air suspension kit Comfort kit Intelligent welcome kit	20-inch starburst six-spoke low-resistance wheels, ADS high-end function package, 21-inch beam multi-spoke sports wheels, 21-inch air-spun five-spoke sports wheels, front dual zero-gravity seats, ultra-clear electronic exterior mirror kit, high-performance air suspension kit Smart Welcome Kit	21-inch pneumatic five-

Exterior color	Obsidian gray, bright white, mountain blue, ink gray (matte), fog green, twilight purple (matte), obsidian black, cloud purple	Cloud purple, mountain blue, bright white, ink gray (matte), fog green, sun purple (matte), obsidian black, obsidian gray	Mountain blue, ink gray (matte), fog green, twilight purple (matte), obsidian black, bright white, obsidian gray, cloud purple			
interior color	Twilight purple/smoke white, stone blue, jet black	Twilight purple/smoke white, stone blue, jet black	Twilight purple/smoke white, stone blue, jet black			
Note: ●Standard () O	Note: ●Standard Optional-None					