

## QINGDAO QHCY INTERNATIONAL TRADING CO., LTD.

Web:cartradinghub.com Tel: 86-15176650760

E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

4						
I	UNI-V Smart Electric iDD Configuration sheet					
	Changan UNI-V Smart	Changan UNI-V Smart	Changan UNI-V Smart			
	Electric iDD 2023	Electric iDD 2023	√ Electric iDD 2023			
	Smart Electric iDD	Smart Electric iDD	Smart Electric iDD			
	1.5T 113km Smart Fun	1.5T 113km Smart Fun	1.5T 113km Smart Cool			
	Model	Model (Fast Version)	Type			
y	Basic p	arameters				
Manufacturer	Changan Automobile	Changan Automobile	Changan Automobile			
level	compact car	com <mark>p</mark> act <mark>c</mark> ar	compact car			
Energy type	plug-in hybrid	plug- <mark>in hyb</mark> rid	plug-in hybrid			
Environmental	Country VI	Country VI	Country VI			
protection standards	Country vi		Country vi			
time to market	2023. 02	2023. 04	2023. 02			
NEDC pure electric	113	113	113			
cruising range (km)	110	110	110			
WLTC pure electric	100	100	100			
cruising range (km)	100	100	100			
Fast charging time	0.5	0.5	0.5			
(hours)		0.0	3. C			
Slow charging time	2.6	2.6	2. 6			
(hours)			_, ,			
Fast charging	80	80	80			
percentage						
Maximum power(kW)	_					
Maximum torque	_	_	_			
(N • m)	1 FM 150 1					
engine	1.5T 170 horsepower	1.5T 170 horsepower L4	1.5T 170 horsepower L4			
	L4					
Motor(Ps)	170	170	170			
. 1	6-speed three-clutch	6-speed three-clutch	6-speed three-clutch			
gearbox	electric drive	electric drive	• electric drive			
T	transmission	transmission	transmission			
Length*width*height	4680*1838*1435	4680*1838*1435	4680*1838*1435			
(mm)	F. J	F 1 F+	5 1 5			
Body structure	5-door, 5-seater	5-door, 5-seater hatchback	5-door, 5-seater			
Marrimum aread (lum/h)	hatchback		hatchback			
Maximum speed (km/h) Official 0-100km/h	215	215	215			
	6. 5	6. 5	6. 5			
acceleration (s)						
NEDC comprehensive fuel consumption	0.0	0.8	0 0			
-	0.8	υ. δ	0.8			
(L/100km)						

WLTC comprehensive fuel consumption (L/100km)	1. 59	1. 59	1. 59
Minimum state of charge fuel consumption (L/100km)	4. 95	4.95	4. 95
Electric energy equivalent fuel consumption (L/100km)	1.8	1.8	1.8
Vehicle warranty	_	-	-
First owner warranty policy	<b>J</b> -	-	-
	В	Sody / \\	
Length(mm)	4680	4680	4680
Width(mm)	1838	1838	1838
Height(mm)	1435	1435	1435
Wheelbase(mm)	2750	2750	2750
Front wheelbase (mm)	1576	1576	1576
Rear wheelbase (mm)	1586	1586	1586
Approach angle (°)	14	14	14
Departure angle (°)	18	18	18
Body structure	hatchback	hatchback	hatchback
Car door opening method	swing door	swing door	swing door
Number of doors (number)	5	5	5
Number of seats (seats)	5	5	5
Fuel tank volume (L)	45	45	45
Trunk volu <mark>m</mark> e (L)	_	_	_
Curb weight (kg)	1680	1680	1680
Maximum full load mass (kg)	2080	2080	2080
		gine	
engine model	JL473ZQ6	JL473ZQ6	JL473ZQ6
Displacement (mL)	1494	1494	1494
Displacement (L)	1.5	1.5	1.5
Intake form Engine layout	turbocharging horizontal	turbocharging horizontal	turbocharging horizontal
Cylinder arrangement	norizontai I.	16112011ta1 1	1611201141
Number of cylinders	4	4	4
Number of valves per	4	4	4
	DOHC	DOHC	DOHC
		1	
(Ps)	170	170	170
Maximum power(kW)	125	125	125
cylinder (number) Air Supply Maximum horsepower (Ps)	DOHC 170	4 DOHC 170	DOHC 170

Maximum power speed	5500	5500	5500
(rpm)	5500	5500	5500
Maximum torque (N•m)	260	260	260
Maximum torque speed (rpm)	1500-4000	1500-4000	1500-4000
Maximum net power (kW)	122	122	122
fuel form	plug-in hyb <mark>r</mark> id	plug-in hybrid	plug-in hybrid
fuel grade	No. 92	No. 92	No. 92
Fuel supply method	direct injection	direct injection	direct injection
Cylinder head material	Aluminum alloy	Aluminum alloy	Aluminum alloy
Cylinder material	Aluminum alloy	Aluminum alloy	Aluminum alloy
Environmental protection standards	Country VI	Country VI	Country VI
	Electi	ric motor	
Motor type	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous
Total motor power (kW)	125	125	125
Total motor power (Ps)	170	170	170
Total torque of motor (N•m)	330	330	330
Maximum power of front electric motor (kW)	125	125	125
Maximum torque of front electric motor (N•m)	330	330	330
Number of drive motors	single motor	single motor	single motor
Motor layout	prefix	prefix	prefix
Battery Type	Lithium	Lithium iron phosphate	
, , , ,	phosphate battery	battery	battery
Battery brand	Xi'an Zhongdi	Xi'an Zhongdi	Xi'an Zhongdi
Battery cooling method	liquid cooling	liquid cooling	liquid cooling
NEDC pure electric cruising range (km)	113	113	113
WLTC pure electric cruising range (km)	100	100	100
NEDC comprehensive range (km)	1100	1100	1100
WLTC comprehensive range (km)	1010	1010	1010
	18. 4	18.4	18.4

6 ee-clutch electrice rive transmission speed three-clutch electric drive transmission Chassi	first car owner (the liability exemption clause shall be subject to the official) support  25 0.5 2.6 80 arbox 6	There is no limit on the age/mileage of the first car owner (the liability exemption clause shall be subject to the official)  Optional  25  0.5  2.6  80  Three-clutch electric drive transmission 6-speed three-clutch electric drive transmission
ne age/mileage of e first car owner (the liability exemption clause all be subject to the official) Optional  25  0.5  2.6  80  Geoclutch electric cive transmission speed three-clutch electric drive transmission Chassi	the age/mileage of the first car owner (the liability exemption clause shall be subject to the official)  support  25  0.5  2.6  80  arbox  6 Three-clutch electric drive transmission 6-speed three-clutch electric drive transmission	the age/mileage of the first car owner (the liability exemption clause shall be subject to the official)  Optional  25  0.5  2.6  80  Three-clutch electric drive transmission 6-speed three-clutch electric drive
(the liability exemption clause all be subject to the official)  Optional  25  0.5  2.6  80  Geoclutch electric rive transmission speed three-clutch electric drive transmission  Chassi	liability exemption clause shall be subject to the official) support  25  0.5  2.6  80  arbox 6 Three-clutch electric drive transmission 6-speed three-clutch electric drive transmission	liability exemption clause shall be subject to the official)  Optional  25  0.5  2.6  80  Three-clutch electric drive transmission 6-speed three-clutch electric drive
Optional  25  0.5  2.6  80  Geometric description of the electric drive transmission electric drive transmission chassion.	support  25  0.5  2.6  80  arbox  6 Three-clutch electric drive transmission 6-speed three-clutch electric drive transmission	Optional  25  0.5  2.6  80  Three-clutch electric drive transmission 6-speed three-clutch electric drive
0.5  2.6  80  Geometric description of the descript	0.5  2.6  80  arbox  6 Three-clutch electric drive transmission 6-speed three-clutch electric drive transmission	0.5 2.6 80 6 Three-clutch electric drive transmission 6-speed three-clutch electric drive
2.6  80  6 ee-clutch electric rive transmission speed three-clutch electric drive transmission Chassi	2.6  80  arbox  6 Three-clutch electric drive transmission 6-speed three-clutch electric drive transmission	2.6  80  Three-clutch electric drive transmission 6-speed three-clutch electric drive
80  6 ee-clutch electric rive transmission speed three-clutch electric drive transmission Chassi	80  arbox 6 Three-clutch electric drive transmission 6-speed three-clutch electric drive transmission	6 Three-clutch electric drive transmission 6-speed three-clutch electric drive
6 ee-clutch electrice transmission electric drive transmission electric drive transmission Chassi	arbox 6 Three-clutch electric drive transmission 6-speed three-clutch electric drive transmission	6 Three-clutch electric drive transmission 6-speed three-clutch electric drive
6 ee-clutch electrice rive transmission speed three-clutch electric drive transmission Chassi	6 Three-clutch electric drive transmission 6-speed three-clutch electric drive transmission	Three-clutch electric drive transmission 6-speed three-clutch electric drive
6 ee-clutch electrice rive transmission speed three-clutch electric drive transmission Chassi	6 Three-clutch electric drive transmission 6-speed three-clutch electric drive transmission	Three-clutch electric drive transmission 6-speed three-clutch electric drive
rive transmission speed three-clutch electric drive transmission Chassi	Three-clutch electric drive transmission 6-speed three-clutch electric drive transmission	drive transmission 6-speed three-clutch electric drive
speed three-clutch electric drive transmission Chassi	6-speed three-clutch electric drive transmission	6-speed three-clutch electric drive
Chassi		transmission
ront wheel drive	Front wheel drive	Front wheel drive
-	-	-
-	<b>O</b> -	4-
MacPherson independent suspension	MacPherson independent suspension	MacPherson independent suspension
Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension
	electric assist	electric assist
Load-bearing	Load-bearing	Load-bearing
Whee	el brake	
ventilated disc	ventilated disc	ventilated disc
disc type	disc type	disc type
lectronic parking	Electronic parking	Electronic parking
235/45 R18	235/45 R18	235/45 R18
235/45 R18	235/45 R18	235/45 R18
fire repair tool	Tire repair tool	Tire repair tool
	suspension electric assist Load-bearing Whee ventilated disc disc type lectronic parking 235/45 R18	suspension electric assist Load-bearing  Wheel brake ventilated disc disc type lectronic parking  235/45 R18  235/45 R18  235/45 R18  235/45 R18

	Passiv	re safety	<u> </u>
Main/passenger seat airbag	Main●/Deputy●	Main⊕/Deputy⊕	Main●/Deputy●
Front/rear side airbags	Before●/After-	Before●/After-	Before●/After-
Front/rear head airbags (curtain airbags)	before●/after●	before●/after●	before●/after●
Tire pressure monitoring function	●Tire pressure display	●Tire pressure display	●Tire pressure display
Run-flat tires Seat belt not fastened reminder	Front row	Front row	Front row
ISOFIX child seat interface	•	•	•
ABS anti-lock Braking force distribution (EBD/CBC, etc.)	•	•	
Brake assist (EBA/BAS/BA, etc.)	•	•	•
Traction control (ASR/TCS/TRC, etc.) Body stability control		•	•
(ESC/ESP/DSC, etc.)			
Lane Departure	Activ	e safety •	•
Warning System Active braking/active	_	-	•
safety system Fatigue driving tips		_	-
forward collision warning		-	•
Low speed warning Built-in driving recorder		•	•
		g control	
Driving mode switch	● Sports ● Economy ● Standard/Comfortable	● Sports ● Economy ● Standard/Comfortable	●Sports ●Economy ● Standard/Comfortable
bilving mode switch	Customized/Personaliz ed	Customized/Personalize d	Customized/Personalize
energy recovery system	•	•	•
automatic parking Hill assist steep descent	•	-	-
Steep descent	Driving	; hardware	

Front/rear parking	before●/after●	before●/after●	before●/after●
radar Driving assistance images	●360-degree panoramic image	•360-degree panoramic image	●360-degree panoramic image
Transparent chassis/540 degree image	•		
Ultrasonic radar quantity	●6 pieces	●6 pieces	●6 pieces
Millimeter wave radar quantity		-	●1 piece
	Drivin	g function	1
cruise system	•Cruise speed	●Cruise speed	●Full-speed adaptive cruise
Assisted driving level	<u> </u>		●L2
satellite navigation system	•	•	•
Navigation traffic information display	•	•	
map brand	● Gaode	●Gaode	●Gaode
Parallel assistance Lane Keeping Assist System	-	_	•
Lane centering	_	- ,	•
Road traffic sign recognition		<i>F</i> -	•
	Appearanc	ce/Anti-theft	
Electric spoiler	0		•
Rim material	●Aluminum alloy	●Aluminum alloy	●Aluminum alloy
Electric trunk	0	•	•
induction trunk Electric trunk	0		
position memory	0	•	•
E <mark>ngine el</mark> ectronic anti-theft	•	•	•
Central locking in car	•	•	
Key type	Remote key Bluetooth key	Remote key  Bluetooth key	●Remote key ● Bluetooth key
Keyless start system  Keyless entry  function	•Front row	Front row	• Front row
Hidden electric door handle	•	·	
Remote start function	•	•	•
Battery preheating external discharge		•	•
	Exteri	or lights	4

1 1 1 1 1 1 .			
low beam light source	● LED	●LED	●LED
high beam light source	●LED	●LED	●LED
LED daytime running lights	•	•	
Adaptive <mark>h</mark> igh and low beam	-	-	•
automatic headlight car front fog lights	-	-	-
Headlight height adjustable	•	• (	•
Delayed turn off of headlights	•	•	•
	Skylig	ht/Glass	A
Skylight type	●Electric sunroof	●Electric sunroof	●The panoramic sunroof cannot be opened
Front/rear electric windows	before●/after●	before●/after●	before●/after●
One-touch window lifting function	●The whole car	●The whole car	• The whole car
Window anti-pinch	• \	•	
function  Car vanity mirror	● Main driver's seat		●Main driver's seat
rear wiper	●Co-pilot -	●Co-pilot	●Co-pilot
Sensing wiper function	-	(-)	●Rain sensor type
		earview mirror	
Exterior rearview mirror function	●Electric adjustment ●Electric folding ● Heated rearview mirror ●Automatic folding when the car is locked	•Automatic folding	●Electric adjustment ●Electric folding ● Heated rearview mirror ●Automatic folding when the car is locked
	Scree	n/System	
Central control color screen	●Touch LCD screen	●Touch LCD screen	●Touch LCD screen
Central control screen size	•10.3 inches	●10.3 inches	●10.3 inches
Bluetooth/car phone			
		●Original interconnection/mappin	●Original interconnection/mappin
ing	ng ●Multimedia system	■ Multimedia system ■	■ Multimedia svstem ■
Voice recognition	●Navigation ●	Navigation ●Telephone	Navigation ●Telephone
control system	Telephone •Air conditioning •Window	•Air conditioning • Window	●Air conditioning ● Window
		configuration	WIHOW
Internet of Vehicles			•

4G/5G network	●4G	●4G	●4G
OTA upgrade Wi-Fi hotspot	•	•	•
Mobile APP remote function	●Door control ● Window control ● Vehicle start ● Charging management ●Air conditioning control ●Vehicle condition inquiry/diagnosis ● Vehicle positioning/car	Air conditioning control ●Vehicle condition inquiry/diagnosis ● Vehicle	●Door control ● Window control ● Vehicle start ● Charging management ● Air conditioning control ●Vehicle condition inquiry/diagnosis ● Vehicle positioning/car search
	search		
Steering wheel material	• Leather	erior rearview mirror •Leather	●Leather
Steering wheel position adjustment	●Manual up and down + front and rear adjustment	●Manual up and down + front and rear adjustment	●Manual up and down + front and rear adjustment
Shift pattern	●Electronic gear shift	●Electronic gear shift	• Electronic gear shift
Multifunction steering wheel	•	•	•
steering wheel gear shift	(-)	- 1	-
Steering wheel heating	-	C	-
steering wheel memory	-		-
Trip computer display screen	●Color	● Color	●Color
Full LCD instrument panel	•	•	05 1 1 010 0
LCD instrument size	●7 inches ●10.3 inches	●7 inches ●10.3 inches ●3 inches	●7 inches ●10.3 inches ●3 inches
Interior rearview mirror function	●Manual anti-dazzle	●Manual anti-dazzle	●Manual anti-dazzle
Multime 1: - /-1	Chargi	ng in car	
Multimedia/charging interface	●USB ●SD	●USB ●SD	●USB ●SD
Number of USB/Type-C interfaces	●1 person in the front row/1 person in the back row	●1 person in the front row/1 person in the back row	●1 person in the front row/1 person in the back row
Mobile phone wireless charging function	-	-	•Front row
0.04		figuration	Almiteties 1 (1
seat material Sports style seats	● Imitation leather	• Imitation leather	• Imitation leather
oporto styre seats			<u> </u>

	Court and hards	A Francis and I have	Front on the sh
Main seat adjustment method	●Front and back adjustment ●Backrest adjustment ●Height adjustment (2-way)	●Front and back adjustment ●Backrest adjustment ●Height adjustment (2-way)	● Front and back adjustment ● Backrest adjustment ● Height adjustment (2-way)
Secondary seat adjustment method	●Fore and aft adjustment ●Backrest adjustment	●Fore and aft adjustment ●Backrest adjustment	●Fore and aft adjustment ●Backrest adjustment
Main/passenger seat electric adjustment	Main●/Deputy●	Main●/Deputy●	Main●/Deputy●
Front seat functions	-	- (	●Heating (driver's seat only) ● Ventilation (driver's seat only)
Power seat memory function			-
Adjustable buttons for the passenger seat and rear row			1
Second ro <mark>w</mark> seat adjustment	-	_	
Rear seats fold down	●Inverted proportions	•Inverted proportions	•Inverted proportions
Front/rear center armrest	Before●/After-	Before●/After-	before●/after●
Rear cup holder	- /=	-	•
C 1 . 1 1 .		rior lighting	O COMV. C
Speaker brand name Number of speakers	○SONY Sony ●6 speakers○10 speakers	●6 speakers	○SONY Sony ●8 speakers○10 speakers
Car interior ambient lighting	_		●64 colors
	Air condition	ner/Refrigerator	
Air conditioning temperature control method	<ul><li>Automatic air conditioning</li></ul>	●Automatic air conditioning	•Automatic air conditioning
Independent air conditioning in the rear		-	-
Rear seat air outlet			•
Temperature zone control	-	_	-
Car air purifier In-car PM2.5 filter		-	•
device negative ion	•		•
generator	-	-	•
. 1	Optiona	al package	

	DC fast charging bag (1999) Enjoy sound quality bag (1999) Electric flying wing bag (4999)	4	DC fast charging package (1999) Enjoy sound quality package (1999)
Exterior color	Dazzling gray, star diamond black, atomic gray, moonlight white, dazzling red	dazzling red, dazzling	Moonlight white, dazzling red, star diamond black, dazzling gray, atomic gray
interior color	Gray/Blue,Black/Vibra nt Orange	Gray/Blue,Black/Vibran t Orange	Gray/Blue,Black/Vibran t Orange

Note: ●Standard ○ Optional - None