

QINGDAO QHCY INTERNATIONAL TRADING CO., LTD.

Web:cartradinghub.com Tel: 86-15176650760 E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

	DENZA D9	DM-i configura	tion sheet	
Basic parameters	Denza D9 2023 DM-i 965 exclusive model	Denza D9 2022 DM- i 1040 Premium Type	Denza D9 2022 DM- i 970 four-wheel drive premium model	Denza D9 2022 DM- i 970 four-wheel drive flagship model
	I	Basic parameter	rs \	
Manufacturer	Denza Motors	Denza Motors	Denza Motors	Denza Motors
leve1	Medium and large	Medium and large MPV	Medium and large MPV	Medium and large
Energy type 🔌	plug-in hybrid	plug-in hybrid	plug-in hybrid	plug-in hybrid
Environmental protection standards	Country VI	Country VI	Country VI	Country VI
time to market	2023. 08	2022. 08	2022. 08	2022. 08
NEDC pure electric	98	190	180	180
WLTC pure electric	75	155	145	145
CLTC pure electric	_	-	-	-
Fast charging time (hours)	_	-	0.42	0.42
Slow charging time (hours)	-		-	-
Fast charging percentage	_	80	80	80
Maximum	221	254	299	299
Maximum torque (N•m)	571	571	681	681
engine	1.5T 139 horsepower L4	1.5T 139 horsepower L4	1.5T 139 horsepower L4	1.5T 139 horsepower L4
Motor(Ps)	231	231	292	292
gearbox	E-CVT continuously variable	E-CVT continuously variable	E-CVT continuously variable	E-CVT continuously variable
Length*width*hei ght (mm)	5250*1960*1920	5250*1960*1920	5250*1960*1920	52 <mark>50*1960</mark> *1920
Body structure	5-door, 7-seater MPV	5-door, 7-seater MPV	5-door, 7-seater MPV	5-door, 7-seater MPV
Maximum speed (km/h)	180	180	180	180
Official O- 100km/h	9. 5	9. 5	7.9	7. 9

Minimum state of charge fuel consumption (L/100km)	6. 1	6. 2	6. 7	6. 7
Electric energy equivalent fuel consumption (L/100km)	-		-	
Vehicle warranty	Six years or 150,000	Six years or 150,000	Six years or 150,000	Six years or 150,000
First owner warranty policy	I	ı		-
V		Body		
Length(mm)	5250	5250	5250	5250
Width (mm)	1960	1960	1960	1960
Height (mm)	1920	1920	1920	1920
Wheelbase(mm)	3110	3110	3110	3110
Front wheelbase (mm)	1675	1675	1675	1675
Rear wheelbase	1675	1675	1675	1675
Minimum ground clearance with full load (mm)	140	140	140	140
Approach angle	15	15	15	15
Departure angle			4	
(°)	15	15	15	15
Minimum turning radius (m)	5. 95	5. 95	5. 95	5. 95
Body structure	MPV	MPV	MPV	MPV
Car door opening method	Swing door + sliding door	Swing door + sliding door	Swing door + sliding door	Swing door + sliding door
Number of doors (number)	5	5	5	5
Number of seats (seats)	7	7	7	7
Fuel tank volume (L)	53	53	53	53
Trunk volume (L)	410-2310	410-2310	4 <mark>10-231</mark> 0	410-2310
Curb weight (kg)	2470	2565	2665	2665
Maximum full load mass (kg)	2995	3090	3190	3190
		Engine		
engine model	BYD476ZQC	BYD476ZQC	BYD476ZQC	BYD476ZQC
Displacement	1497	1497	1497	1497
Displacement(L)	1.5	1.5	1. 5	1. 5
Intake form	turbocharging	turbocharging	turbocharging	turbocharging
Engine layout	horizontal	horizontal	horizontal	horizontal
Cylinder				
arrangement	L	L	L	L
				

	4	4
	4	4
C	DOHC	DOHC
	139	139
*		
2	102	102
	-	_
	231	231
	-	-
	96	96
	VVT	VVT
	lug-in hybrid	plug-in hybrid
92 jection dir	No. 92 rect injection	No. 92
	luminum alloy	Aluminum alloy
alloy Al	luminum alloy	Aluminum alloy
y VI	Country VI	Country VI
e motor	J	
ient	Permanent gnet/synchronou	Permanent ı magnet/synchronou
	215	215
	292	292
)	450	450
)	170	170
	340	340
	45	45
	110	110
		45

System comprehensive power (kW)	221	254	299	299
System comprehensive power (Ps)	301	345	407	407
System comprehensive torque (N•m)	571	571	681	681
Number of drive motors	single motor	single motor	Dual motor	Dual motor
Motor layout	prefix	prefix	Front + rear	Front + rear
Battery Type	Lithium iron phosphate	Lithium iron	Lit <mark>hium iro</mark> n phosphate battery	Lithium iron
Battery brand	Ferdy	Xi'an Zhongdi	Xi'an Zhongdi	Xi'an Zhongdi
Battery cooling method	Directly cold	liquid cooling	liquid cooling	liquid cooling
NEDC pure electric	98	190	180	180
WLTC pure electric	75	155	145	145
CLTC pure electric	_	<u> </u>	-	ン -
NEDC comprehensive	965	1040	970	970
Battery energy (kWh)	20. 39	40.06	40.06	40.06
Battery energy density (Wh/kg)	-	-	<u> </u>	-
Electricity consumption per 100 kilometers (kWh/100km)	-	25. 5	27. 1	27. 1
Battery pack warranty	-	-	-	<i>y</i> -
Fast charging function	support	support	support	support
Fast charging power (kW)	45	80	80	80
Fast charging time (hours)		_	0.42	0.42
Slow charging time (hours)	<u> </u>		-	
Fast charging capacity (%)	-	80	80	80
		Gearbox		
Number of gears	Continuously variable speed	Continuously variable speed	Continuously variable speed	Continuously variable speed

1				1
	Electronic	Electronic	Electronic	Electronic
	continuously	continuously	continuously	continuously
Gearbox type	variable	variable	variable	variable
	transmission (E-	transmission (E-	transmission (E-	transmission (E-
	CVT)	CVT)	CVT)	CVT)
	E-CVT	E-CVT	E-CVT	E-CVT
abbreviation	continuously	continuously	continuously	continuously
	variable	variable	variable	variable
		Chassis steeri		I
Drive mode	Front wheel drive	Front wheel drive	Front four-wheel drive	Front four-wheel drive
four-wheel drive	-	-	Electric four- wheel drive	Electric four- wheel drive
Center differential	_	-	-	-
Front quanancian	MacPherson	MacPherson	MacPherson	MacPherson
Front suspension	independent	independent	independent	independent
type	suspension	suspension	suspension	suspension
	Multi-link	Multi-link	Multi-link	Multi-link
rear suspension	independent	independent	independent	independent
type	suspension	suspension	suspension	suspension
Assist type	electric assist	electric assist	electric assist	electric assist
B <mark>o</mark> dy structure	Load-bearing	Load-bearing	Load-bearing	Load-bearing
		Wheel brake		
Front brake type	ventilated disc	ventilated disc	ventilated disc	ventilated disc
rear brake type	ventilated disc	ventilated disc	ventilated disc	ventilated disc
Parking brake	Electronic	Electronic	Electronic	Electronic
Front tire specifications	235/60R18	235/60R18	235/60R18	235/60R18
Rear tire specifications	235/60R18	235/60R18	235/60R18	235/60R18
Spare tire specifications	none	none	none	none
	A	Wheel brake)
Main/passenger seat airbag	Main●/Deputy●	Main●/Deputy●	Main⊕/Deputy●	Main●/Deputy●
Front/rear side airbags	before●/after●	before●/after●	before●/after●	before●/after●
Front/rear head airbags (curtain airbags)	before●/after●	before●/after●	before●/after●	before●/after●
knee air bag	•	•	•	
Tire pressure	•Tire pressure	•Tire pressure	•Tire pressure	•Tire pressure
monitoring	display	display	display	display
Run-flat tires	-		-	•
Seat belt not fastened	●Front row ● Second row	●Front row ● Second row	●Front row ● Second row	●Front row ● Second row
ISOFIX child seat interface	•	•		•
ABS anti-lock	•	•		•

Braking force distribution (EBD/CBC, etc.)		•	•	• (
Brake assist (EBA/BAS/BA,		• ~	•	•
Traction control (ASR/TCS/TRC,	•	• 0	•	
Body stability control	•	•	• (•
(ESC/ESP/DSC,		Active sefety		
Lane Departure		Active safety		
Warning System Active		•	•	•
braking/active	•	•	•	•
safety system Fatigue driving	-	_	-	
tips DOW opening	•	•	•	
forward collision	•		•	•
rear collision warning	•	.	•	<i>y</i> •
Low speed	•	•	•	•
Built-in driving recorder	• ()	•	•	•
roadside assistance call	•	•		•
		Driving contro		
Driving mode switch	●Sports ● Economy ● Standard/Comfort able ●Snow	● Sports ● Economy ● Standard/Comforta ble ● Snow	● Sports ● Economy ● Standard/Comforta ble ● Snow	● Sports ● Economy ● Standard/Comforta ble ● Snow
Engine start- stop technology	•	•	•) •
energy recovery system	•	•	•	•
automatic		•		•
Hill assist		•	•	•
steep descent Variable	Suspension	• Suspension soft	•Suspension soft	• Suspension soft
suspension	soft and hard	and hard	and hard	and hard
		Oriving hardwa	re	
Front/rear parking radar	before●/after●	before●/after●	before●/after●	before●/after●
Driving Driving	●360-degree	●360-degree	●360-degree	●360-degree
assistance	panoramic image	pan <mark>oramic image</mark>	panoramic image	panoramic image
Transparent chassis/540 degree image	•	•		•
acoree image	4			1

Ultrasonic radar	•8 pieces	●8 pieces	●8 pieces	●12 pieces
quantity	o preces	• o preces	• o preces	TZ preces
Millimeter wave radar quantity	●3 pieces	•3 pieces	●3 pieces	•5 pieces
		Oriving function	on	
cruise system	●Full-speed adaptive cruise	●Full-speed adaptive cruise	●Full-speed adaptive cruise	●Full-speed adaptive cruise
Assisted driving system	●Dengshi Pilot	●Deng <mark>s</mark> hi Pilot	●Dengshi Pilot	●Dengshi Pilot
Assisted driving level	●L2	●L2	●L2	●L2
Reverse side warning system		•	•	•
satellite navigation	•	•	•	• \
Navigation traffic	•	•	•	
Parallel Lane Keeping	•		•	•
Assist System Lane centering				
Road traffic sign recognition	•	•	•	•
Automatic	-	_		•
remote control parking	_	-		•
Automatic lane change assist	_	-	<u> </u>	•
		earance/anti-t		
Rim material	• Aluminum alloy	• Aluminum alloy	• Aluminum alloy	•Aluminum alloy
Side sliding door form	●Bilateral electric	●Bila <mark>teral</mark> electric	●Bilateral electric	•Bilateral electric
Electric trunk	electific	electific	electific	electific
Electric trunk position memory	•	•	•	•
Engine electronic anti-	• ()	•	•	•
Central locking in car		•	•	•
Key type	●Remote key ● Bluetooth key ● NFC/RFID key	●Remote key ● Bluetooth key ● NFC/RFID key	●Remote key ● Bluetooth key ● NFC/RFID key	● Remote key ● Bluetooth key ● NFC/RFID key ● UWB digital key
Keyless start system	•	•	•	•
Keyless entry function	●The whole car	●The whole car	●The whole car	●The whole car
Active closing air intake	-	-		

Battery external		•	•	•
- La V V da as MV ds		Exterior light	S	
low beam light source	●LED	●LED	●LED	• LED
high beam light source	●LED	LED	●LED	● LED
LED daytime running lights	•	•	•	•
Adaptive high and low beam	•	•		•
automatic	•	•	•	•
Turn assist car front fog lights		-		-4
Headlight rain and fog mode	•	•	•	
Headlight height adjustable	•		•	•
Delayed turn off of headlights	•	•	•	•
		Skylight/glass		
Skylight type	●Electric sunroof ●The panoramic sunroof cannot	●Electric sunroof ●The panoramic sunroof cannot be opened	●Electric sunroof ●The panoramic sunroof cannot be opened	●Electric sunroof ●The panoramic sunroof cannot be opened
Front/rear electric windows	before ● /after ●	before ●/after ●	before ●/after ●	before ● /after ●
One-touch window lifting function	•The whole car	●The whole car	●The whole car	•The whole car
Window anti- pinch function	•	•	•	•
Multilayer soundproof glass	●The whole car	●The whole car	●The whole car	•The whole car
Rear side window sunshades	●Manual	●Manua1	●Manua1	●Manual
Rear side privacy glass		•	•	•
Car vanity	●Main driver + lighting ●Co-pilot + lighting	●Main driver + lighting ●Co-pilot + lighting	●Main driver + lighting ●Co-pilot + lighting	●Main driver + lighting ●Co-pilot + lighting
rear wiper	•		•	
Sensing wiper function	● Rain sensor type	●Rain sensor type	●Rain sensor type	●Rain sensor type
	Exte	rior rearview i	nirror	

	●Electric	●Electric	●Electric	•Electric _
Exterior rearview mirror function	adjustment Electric folding Heated rearview mirrors Automatically flip down when reversing Automatically fold when the	adjustment Electric folding Heated rearview mirrors Automatically flip down when reversing Automatically fold when the car	adjustment Electric folding Heated rearview mirrors Automatically flip down when reversing Automatically fold when the car	adjustment Electric folding Rearview mirror memory Heated rearview mirrors Automatically flip down when reversing Automatically
	car is locked	is locked	is locked	fold when the car
Central control	●Touch LCD	Screen/system Touch LCD	● Touch LCD	●Touch LCD
color screen Central control	screen	screen	screen	screen
screen size	●15.6 inches	●15.6 inches	●15.6 inches	●15.6 inches
Bluetooth/car	•	•	•	
Mobile phone interconnection/	-		-	
Voice recognition control system	●Multimedia system ● Navigation ● Telephone ●Air	●Multimedia system ● Navigation ● Telephone ●Air	●Multimedia system ● Navigation ● Telephone ●Air	●Multimedia system ● Navigation ● Telephone ●Air
food managnition	conditioning •	conditioning •	conditioning •	conditioning •
face recognition Vehicle intelligent	●Dengshi Link	●Dengshi Link	●Dengshi Link	●Dengshi Link
rear LCD screen	-	-	•	•
Rear LCD screen size	-		●Dual 12.8 inches	●Dual 12.8 inches
Rear seat control	•		•	•
Voice wake word free	•	•	•) •
Voice area wake- up recognition	●Four areas	●Four areas	●Four areas	●Four areas
Speech continuous	•	•		•
It can be said that it is	•	•	•	•
	Intel	ligent configu	ration	
Internet of	•		•	
Vehicles 4G/5G network	● 5G	● 5G	●5G	● 5G
OTA upgrade	•		•	•
Wi-Fi hotspot	•	•	•	•

1		<u>)</u>		
Mobile APP remote function	● Door control ● Vehicle start ● Charging management ● Air conditioning control ● Vehicle condition inquiry/diagnosi s ● Vehicle positioning/find ing ● Car owner services (find	conditioning control ● Vehicle condition inquiry/diagnosis ● Vehicle positioning/findi ng ● Car owner services (find charging piles,	inquiry/diagnosis ■ Vehicle positioning/findi ng ■ Car owner services (find charging piles,	conditioning control ● Vehicle condition inquiry/diagnosis ● Vehicle positioning/findi ng ● Car owner services (find charging piles,
	charging piles, gas stations, parking lots,	gas stations, parking lots, etc.) ●	gas stations, parking lots, etc.) ●	gas stations, parking lots, etc.)
		el/interior re		
Steering wheel material	●Leather	●Leather	●Leather	Leather
Steering wheel position adjustment	●Manual up and down + front and rear adjustment	●Manual up and down + front and rear adjustment	●Manual up and down + front and rear adjustment	●Manual up and down + front and rear adjustment
Shift pattern	• Electronic gear shift	•Electronic gear shift		
Multifunction steering wheel	• ()	•	1 •	•
steering wheel gear shift	-	-		-
Steering wheel heating	0	0	0	0
steering wheel memory	-		_	-
Trip computer display screen Full LCD	● Color	●Color	●Color	• Color
instrument panel LCD instrument	● 10.25 inches	● 10.25 inches	● 10.25 inches	● 10.25 inches
HUD heads up digital display	- 10. 25 Inches	– To. 25 Thenes	• 10. 25 Inches	• 10. 25 Theres
Interior rearview mirror	●Manual anti- dazzle	●Manual anti- dazzle	●Manual anti- dazzle	●Automatic anti- dazzle
Multimedia/charg		Charging in ca	r	
ing interface	●USB ●Type-C	●USB ●Type-C	●USB ●Type-C	●USB ●Type-C
Number of USB/Type-C interfaces	●2 in the front row/4 in the back row	●2 in the front row/4 in the back row	●2 in the front row/4 in the back row	●2 in the front row/4 in the back row
220V/230V power supply	•	•		•

Mobile phone wireless charging	●Front row ● Back row	●Front row ● Back row	●Front row ● Back row	●Front row ● Back row
		eat configurat	ion	
seat material	●Imitation leather ●	●Genuine leather	•Genuine leather	●Genuine leather
Main seat adjustment method	●Front and back adjustment ● Backrest adjustment ● Height adjustment (4-	adjustment ● Backrest adjustment ●	●Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ●Waist	adjustment ● Backrest adjustment ●
Secondary seat adjustment method	●Fore and aft adjustment ● Backrest	●Fore and aft adjustment ● Backrest	●Fore and aft adjustment ● Backrest	●Fore and aft adjustment ● Backrest
Main/passenger seat electric	Main●/Deputy●	Main●/Deputy●	Main●/Deputy●	Main●/Deputy●
Front seat functions	●Heating ● Ventilation○ Massage	●Heating ● Ventilation○ Massage	●Heating ● Ventilation○ Massage	●Heating ● Ventilation○ Massage
Power seat memory function	-	<u></u>	-	●Driving seat ● Rear seat
Adjustable buttons for the passenger seat	•	•	•	•
Second row seat adjustment	●Front and back adjustment ● Backrest adjustment ● Waist adjustment ●Leg rest	●Front and back adjustment ● Backrest adjustment ● Waist adjustment ●Leg rest	●Front and back adjustment ● Backrest adjustment ● Waist adjustment ●Leg rest	●Front and back adjustment ● Backrest adjustment ● Waist adjustment ●Leg rest
Electrically adjustable second row seats	•	•	•	4.
Second row seat functions	●Heating ● Ventilation ● Massage	●Heating ● Ventilation ● Massage	●Heating ● Ventilation ● Massage	●Heating ● Ventilation ● Massage
Second row independent	• 0	•		•
Third row seat adjustment	●Fore and aft adjustment ● Backrest	●Fore and aft adjustment ● Backrest	●Fore and aft adjustment ● Backrest	●Fore and aft adjustment ● Backrest
Seat layout Rear seats fold down	●2-2-3 ●Inverted proportions	●2-2-3 ●Inverted proportions	●2-2-3 ●Inverted proportions	●2-2-3 ●Inverted proportions
Front/rear center armrest	before●/after●	before●/after●	before●/after●	before●/after●
Rear cup holder				•
Speaker brand	Aud1 ●Dynaudio	o/interior lig ●Dynaudio	hting • Dynaudio	● Dynaudio
poundi brand				

Number of	●14 speakers	●14 speakers	●14 speakers	●14 speakers					
touch reading		•	•	•					
Car interior	●128 colors	●128 colors	●128 colors	●128 colors					
ambient lighting	۸.	1:4: / C							
Air conditioner/refrigerator									
Air conditioning temperature	•Automatic air conditioning	•Automatic air conditioning	•Automatic air conditioning	•Automatic air conditioning					
control method heat pump air	_		- \	-					
conditioner Independent air conditioning in the rear	•	•		•					
Rear seat air outlet	•	•	•	•					
Temperature zone control		•	•						
Car air purifier	_	•	•	• 1					
In-car PM2.5 filter device	•	•	•	•					
negative ion generator	-	•	•	•					
Car fragrance device	•	•	•	•					
car refrigerator		•	•	•					
		Optional packas	ge						
Exterior color	Noon is blue, Cangji is gray, morning is golden, the sun is white, the night is black	The morning light is golden, the night is black, the sky is gray, the bright sun is white, and the noon is elegant	The night is black, the sky is gray, the morning is golden, the sun is blue	The sun is white, the night is black, the sky is gray, the morning light is gold, and the night is blue					
interior color	Black/open- minded gray, black/gilt brown	black/gilt brown,black/open- minded gray	Black/open-minded gray, black/gilt brown	black/gilt brown, black/open- minded gray					

Note: Ostandard O Optional - None