

QINGDAO QHCY INTERNATIONAL TRADING CO., LTD.

Web:cartradinghub.com Tel: 86-15176650760

E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

		g TO3 configuration	sheet		
		Leapmoon T03 2023	Leapmoo T03	Leapmoon T03	
	200 Light Edition	310 Light Edition	2023 310 Enjoy	2023 403 Light	
	В	asic parameters	4		
Manufacturer	Leap car	Leap car	Leap car	Leap car	
level	Minicar	Minicar	Minicar	Minicar	
Energy type	pure electric	pure electric	pure electric	pure electric	
time to market	2023. 03	2023. 03	2023. 06	2023.03	
CLTC pure electric					
cruising range	200	310	310	403	
Fast charging time		0.0		0.0	
(hours)	0.6	0.6	0.6	0.6	
Slow charging time					
(hours)	4	6	6	3. 5	
Fast charging					
percentage	30-80	30-80	30-80	30-80	
Maximum power(kW)	40	55	55	80	
Maximum torque (N	10	00	00	00	
	96	114	114	158	
• m)	F.4	75	75	100	
Motor (Ps)	54	75	75	109	
Length*width*heigh	3620*16 <mark>5</mark> 2*1605	3620*1652*1605	3620*1652*1577	3620*1652*1592	
t (mm)	5.1 4 .	5.1.4	F 1 4 .	5 1 4 .	
Body structure	5-door, 4-seat	5-door, 4-seat	5-door, 4-seat	5-door, 4-seat	
1	hatchback	hatchback	hatchback	hatchback	
Maximum speed	100	100	100	100	
(km/h)		100	100	100	
Official O-100km/h	_	_ /	_	_	
acceleration (s)					
Official O-50km/h	6	5	5	4. 1	
acceleration (s)	0	<u> </u>	J	7. 1	
Vehicle warranty	Three years or	Three years or	Three years or	Three years or	
venicle warranty	120,000	120,000 kilometers	120,000	120,000	
First owner		_		_	
warranty policy		_	7		
		Body			
Length(mm)	3620	3620	3620	3620	
Width (mm)	1652	1652	1652	1652	
Height (mm)	1605	1605	1577	1592	
Wheelbase(mm)	2400	2400	2400	2400	
Front wheelbase					
(mm)	1410	1410	1410	1410	
Rear wheelbase	1410	1410	1410	1410	
Approach angle	twenty two	twenty two	twenty two	18	
Departure angle					
(°)	42	42	42	34	
Body structure	Hatchback	Hatchback	Hatchback	Hatchback	

Number of doors (number)	5	5	5	5
Number of seats (seats)	4	4	4	4
Trunk volume (L)	210	210	210	210
Curb weight (kg)	995	1110	1110	1190
Maximum full load mass (kg)	1295	1410	1410	1490
iliass (kg)		Electric motor		
	Permanent	Permanent	Permanent	Permanent
Motor type		magnet/synchronous		
Total motor power (kW)	40	55	55	80
Total motor power (Ps)	54	75	75	109
Total torque of motor (N • m)	96	114	114	158
Maximum power of front electric motor (kW)	40	55	55	80
Maximum torque of front electric motor (N•m)	96	114	114	158
Number of drive motors	single motor	single motor	single motor	single motor
Motor layout	prefix	prefix	prefix	prefix 🔸
D 11 M	Lithium iron	Lithium iron	Lithium iron	Lithium iron
Battery Type	phosphate battery	phosphate battery	phosphate	phosphate
Battery brand	Guoxuan Hi-Tech	Guoxuan Hi-Tech	Guoxuan Hi- Tech	Multiple brands (including but not limited to Honeycomb Energy/Ripu
CLTC pure electric cruising range	200	310	310	403
Battery energy (kWh)	21.6	31.9	31.9	41.3
Electricity consumption per 100 kilometers (kWh/100km)		-	Ò.	
Battery pack warranty	Eight years or 120,000	Eight years or 150,000 kilometers	Eight years or 150,000	Eight years or 150,000
Fast charging function	Optional	support	support	support
Fast charging time (hours)	0.6	0.6	0.6	0.6
Slow charging time (hours)	4	6	6	3. 5
Fast charging capacity(%)	30-80	30-80	30-80	30-80

-				ī
electric motor	40	55	55	80
		Gearbox		
Number of gears	1	1	1	1
Gearbox type	fixed ratio	fixed ratio	fixed ratio	fixed ratio
	Electric vehicle	Electric vehicle	Electric	Electric
abbreviation	single speed	single speed	vehicle single	_
	gearbox	gearbox	speed gearbox	speed gearbox
	C	hassis steering		l
Drive mode	Front wheel drive	Front wheel drive	Front wheel	Front wheel
four-wheel drive	_	-	_	-
Center	_	_		_
differential				
Front suspension	MacPherson	MacPherson	MacPherson	MacPherson
	independent	independent	independent	independent
type	suspension	suspension	suspension	suspension
	torsion beam non-	torsion beam non-	torsion beam	torsion beam
rear suspension	independent	independent	non-	non-independent
type	suspension	suspension	independent	suspension
Assist type	electric assist	electric assist	electric	electric assist
Body structure	Load-bearing	Load-bearing	Load-bearing	Load-bearing
		Wheel brake		
Front brake type	ventilated disc	ventilated disc	ventilate <mark>d</mark>	ventilated disc
rear brake type	Drum type	disc type	disc type	disc type
Parking brake type	handbrake	Electronic parking		Electronic
Front tire	105 /50 D14	-		105 /05 D15
specifications	165/70 R14	165/65 R15	165/65 R15	165/65 R15
Rear tire			10-10-51-	10-10-51
specifications	165/70 R14	165/65 R15	165/65 R15	165/65 R15
Spare tire				
specifications	none	none	none	none
		Passive safety	•	
Main/passenger			W : • D	11 : 20 .
seat airbag	Main●Deputy●	Main●Deputy●	Main●Deputy●	Main⊕Deputy⊕
Front/rear side				
airbags	_	_	_	_
Front/rear head				
airbags (curtain	-	_	_	_
airbags)				
Tire pressure	•Tire pressure	●Tire pressure	●Tire	●Tire pressure
monitoring	alarm	display	pressure	display
Run-flat tires	_	_	_	
Seat belt not	●Main driver's	●Main driver's	●Main driver	●Main driver'
fastened reminder	seat	seat	's seat	s seat
ISOFIX child seat			_	
interface	•		•	•
ABS anti-lock	•		•	•
Braking force				
distribution				•
(EBD/CBC, etc.)	•			
Brake assist				
		_		_
	_			
(EBA/BAS/BA, etc.)		_		

Traction control (ASR/TCS/TRC,	1-/	-	-	- (
Body stability control	$O_{\overline{z}}$	- 4	-	-
(ESC/ESP/DSC,		A		
Lane Departure		Active safety		
Warning System Active	_		-	_
braking/active safety system	-) -	-	-
Fatigue driving tips	<u>_</u>	-		-
forward collision warning		- (_	-
Low speed warning Built-in driving	-	-	_	
recorder		Oriving control		
Driving mode switch	●Sport ●Economy ●		● Sport ● Economy ● Standard/Comfo rtable	● Sport ● Economy ● Standard/Comfor table
energy recovery system	•	•	•	•
a <mark>u</mark> tomatic parking	-	_	_	-
Hill assist	_	-	-	-
steep descent	<u> </u>	riving hardware	_	_
Front/rear parking radar	Front-Back●	Front-Back	Front-Back●	Front-Back●
Driving assistance images	•Reversing image	●Reversing image	●Reversing image	• Reversing image
Number of cameras	●1 piece	●1 piece	●1 piece	●1 piece
Ultrasonic radar quantity Millimeter wave	●2 pieces	●2 pieces	●2 pieces	●2 pieces
radar quantity	D	riving function		-
cruise system	-	_	-	- (
Assisted driving system	•Leapmotor Pilot	●Leapmotor Pilot	●Leapmotor Pilot	●Leapmotor Pilot
Assisted driving level	_	(-)	-	<u> </u>
satellite navigation system	•	•	•	•
Navigation traffic information	• • • • • • • • • • • • • • • • • • • •	• C1-	01	• Ca - 1-
map brand Parallel	● Gaode -	● Gaode -	● Gaode	● Gaode -

Lane Keeping				
Assist System		_	_	_
Road traffic sign recognition	2	-	-	-
Automatic parking	-		-	-
	App	earance/anti-theft		
Rim material	●Stee1	●Steel	●Stee1	●Steel○ Aluminum alloy
Ele <mark>c</mark> tric trunk	_	_	- 4	_
Central locking in car	•	•		•
Key type	●Remote key ● Bluetooth key	●Remote key ● Bluetooth key	● Remote key ● Bluetooth	●Remote key ● Bluetooth key
Keyless start system		•	•	•
Keyless entry function	\ \\\-	-	_	
Remote start function	•	•	•	
Battery preheating	•		•	
low beam light		Exterior lights		
source	●Halogen	●Halogen	●Halogen	●Halogen
high beam light source	●Halogen	●Halogen	●Halogen	●Halogen
LED daytime running lights		- 4	-	-
Adaptive high and low beam	-	-) -	-
automatic	•		•	•
car front fog lights	_	-	-	-
Headlight <mark>height</mark> adjustable	•	•	•	•
Delayed turn off of headlights	• \	•	•)	•
<u>g</u>		Skylight/glass		
Skylight type		-		-
Front/rear electric windows	before • after	before ● after ●	before ● after ●	before • after
One-touch window lifting function	-	C-	-	<u> </u>
Window anti-pinch function	-		-	<u> </u>
Car vanity mirror	●Main driver's seat ●Co-pilot	●Main driver's seat ●Co-pilot	●Main driver 's seat ●Co-	●Main driver' s seat ●Co-
rear wiper				
Sensing wiper function	-	-		-
	7			

	Exter	rior rearview mirror		
Exterior rearview mirror function	• Electric adjustment	●Electric adjustment	●Electric adjustment	●Electric adjustment
		Screen/System		
Central control color screen	●Touch LCD screen	●Touch LCD screen	●Touch LCD screen	●Touch LCD screen
Central control screen size	●10.1 inches	●10.1 inches	●10.1 inches	●10.1 inches
Bluetooth/car				•
Mobile phone interconnection/ma pping	_	-	(G)	-
Voice recognition		●Multimedia system ●	●Multimedia system ●	●Multimedia system ●
control system		Navigation • Telephone • Air	Navigation • Telephone •	Navigation • Telephone • Air
face recognition	-	-	-	
Vehicle intelligent system	●Leapmotor OS	●Leapmotor OS	●Leapmotor OS	●Leapmotor OS
Voice area wake-up recognition	●Single area	●Single area	●Single area	•Single area
T	Intel!	ligent configuration		
Internet of Vehicles	•	•	•	•
4G/5G network	●4G	●4G	●4G	●4G
OTA upgrade	•	•		•
Wi-Fi hotspot		•	•	• (
1	●Vehicle	•Vehicle starting		•Vehicle
	starting •	• Charging	starting •	starting •
W 1 · 1 ADD Sameta	Charging	management •	Charging	Charging
Mobile APP remote	management •	Vehicle status	management •	management •
function	Vehicle status	query/diagnosis •	Vehicle status	Vehicle status
	query/diagnosis	Vehicle	query/diagnosi	_
	● Vehicle	positioning/car	s ●Vehicle	• Vehicle
	positioning/car	search el/Interior rearview		positioning/car
Steering wheel material	•Plastic	●Plastic	• Plastic	●Plastic
Steering wheel position		●Manual up and down adjustment	●Manual up and down	●Manual up and down adjustment
Shift pattern	• Electronic gear shifting	●Electronic gear shifting	• Electronic gear shifting	●Electronic gear shifting
Multifunction steering wheel	•	•	•	
steering wheel gear shift	-	_	_	-
Steering wheel heating	-) -	-1	-
steering wheel memory	_	-		-
memer j				

Trip computer	•Single color	●Single color	•Single color	•Single color
display screen Full LCD		- \	_	-)
instrument panel LCD instrument	•8 inches	•8 inches	•8 inches	•8 inches
Interior rearview	●Manual anti-	●Manual anti-	●Manual anti-	●Ma <mark>n</mark> ual <mark>a</mark> nti-
mirror function	dazz1e	dazzle	dazzle	dazzle
Multimodio/oboronia		Charging in car		
Multimedia/chargin g interface	●USB	●USB	●USB	●USB
Number of USB/Type-C interfaces	•1 person in the front row	●1 person in the front row	•1 person in the front row	●1 person in the front row
Mobile phone wireless charging function		- (-	- \
	Se	at configuration	A P.1 · · ·	
seat material	●Fabric○ Leather/fabric mix	●Fabric ○ Imitation leather ○ Leather/fabric mix	● Fabric ○ Imitation leather ○ Leather/fabric	●Fabric ○ Imitation leather ○ Leather/fabric
Main seat adjustment method	●Fore and aft adjustment ● Backrest adjustment			
Secondary seat adjustment method	●Fore and aft adjustment ● Backrest	●Fore and aft adjustment ● Backrest	●Fore and aft adjustment ● Backrest	●Fore and aft adjustment Backrest
Main/passenger seat electric	-		_	_
Front seat functions	-		- 4	-
Power seat memory function	-	-	- (<i>)</i> -
Adjustable buttons for the passenger seat and rear row		-		-
Second row seat		-		-
adjustment Rear seats fold down	●Left down as a whole	●Left down as a whole	●Left down as a whole	●Left down as a whole
Front/rear center armrest	- WHOTC	- WHOTE	- whole	- whore
Rear cup holder	_		_	
	Audio	o/interior lighting	1	
Speaker brand name	- ●2 speakers	- 2 angalana	- 2 angelrane	- - 2 anadrama
Number of speakers Car interior	■2 speakers	•2 speakers	•2 speakers	●2 speakers
ambient lighting		_		_
	Air con	ditioner/refrigerat	or	

Air conditioning temperature control method	●Manual air conditioner	●Manual air conditioner	●Manual air conditioner	●Manual air conditioner				
Independent air conditioning in the rear			_					
Rear seat air outlet	ı		_	-				
Temperature zone control	_	-	-	-				
Car air purifier	-	-	-	_				
In-car PM2.5 filter device	_	_		-				
Optional package								
Exterior color	Light white, sky gray, galaxy silver, black/quicksand powder	Galaxy Silver, Light White, Sky Gray, Black/Glacier Blue, Black/Quicksand	Black/Quicksan d Pink, Light White, Sky Gray, Galaxy Silver, Black/Glacier	Black/glacier blue, sky gray, light white, galaxy silver, black/quicksand pink				
interior color	forest ash, cherry powder	Forest gray, sea salt blue, cherry pink	Sakura powder, forest gray, sea salt blue	Sea salt blue, forest gray, cherry pink				
Note: ●Standard C	Optional - None							