

QINGDAO QHCY INTERNATIONAL TRADING CO., LTD.
Web:cartradinghub.com Tel: 86-15176650760
E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

		configuration sheet						
	Leapmotor CO1 2023	Leapmotor CO1 2023	Leapmotor C01 2023					
	Extended Range 216	Extended Range 316	Extended Range 316 Smart					
	Comfort Edition	Comfort Edition	Edition					
Basic parameters								
level	Medium and large cars	Medium and large cars	Medium and large cars					
Energy type	Extended range	Extended range	Extended range					
time to market	2023. 09	2023. 09	2023. 09					
WLTC pure								
electric	148	248	248					
cruising range			. ( )					
(km)		_						
CLTC pure electric								
cruising range	216	316	316					
(km)								
Fast charging								
time (hours)	0, 5	0.5	0.5					
Slow charging		0.0	0.0					
time (hours)	2.6	3.8	3.8					
Fast charging	30-80	30-80	30-80					
percentage	30-60	30-80	30-80					
Maximum	200	200	200					
power(kW)	200	200	200					
Maximum torque	_	/_	_					
(N • m)								
engine	1.5L 95 HP L4	1.5L 95 HP L4	1.5L 95 HP L4					
Motor (Ps)	272	272	272					
gearbox	Electric vehicle	Electric vehicle	Electric vehicle single					
Length*width*hei	single speed gearbox	single speed gearbox	speed gearbox					
ght (mm)	5050 <b>*</b> 1 <mark>902*15</mark> 15	5050*1902*1515	5050*1902*1515					
Body structure	4-door, 5-seat sedan	4-door, 5-seat sedan	4-door, 5-seat sedan					
Maximum speed		·						
(km/h)	170	170	170					
Official O-								
100km/h	8. 2	8. 2	8. 2					
acceleration (s)								
WLTC								
comprehensive	-	0. 26	0.26					
fuel consumption		· 20	J. 20					
(L/100km)		4						

Minimum state of charge fuel consumption (L/100km)		5. 8	5. 8
Electric energy equivalent fuel consumption (L/100km)	-	2. 11	2. 11
Vehicle warranty	Four years or 120,000 kilometers	Four years or 120,000 kilometers	Four years or 120,000 kilometers
First owner warranty policy	-	-	-
1 11 ( )	5050	Body	5050
Length (mm)	5050	5050	5050
Width(mm) Height(mm)	1902 1515	1902 1515	1902 1515
Wheelbase(mm)	2930	2930	2930
Front wheelbase (mm)	1608	1608	1608
Rear wheelbase (mm)	1604	1604	1604
Minimum ground clearance with full load (mm)	118	118	118
Minimum ground clearance without load (mm)	140	140	140
Approach angle	15	15	15
Departure angle (°)	18	18	18
Body structure	Sedan	Sedan	Sedan
Car door opening method	swing door	swing door	swi <mark>n</mark> g door
Number of doors (number)	4	4	4
Number of seats (seats)	5	5	5
Fuel tank volume (L)	47	47	47
Front trunk volume (L)	_	4	-
Trunk volume (L)	480	480	449
Curb weight (kg)	1995	2015	2015
Maximum full load mass (kg)	2370	2390	2390
Todu mass (Kg)		Engine	
engine model	H15R	H15R	H15R
Displacement (mL)	1499	1499	1499

Displacement(L)	1.5	1.5	1.5
Intake form	inhale naturally	inhale naturally	inhale naturally
Engine layout	horizontal	horiz <mark>o</mark> ntal	horizontal
Cylinder	L	L	L
arrangement	L	L	L
Number of			
cylinde <mark>r</mark> s	4	4	4
(number)			
Number of valves			<b>4</b>
per cylinder	4	4	4
(number)			
Air Supply	DOHC	DOHC	DOHC
Maximum	95	95	95
horsepower (Ps)	95	90	90
Maximum	70	70	70
power(kW)	70	70	10
Maximum power	_	_	- 6
speed (rpm)			
Maximum torque	_	_	
(N • m)	<b>"</b>		
Maximum torque	_	_	
speed (rpm)		1	
Maximum net	68	68	68
power (kW)			
fuel form	Extend <mark>e</mark> d range	Extended range	Extended range
fuel grade	No. 92	No. 92	No. 92
Fuel supply	Multi-point EFI	Multi-point EFI	Multi-point EFI
method	marti point bir	marer point Err	Marti point bir
Cylinder head	Aluminum alloy	Aluminum alloy	Aluminum alloy
material —	midminum diloj	midmindm diroj	mammam arroy
Cylinder	Aluminum alloy	Aluminum alloy	Aluminum alloy
material	midminum diloj	midmindin direj	mammam array
Environmental			
protection	Country VI	Country VI	Country VI
standards			
		ctric Motor	
Motor type	Permanent	Permanent	Permanent
	magnet/synchronous	magnet/synchronous	magnet/synchronous
Total motor	200	200	200
power (kW)	200	200	200
Total motor	272	272	272
power (Ps)	2.2	2.2	2.2
Total torque of	360	360	360
motor (N • m)	550	0.00	
Maximum power of	A.		
front electric	-	-	-
motor (kW)			
Maximum torque			
of front	_	_	_
electric motor (N • m)			1

Maximum power of rear electric motor (kW)	200	200	200
Maximum torque of rear electric motor (N•m)	360	360	360
Number of drive motors	single motor	single motor	single motor
Motor layout	rear	rear	rear
Battery Type	Lithium iron phosphate battery	Ternary lithium battery	Ternary lithium battery
Battery brand	Guoxuan Hi-Tech/China Innovation Aviation	AVIC Lithium Battery	AVIC Lithium Battery
Battery cooling method	liquid cooling	liquid cooling	liquid cooling
WLTC pure electric cruising range (km)	148	248	248
CLTC pure electric cruising range (km)	216	316	316
WLTC comprehensive range (km)	1000	1077	1077
Battery energy (kWh)	30. 1	43. 7	43.7
Battery energy density (Wh/kg)	-	A	-
Electricity consumption per 100 kilometers (kWh/100km)	-	18. 7	18. 7
Battery pack warranty	Eight years or 150,000 kilometers	Eight years or 150,000 kilometers	Eight years or 150,000 kilometers
Fast charging function	support	support	support
Fast charging time (hours)	0. 5	0.5	0.5
Slow charging time (hours)	2.6	3. 8	3. 8
Fast charging capacity(%)	30-80	30-80	30-80
		Gearbox	
Number of gears	1	l 6:1 - 1: 1	l Ginal a di
Gearbox type	fixed ratio gearbox Electric vehicle	fixed ratio gearbox  Electric vehicle	fixed ratio gearbox  Electric vehicle single
abbreviation	single speed gearbox	single speed gearbox	speed gearbox
Drive mode	rear wheel drive	sis Steering rear wheel drive	rear wheel drive
DIIVO MORE	Toda micor di ive	Tour whoch drive	TOUL WHOOL GLIVE

four-wheel drive			
	7	-	-
Center differential structure			-
Front suspension type	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension
rear suspension type	Five-link independent suspension	Five-link independent suspension	Five-link independent suspension
Assist type	electric assist	electric assist	electric assist
Body structure	Load-bearing	Load-bearing	Load-bearing
		neel Brake	1
Front brake type	ventilated disc	ventilated disc	ventilated disc
rear brake type	ventilated disc	ventilated disc	ventilated disc
Parking brake type	Electronic parking	Electronic parking	Electronic parking
Front tire specifications	235/50 R18	235/50 R18	235/50 R18
Rear tire	235/50 R18	235/50 R18	235/50 R18
Spare tire specifications	Tire repair tools	Tire repair tools	Tire repair tools
	Pas	sive Safety	
Main/passenger seat airbag	Main⊕/Deputy●	Main⊕/Deputy●	Main⊕/Deputy⊕
Front/rear side airbags	Before●/After-	Before●/After-	Before●/After-
Front/rear head airbags (curtain airbags)	before●/after●	before●/after●	before●/after●
Tire pressure monitoring function	●Tire pressure display	●Tire pressure display	•Tire pressure display
Run-flat tires	-	-	
S <mark>e</mark> at b <mark>elt not</mark> fastened reminder	•Front row	●Front row	●The whole car
ISOFIX child seat interface	<b>1</b>	•	<i>y</i> • -
ABS anti-lock		•	
Braking force distribution (EBD/CBC, etc.)	<b>O</b>	•	•
Brake assist (EBA/BAS/BA, etc.)	•	<b>V</b> •	
Traction control (ASR/TCS/TRC, etc.)	• 0	•	4 •

Body stability control (ESC/ESP/DSC, etc.)	•		•
	Act	cive Safety	
Lane Departure Warning System	•		•
Active braking/active	. (		4
safety system			
Fatigue driving tips	-	- (	•
DOW opening	\-	-	•
warning forward			
collision			•
warning			
rear collision	_	_	• ( )
warning Low speed		1	
warning	•	•	
Built-in driving		)	
recorder	_	_	
roadside	•	•	•
Anti-rollover			_
system			
		ving Control	
	•Sports •	• Sports •	
Driving mode	Standard/Comfortable	Standard/Comfortable	● Sports ● Standard/Comfortable ●
switch	Customized/Personaliz	Customized/Personaliz	Customized/Personalized
	ed	ed	
energy recovery system	•	•	<b>\( \)</b> •
automatic		•	
parking Hill assist			
steep descent		•	
Strop descent	Driv	ing Hardware	
Front/rear parking radar	Front-/Back●	Front-/Back●	before●/after●
Driving	<b>■</b> 260 Ja	260 10	●360-degree panoramic
assistance	●360-degree panoramic image	●360-degree panoramic image	image ●Vehicle side
images	panoranto inage	positor omito intege	blind spot image
Transparent chassis/540	_	_	
degree image			
Number of	•5 pieces	•5 pieces	●10 pieces
cameras	• o preces	• 5 preces	To preces

Ultrasonic radar	•4 pieces	●4 pieces	●12 pieces
quantity Millimeter wave radar quantity	•1 piece	●1 piece	•5 pieces
cruise system	●Full-speed adaptive cruise	ing Function  ●Full-speed adaptive cruise	●Full-speed adaptive cruise
Assisted driving system	●Leapmotor Pilot	●Leapmotor Pilot	●Leapmotor Pilot
Assisted driving level	●L2	●L2	●L2
Reverse side warning system satellite	_	-	•
navigation system		•	•
Navigation traffic information display	•	•	•
AR real-life navigation	-	<u> </u>	•
Parallel assistance Lane Keeping	-	-	•
Assist System Lane centering Road traffic			•
sign recognition Automatic	-		•
parking remote control parking	_		
Automatic lane change assist	-	-	•
Steering wheel hand off detection		-	•
Autonomous driving assistance road section		-	●Highway section
Rim material	Appeara ●Aluminum alloy	nce/Anti-theft ●Aluminum alloy	●Aluminum alloy
Frameless design door	•	•	•
Electric trunk Electric trunk position memory	0	0	0
	4		

Engine electronic anti- theft		_	-
Central locking in car	•	•	•
Key type	●Remote key	•Remote key	●Remote key ●Bluetooth key
Keyless start system	•	•	•
Keyless entry function		<i>y</i> -	•The whole car
Hidden electric door handle		-	•
Active closing air intake grille		-	-
Remote start function	•	•	•
Battery preheating	•	•	•
external discharge	0	0	0
	Exte	erior Lights	
low beam light source	●LED	●LED	●LED
high beam light source	●LED	●LED	●LED
LED daytime running lights	•	•	•
Adaptive high and low beam	-	-	-
automatic headlight	•	<b>V</b> •	•
car front fog lights	-	_	
Hea <mark>dlight</mark> height adjustable	•	•	•
Delayed turn off of headlights		•	<i>y</i> • .
		light/Glass	
Skylight type	●The panoramic sunroof cannot be opened	●The panoramic sunroof cannot be opened	●The panoramic sunroof cannot be opened
Front/rear electric windows	before●/after●	before●/after●	before●/after●
One-touch window lifting function	●The whole car	●The whole car	●The whole car
Window anti- pinch function	•	•	•
Multilayer soundproof glass	_	-	●Front row

Rear side privacy glass Car vanity mirror rear wiper Sensing wiper	• Main driver's seat	● Main driver's seat	● Main driver + lighting
Car vanity mirror rear wiper		•Main driver's seat	Main driver + lighting
rear wiper		•Co-pilot	
	Co-pilot -	- CO p110t	●Co-pilot + lighting -
function	●Rain sensor type	●Rain sensor type	●Rain sensor type
Tunction	Fyterior	Rearview Mirror	
	Exterior	Mediview Militor	●Electric adjustment ●
			Electric folding •
Exterior	• Electric adjustment	_	Rearview mirror memory
rearview mirror	• Electric folding •	• Electric folding	• Heated rearview
function	Automatic folding	Automatic folding	mirrors • Automatically
	when locking the car	when locking the car	flip down when reversing  • Automatically fold
			when the car is locked
<b>\</b>	Scre	een/system	when the car is recar
Central control	•Touch LCD screen	●Touch LCD screen	●Touch LCD screen
color screen	Touch Lob screen	Touch Lob screen	Touch Led screen
Central control screen size	●12.8 inches	●12.8 inches	●12.8 inches
Passenger	<b>2</b> 10.05 : 1	210.05 : 1	<b>2</b> 10.05 : 1
entertainment	●10.25 inches	●10.25 inches	●10.25 inches
screen Bluetooth/car		4	
phone			•
Mobile phone	●Original	●Original	●Original
interconnection/	interconnection/mappi	interconnection/mappi	interconnection/mapping
mapping	ng	ng	Three connection, mapping
Voice	●Multimedia system ●Navigation ●	●Multimedia system ●Navigation ●	●Multimedia system ●
recognition	Telephone •Air	Telephone • Air	Navigation ●Telephone
control system	conditioning	conditioning	•Air conditioning
face recognition	-	_	10
Vehicle	\		
intelligent	•Leapmotor OS	●Leapmotor OS	●Leapmotor OS
system			
Rear seat control		_	
multimedia			
Vehicle system	10	10	<b>A</b> 10
memory (GB)	●12	•12	●12
Vehicle system	●64	●64	●128
storage (GB)	3 0 1		
Voice wake word free	•	•	•
Voice area wake-	●Dual area	●Dual area	●Dual area
up recognition	→Dual area	▼Dual alea	●Dual area
up recognition			

Speech continuous		•	•
recognition			
It can be said that it is			
visible			
	Intellige	ent Configuration	
Internet <mark>of</mark> Vehicles	•	•	•
4G/5G network	●4G	●4G	●4G
OTA upgrade	•	•	•
Wi-Fi hotspot	•	•	•
Mobile APP remote function	● Door control ● Window control ● Vehicle start ● Air conditioning control ● Vehicle condition query/diagnosis ●	● Door control ● Window control ● Vehicle start ● Air conditioning control ● Vehicle condition query/diagnosis ●	●Door control ●Window control ●Vehicle start ●Air conditioning control ●Vehicle condition query/diagnosis ●
	Vehicle positioning/car search	Vehicle positioning/car search	Vehicle positioning/car search
Steering wheel	• Leather OGenuine	nterior rearview mir •Leather O Genuine	• Cleather ○ Genuine
material	leather	leather	leather
Steering wheel position adjustment	●Manual up and down + front and rear adjustment	●Manual up and down + front and rear adjustment	●Manual up and down + front and rear adjustment
Shift pattern	●Electronic gear shifting	●Electronic gear shifting	●Electronic gear shifting
Multifunction steering wheel	•	•	•
steering wheel gear shift	_	_	
Steering wheel heating	0	0	0
steering wheel memory		-	-
Trip computer display screen	<b>●</b> Color	●Color	● Color
Full LCD instrument panel	•	•	• (
LCD instrument size	●10.25 inches	●10.25 inches	●10.25 inches
Interior rearview mirror function	●Manual anti-glare○ Automatic anti-glare	●Manual anti-glare○ Automatic anti-glare	●Manual anti-glare○ Automatic anti-glare
Multimodia/shar	Char	ging in car	
Multimedia/charg ing interface	●USB	●USB	●USB ●SD ●Type-C

Number of USB/Type-C	•2 in the front row	•2 in the front row	●2 in the front row/2 in the back row
interfaces  Mobile phone wireless	<u> </u>	4	In the Back few
charging function	-		●Front row
	Seat. c	configuration	
seat material	●Imitation leather○ Genuine leather	●Imitation leather⊖ Genuine leather	●Imitation leather○ Genuine leather
Main seat adjustment method	● Front and rear adjustment ● Backrest adjustment ● Height adjustment (2-way) ○ Waist support (4-way)	● Front and rear adjustment ● Backrest adjustment ● Height adjustment (2-way) ○ Waist support (4-way)	●Front and rear adjustment ●Backrest adjustment ●Height adjustment (2-way) ○ Waist support (4-way)
Secondary seat adjustment method	● Fore and aft adjustment ● Backrest adjustment	●Fore and aft	●Fore and aft adjustment ●Backrest adjustment
Main/passenger seat electric adjustment	Main⊕/Deputy⊕	Main⊕/Deputy⊕	Main⊕/Deputy⊕
Front seat functions	○Heating○ Ventilation○Massage	○Heating○ Ventilation○Massage	○Heating○Ventilation○ Massage
Power seat memory function		-	●Driving position
Adjustable buttons for the passenger seat and rear row	-		-
Second row seat adjustment	OBackrest adjustment	OBackrest adjustment	○Backrest adjustment
Electrically adjustable second row seats	Ο	0	0
Second row seat functions	OHeating	OHeating	OHeating
Rear seats fold down	●Inverted proportions	●Inverted proportions	•Inverted proportions
Front/rear center armrest	before●/after●	before●/after●	before●/after●
Rear cup holder	Audio/in	terior lighting	
Speaker brand name	- Aud10/111 -	-	
Numbe <mark>r</mark> of speakers	●12 speakers	●12 speakers	●12 speakers
touch reading light	•	•	•
Car interior ambient lighting	-	-	•

Air conditioner/refrigerator						
Air conditioning temperature control method	•Automatic air conditioning	●Automatic air conditi <mark>o</mark> ning	●Automatic air conditioning			
Independent air conditioning in the rear	-		- 0			
Rear seat air outlet	•	•	•			
Temperature zone control	_		•			
Car air purifier	_	-	•			
In-car PM2.5 filter device	-	-	•			
negative ion		_				
generator						
	Optio	onal package				
	Electric sunshade canopy optional package (1000) Fully equipped package (15000)	Electric sunshade canopy optional package (1000) Fully equipped package (15000)	Electric sunshade canopy optional package (1000) Fully equipped package (15000)			
Exterior color	Metallic black, glossy white, sky gray, galaxy silver, night eye blue	Galaxy silver, sky gray, glacier blue, glossy white, metallic black	Glacier blue, light white, metallic black, sky gray, galaxy silver			
interior color	Black/Wood Brown, Reef Gray/Azure	Black/Wood Brown, Reef Gray, Black, Reef Gray/Azure	reef gray, black			

Note: Standard O Optional - None