

QINGDAO QHCY INTERNATIONAL TRADING CO., LTD. Web:cartradinghub.com Tel: 86-15176650760

Web:cartradinghub.com Tel: 86-15176650760

E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

	Nezha AYA conf	figuration sheet	
Pagia nanamatana	Nezha AYA 2023 318	Nezha AYA 2023	Nezha AYA 2023 model
Basic parameters	Lite	facelift 401 Lite	401
	Basic pa	arameters	
Manufacturer	Hezhong Motors	Hezhong Motors	Hezhong Motors
level	small SUV	small SUV 🔷 🔪	small SUV
Energy type	pure electric	pure electric	pure electric
time to market	2023. 08	2024. 01	2023. 08
CLTC pure electric	318	401	401
cruising range (km)	010	101	101
Fast charging time (hours)	_	_	- ()
Slow charging time (hours)	-	-	
Fast charging percentage	30-80	30-80	30-80
Maximum power(kW)	40	70	70
Maximum torque (N•m)	110	150	150
Motor(Ps)	54	95	95
Length*width*height (mm)	4070*1690*1540	4070*1690*1540	4070*1690*1540
Body structure	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV
Maximum speed (km/h)	101	101	101
Official 0-100km/h acceleration (s)	-	-	
Official 0-50km/h acceleration (s)	5. 9	4. 1	4. 1
Vehicle warranty	Three years or 120,000 kilometers	Three years or 120,000 kilometers	Three years or 120,000 kilometers
First owner warranty policy	-	-	-
	В	ody \	
Length(mm)	4070	4070	4070
Width (mm)	1690	1690	1690
Height(mm)	1540	1540	1540
Wheelbase(mm)	2420	2420	2420
Front wheelbase (mm)	1440	1440	1440
Rear wheelbase (mm)	1415	1415	1415
Approach angle (°)	18	18	18

Departure angle	twenty four	twenty four	twenty four
Body structure	SUV	SUV	SUV
Car door opening method	swing door	swing door	swing door
Number of doors (number)	5	5	5
Number of seats (seats)	5	5	5
Trunk volume (L)	335	335	335
Curb weight (kg)	1081	1151	1151
Maximum full load mass (kg)	1381	1526	1526
	Electr	ic motor	
Motor type	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronou
Total motor power (kW)	40	70	70
Total motor power (Ps)	54	95	95
Total torque of motor (N•m)	110	150	150
Maximum power of front electric motor (kW)	40	70	70
Maximum torque of front electric motor (N•m)	110	150	150
Number of drive motors	single motor	single motor	single motor
Motor layout	prefix	prefix	prefix
Battery Type	Lithium iron phosphate battery	Lithium iron phosphate battery	Lithium iron phosphate batter
Battery brand	Ningfu, Guangxi	hive energy	hive energy
CLTC pure electric cruising range (km)	318	401	401
Battery energy (kWh)	(-1)	-	-
Electricity consumption per 100 kilometers (kWh/100km)		-	_
Battery pack warranty			
Fast charging function	support	support	support
Fast charging power (kW)	45	45	45
Fast charging time (hours)	_	-	_

Slow charging time			<i>)</i> '
(hours)	-	-	-
Fast charging capacity (%)	30-80	30-80	30-80
electric motor	40	70	70
	Gea	arbox	
Number of gears Gearbox type	l fixed ratio gearbox	l fixed ratio gearbox	l fixed ratio gearbox
abbreviation	Electric vehicle	Electric vehicle single speed gearbox	Electric vehicle
		steering	Single speed godison
Drive mode	Front wheel drive	Front wheel drive	Front wheel drive
four-wheel drive	-	-	-
Center differential structure	_		-
Front suspension type	MacPherson independent	MacPherson independent	MacPherson independent
rear suspension	suspension Trailing arm non- independent	suspension Trailing arm non- independent	suspension Trailing arm non- independent
Assist type	suspension electric assist	suspension electric assist	suspension electric assist
Body structure	Load-bearing	Load-bearing	Load-bearing
	Wheel		
Front brake type	disc type	disc type	disc type
rear brake type Parking brake type	disc type Electronic parking	disc type Electronic parking	disc type Electronic parking
Front tire specifications	185/65 R15	185/55 R16	185/55 R16
Rear tire specifications	185/65 R15	185/55 R16	185/55 R16
Spare tire specifications	Tire repair tool	Tire repair tool	Tire repair tool
	Passiv	e safety	
Main/passenger seat airbag	Main●/Deputy●	Main●/Deputy●	Main●/Deputy●
Front/rear side airbags	(-)	-	-
Front/rear head airbags (curtain airbags)	-	_	-
Tire pressure monitoring function	●Tire pressure alarm	•Tire pressure alarm	●Tire pressure alarm
Run-flat tires Seat belt not	-	<u> </u>	-
fastened reminder	-	-	-
ISOFIX child seat interface ABS anti-lock	• •	•	•
ADS AILT TOCK)

Braking force distribution (EBD/CBC, etc.)		•	•
Brake assist (EBA/BAS/BA, etc.)	_		0
Traction control (ASR/TCS/TRC, etc.)	-	<u> </u>	0
Body stability control (FSC/FSD/DSC etc.)	-	-	0
(ESC/ESP/DSC, etc.)	Active	safety	
Lane Departure Warning System	-	-) 0
Active braking/active safety system			0
Fatigue driving tips	-	-	0
forward collision warning	-	_	0
Low speed warning Built-in driving	•	•	•
recorder	-	_	0
		control	
	●Sport ● Standard/Comfortable	●Sport ● Standard/Comfortable	●Sport ● Standard/Comfortable
Single pedal mode energy recovery	•		•
system	•		•
automatic parking Hill assist	•	•	•
steep descent	_	_	0
	Driving	hardware	
Front/rear parking radar	Front-/Back●	Front-/Back●	Front-/Back●
Driving assistance images	•Reversing image	•Reversing image	• Reversing image
Number of cameras Ultrasonic radar		-	01
quantity Millimeter wave	<u> </u>		O12 pieces
radar quantity		-	01
	Driving	function	• Fixed-speed cruise
cruise system	●Cruise speed	●Cruise speed	OFull-speed adaptive cruise
Assisted driving level	- 🔾	-	OL2
satellite navigation system	•	•	•

Navigation traffic		•	•
information display map brand	Gaode	●Gaode	●Gaode
Parallel assistance	-	- Odouc	O
Lane Keeping Assist System	-	. (]-	0
Road traffic sign recognition	-	-	0
Automatic parking	-	_	0
remote control parking	_	_	0
Start reminder	_	-	0
		e/anti-theft	
Rim material	●Stee1	●Stee1	●Aluminum alloy
Electric trunk Central locking in car	•		• 4
Key type	●Remote key ● Bluetooth key	●Remote key ● Bluetooth key	●Remote key ● Bluetooth key
Keyless start system	•	•	•
Keyless entry function	●Driving position	●Driving position	●Driving position
Battery preheating		•	•
external discharge	-		•
1 1 1:1.	Exter10	or lights	
Low beam light source high beam light	●Halogen	● Halogen	●LED
source LED daytime running	●Halogen	●Halogen	●LED
lights Adaptive high and	•) •	
low beam automatic headlight	-	-	0
car front fog lights	●Halogen	●Halogen	●Halogen
Headlight height adjustable		•	•
Delayed turn off of headlights	•	•	•
	Skylig	ht/glass	
Skylight type	_		
Front/rear electric windows	Front●/Back●	Front●/Back●	Front ●/Back ●
One-touch window lifting function	●The whole car	●The whole car	●The whole car
Window anti-pinch function	•	•	•

Ca	ar vanity mirror	●Main driver's seat ●Co-pilot	●Main driver's seat ●Co-pilot	●Main driver's seat ●Co-pilot
	rear wiper		1-	_
	Sensing wiper function	_		●Rain sensor type
	4	Exterior re	arview mirror	
	xterior rearview mirror function	●Electric adjustment	•Electric adjustment	●Electric adjustment ●Heate rearview mirrors
		Screen	n/system	
	Central control color screen	●Touch LCD screen	●Touch LCD screen	●Touch LCD scree
	Central control screen size	●14.6 inches	●14.6 inches	●14.6 inches
В1ι	uetooth/car phone			
in	Mobile phone terconnection/map ping	-	-	- (
	oice recognition control system	●Multimedia system●NavigationTelephone●Airconditioning	●Multimedia system ●Navigation ● Telephone ●Air conditioning	●Multimedia syste ●Navigation ● Telephone ●Air conditioning
	Vehicle system memory (GB)	•4	•4	●8
	Vehicle system storage (GB)	●32	●32	●64
Vo	oice area wake-up recognition	●Dual area	●Dual area	●Dual area
	peech continuous recognition	•	•	•
It	can be said that it is visible	•)	•
		Intelligent	configuration	
	Internet of Vehicles	•	•	\(\begin{array}{c} \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\
	4G/5G network	●4G	●4G	●4G
	OTA upgrade	• • •	•	•
	Wi-Fi hotspot	● Door control ● Charging management	● Door control ● Charging management	• Door control • Charging management
Мо	obile APP remote function	● Air conditioning control ● Vehicle status inquiry/diagnosis ● Vehicle	● Air conditioning control ● Vehicle status inquiry/diagnosis ● Vehicle	● Air conditioning control ● Vehicle status inquiry/diagnosis Vehicle
	Car KTV	positioning/car search	positioning/car search	positioning/car search
		eering wheel/inte	erior rearview mir	ror
		A)

●USB erson in the	●Leather - ●Electronic gear shifting ● - - - - •Color - •12 inches - g in car •USB •1 person in the	• Leather - • Electronic gear shifting
hifting Color - 2 inches - Chargin OUSB	shifting Color - 12 inches - g in car USB	shifting Color - 12 inches - USB
hifting Color - 2 inches - Chargin OUSB	shifting Color - 12 inches - g in car USB	shifting Color - 12 inches - USB
- 2 inches - Chargin •USB erson in the	- ■12 inches - g in car ■USB	- 12 inches - USB
- 2 inches - Chargin •USB erson in the	- ■12 inches - g in car ■USB	- 12 inches - USB
- 2 inches - Chargin •USB erson in the	- ■12 inches - g in car ■USB	- 12 inches - USB
- 2 inches - Chargin •USB erson in the	- ■12 inches - g in car ■USB	- 12 inches - USB
- 2 inches - Chargin •USB erson in the	- ■12 inches - g in car ■USB	- 12 inches - USB
Chargin OUSB erson in the	g in car ●USB	●USB
Chargin OUSB erson in the	g in car ●USB	●USB
●USB erson in the	●USB	
●USB erson in the	●USB	
	•1 person in the	•1 person in the
ront row	front row	front row/1 person in the back row
_	1	•Front row
Seat conf	figuration	
nt and back	● Imitation leather ● Front and back adjustment ● Backres adjustment ● Height adjustment (2-way)	● Front and back adjustment ● Backrost adjustment
re and aft ustment ● st adjustment	●Fore and aft adjustment ●Backres adjustment	●Fore and aft adjustment ● Backrest adjustment
_		- 3
-		OHeating
-	-	_
-	-	-
	nt and back astment at adjustment at adjustment (2-way) are and aft astment	ont and back astment ● Front and back adjustment ● Backres adjustment ● Height adjustment (2-way) The and aft adjustment ● Fore and aft adjustment ● Backres

Rear seats fold down whole whole whole whole Front/rear center armrest Rear cup holder Front ●/Back- Rear cup holder Front ●/Back- Rear cup holder Audio/interior lighting Speaker brand name Number of speakers touch reading light Car interior ambient lighting Air conditioner/refrigerator Air conditioning temperature control method Independent air conditioning in the rear	ı
Front/rear center armrest Rear cup holder	
Speaker brand name Number of speakers Value of speakers Touch reading light Car interior ambient lighting Air conditioner/refrigerator Air conditioning temperature control method Independent air conditioning in the Audio/interior lighting	
Speaker brand name	
Number of speakers touch reading light Car interior ambient lighting Air conditioner/refrigerator Air conditioning temperature control method Independent air conditioning in the As speakers 4 speakers Manual sir Manual air conditioner Manual air conditioner Manual air conditioner Air conditioner Manual air conditioner Manual air conditioner	_
touch reading light Car interior ambient lighting Air conditioner/refrigerator Air conditioning temperature control method Independent air conditioning in the Air conditioner Omanual air conditioner omationer omationer omanual air conditioner omationer omanual air conditioner omationer omanual air conditioner omationer omanual air conditioner	
ambient lighting Air conditioner/refrigerator Air conditioning temperature control method Independent air conditioning in the Air conditioner/refrigerator Manual air conditioner conditioner	
Air conditioning temperature control method Independent air conditioning in the — — — — — — — — — — — — — — — — — — —	
temperature control method	
Independent air conditioning in the	
1001)
Rear seat air	
Temperature zone	
Car air purifier	
In-car PM2.5 filter device	
Optional package	
Smart driving	
package (4000)	
Black/half sugar milk tea, baby blue, half sugar milk tea, black/half sugar milk baby blue, black/baby blue, blue cloud white, clear sky gray, laurel green black/baby blue, blue cloud white, clear sky gray, laurel green black/baby blue, blue cloud white, clear sky gray, laurel green black/baby blue, black/baby	ar I
Black/optical white, Black/fog blue white, black/fog blue white, black/fog blue white, classic black white, classic black	
Note: ●Standard ○ Optional - None	