

QINGDAO QHCY INTERNATIONAL TRADING CO., LTD. Web:cartradinghub.com Tel: 86-15176650760

E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

	Polestar 2 com	nfiguration table	
		Polestar 2 2024 single	
1		motor has long battery	motors with long
	battery life	life	battery life
	_	parameters	
Manufacturer	Polestar	Polestar	Polestar
level	compact car	compact car	compact car
Energy type	pure electric	pure electric	pure electric
time to market	2023. 04	2023. 04	2023. 04
NEDC pure electric cruising range (km)	_		-
CLTC pure electric			
cruising range (km)	670	780	650
Fast charging time			
(hours)	0. 57	0. 47	0. 57
Slow charging time	_	_	
(hours)		_	
Fast charging	80	80	80
percentage	· · · · · · · · · · · · · · · · · · ·	<u> </u>	
Maximum power(kW)	200	220	310
Maximum torque (N•m)	490	490	740
Motor (Ps)	272	299	422
Length*width*height			
(mm)	4606*1859*1482	4606*1859*1482	4606*1859*1482
	5-door, 5-seater	5-door, 5-seater	5-door, 5-seater
Body structure	hatchback	hatchback	hatchback
Maximum speed	205	205	205
(km/h)	200	200	200
Official O-100km/h	6. 4	6. 2	4. 5
acceleration (s)	0. 1	0.2	1. 0
Electric energy			
equivalent fuel	_	_	-
consumption			
(L/100km)	Three years with no	Three years with no	Three years with no
Vehicle warranty	limit on kilometers	limit on kilometers	limit on kilometers
First owner	ZIMIO ON MITOMOTORD	ZIMIO ON MITOMOTOLD	11ml Con Allomo Colb
warranty policy	_		
	I	Body	
Length (mm)	4606	4606	4606
Width (mm)	1859	1859	1859
Height(mm)	1482	1482	1482
Wheelbase(mm)	2735	2735	2735

Front wheelbase (mm)	1602	1602	1602
Rear wheelbase (mm)	1601	1601	1601
Minimum ground			
clearance with full	-		
load (mm)			
Approach angle (°)	15	15	15
Departure angle (°)	twenty two	twenty two	twenty two
Body structure	hatchback	hatchback	hatchback
Car door opening method	swing door	swing door	swing door
Number of doors (number)	5	5	5
Number of seats (seats)	5	5	5
Trunk volume (L)	446-1136	446-1136	446-1136
Drag coefficient (Cd)	0. 27	0. 27	0. 27
Curb weight (kg)	1967	2034	2132
Maximum full load mass (kg)	2450	2500	2600
meto o (118)	Electr	ric Motor	
Motor type	Permanent magnet/synchronous	Permanent magnet/synchronous	Front AC/asynchronous rear permanent magnet/synchronous
Total motor power (kW)	200	220	310
Total motor power (Ps)	272	299	422
Total torque of motor (N•m)	490	490	740
Maximum power of front electric motor (kW)	-	-	110
Maximum torque of			
front electric motor (N • m)		-	250
	200	220	250
motor (N • m) Maximum power of rear electric motor	200	220	
motor (N • m) Maximum power of rear electric motor (kW) Maximum torque of rear electric motor			200
motor (N • m) Maximum power of rear electric motor (kW) Maximum torque of rear electric motor (N • m) Number of drive	490	490	200
motor (N•m) Maximum power of rear electric motor (kW) Maximum torque of rear electric motor (N•m) Number of drive motors	490 single motor	490 single motor	200 490 Dual motor

)
Battery cooling method	liquid cooling	liquid cooling	liquid cooling
Exchange battery	not support	not support	not support
NEDC pure electric cruising range (km)	-	-	-
CLTC pure electric cruising range (km)	670	780	650
Battery energy (kWh)	69	82	78
Battery energy density (Wh/kg)	152	166	158
Electricity consumption per 100 kilometers (kWh/100km)	4-	11.9	13. 5
Battery pack warranty	Eight years or 160,000 kilometers	Eight years or 160,000 kilometers	Eight years or 160,000 kilometers
Fast charging function	support	support	support
Fast charging power (kW)	135	205	155
Fast charging time (hours)	0. 57	0. 47	0. 57
Slow charging time (hours)		-	-
Fast charging capacity (%)	80	80	80
electric motor	200	220	310
	Ge	earbox \	
Number of gears	1	1	1
Gearbox type	fixed ratio gearbox	fixed ratio gearbox	fixed ratio gearbox
abbreviation	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox
chassis steering	Polestar 2 2024 single motor standard battery life	Polestar 2 2024 single motor has long battery life	
Drive mode	rear wheel drive	rear wheel drive	Dual motor four-wheel drive
four-wheel drive		-	Electric four-wheel drive
Center differential structure	-		-, \
Front suspension type	MacPherson independent suspension	MacPherson independent suspension	MacPherson independent suspension
rear suspension type	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension
Assist type Body structure	electric assist Load-bearing	electric assist Load-bearing	electric assist Load-bearing
	Whee	el Brake	

Front brake type	ventilated disc	ventilated disc	ventilated disc	
rear brake type	ventilated disc	ventilated disc	ventilated disc	
Parking brake type	Electronic parking	Electronic parking	Electronic parking	
Front tire				
specifications	245/45 R19	245/45 R19	245/45 R19	
Rear tire specifications	245/45 R19	245/45 R19	245/45 R19	
Spare tire specifications	Tire repair tools	Tire repair tools	Tire repair tools	
	Passiv	e Safety		
Main/passenger seat airbag	Main●/Deputy●	Main⊕/Deputy●	Main●/Deputy●	
Front/rear side airbags	Before●/After-	Before●/After-	Before●/After-	
Front/rear head airbags (curtain airbags)	before●/after●	before●/after●	before●/after●	
Front middle airbag	•	•		
Tire pressure	•Tire pressure alarm	•Tire pressure alarm	•Tire pressure alarm	
monitoring function Run-flat tires	-	_	-	
Seat belt not fastened reminder	●Front row	•Front row	•Front row	
ISOFIX child seat interface	•	•	•	
ABS anti-lock		•	•	
Braking force distribution	•	•	•	
(EBD/CBC, etc.) Brake assist (EBA/BAS/BA, etc.)	•	•	•	
Traction control (ASR/TCS/TRC, etc.)	•	O .	4.	
Body stability control	• (•		
(ESC/ESP/DSC, etc.)	A 1:	- C-C-+		
I and Donamtura	Activ	e Safety		
Lane Departure Warning System		•	•	
Active				
braking/active		•	•	
safety system				
Fatigue driving tips	•	•		
forward collision		•		
warning				
rear collision	• ()	•	•	
warning Low speed warning				
roadside assistance	•		_	
call	•	• ()	•	
		OX		

ingle pedal mode energy recovery system itomatic parking Hill assist steep descent riable suspension function ont/rear parking radar iving assistance images	Sport ● Sport ● Standard/Comfortable Standard/Comfortable ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■	ortable
energy recovery system Itomatic parking Hill assist steep descent riable suspension function ont/rear parking radar iving assistance images	●	
system itomatic parking Hill assist steep descent riable suspension function ont/rear parking radar iving assistance images	●	
Hill assist steep descent riable suspension function ont/rear parking radar iving assistance images	●	
Hill assist steep descent riable suspension function ont/rear parking radar iving assistance images	hard adjustr Driving Hardware ore ●/after ● before ●/after ● before ●/aft	
ont/rear parking radar iving assistance images	hard adjustr Driving Hardware ore ●/after ● before ●/after ● before ●/aft	
function ont/rear parking radar iving assistance images	hard adjustr Driving Hardware ore ●/after ● before ●/after ● before ●/aft	
ont/rear parking radar iving assistance images	Driving Hardware ore●/after● before●/after● before●/aft	пепс
radar iving assistance images	ore●/after● before●/after● before●/aft	
iving assistance images	360-degree ●360-degree panoramic ●360-degr	er●
images		ee
	noramic image image panoramic i	
	Driving Function	
cruise system (ed-speed cruise -speed adaptive cruise	
ssisted driving system	Pilot Assist OPilot Assist OPilot Ass	ist
ssisted driving level	OL2 OL2 OL2	
Reverse side warning system	• • • •	
satellite avigation system	•	
vigation traffic formation display	• •	
map brand	● Gaode ● Gaode ● Gaode	
callel <mark>assistan</mark> ce	•	
ne Keeping Assist System	•	
Lane centering	0 0 0	
oad traffic sign		
recognition	Appearance/Anti-theft	
Rim material		.11oy
Electric trunk	• •	
Induction trunk		
	•	
ntral locking in	• • •	
Key type		
Keyless start	Dide tooth key Blue tooth	<u> j</u>
Electric trunk cosition memory ntral locking in car Key type	luminum alloy Aluminum alloy Aluminum alloy	Aluminum a Remote key Bluetooth

Keyless entry	●The whole car	●The whole car	●The whole car
function Remote start function	•		•
Battery preheating	•		•
	Exteri	or Lights	
Low beam light source	●LED	●LED	●LED
high beam light source	●LED	●LED	●LED
Lighting features	OPixel type	OPixel type 🦯	OPixel type
LED daytime running lights	•	•)	•
Adaptive high and low beam	0	0	0
automatic headlight Turn assist light	0		
car front fog lights	OLED	OLED	OLED
Headlight height adjustable	•	•	•
Headlight cleaning device	- \	-	V -
Delayed turn off of headlights	•	•	•
)		ght/Glass	
Skylight type	●The panoramic sunroof cannot be opened	●The panoramic sunroof cannot be opened	●The panoramic sunroof cannot be opened
Front/rear electric windows	_	before ●/after ●	before ●/after ●
One-touch window lifting function	●The whole car	•The whole car	●The whole car
Window anti-pinch function	•	•	•
Car vanity mirror	●Main driver + lighting ●Co-pilot + lighting	●Main driver + lighting ●Co-pilot + lighting	● Main driver + lighting ● Co-pilot + lighting
rear wiper		_	-
Sensing wiper function	• Rain sensor type	●Rain sensor type	●Rain sensor type
Heated water nozzle		earview Mirror	
4			

Exterior rearview mirror function	● Electric adjustment ● Electric folding ● Rearview mirror memory ● Rearview mirror heating ● Automatic flip down when reversing ● Automatic folding when locking the car ● Automatic anti- dazzle	●Electric adjustment ●Electric folding ● Rearview mirror memory ●Rearview mirror heating ●Automatic flip down when reversing ●Automatic folding when locking the car ●Automatic anti-dazzle	●Electric adjustmen ●Electric folding Rearview mirror memory ●Rearview mirror heating ● Automatic flip down when reversing ● Automatic folding when locking the car ●Automatic anti- dazzle
	Scree	n/System	
Central control color screen	●Touch LCD screen	●Touch LCD screen	●Touch LCD screen
Central control screen size	●11.15 inches	●11.15 inches	●11.15 inches
Bluetooth/car phone		•	
Mobile phone interconnection/map ping	●Support CarPlay	●Support CarPlay	●Support CarPlay
Voice recognition control system	■Multimedia system■NavigationTelephone■Airconditioning	●Multimedia system ● Navigation ●Telephone ●Air conditioning	Multimedia systemNavigation ●Telephone ● Airconditioning
Vehicle intelligent system	●Android●Polestar connect	●Android●Polestar connect	●Android●Polestar connect
Voice area wake-up recognition	●Single area	●Single area	●Single area
	Intelligent	Configuration	
Internet of Vehicles	•	•	•
4G/5G network	●4G	●4G	●4G
OTA upgrade	•	•	
Mobile APP remote function	 Door control Charging management Air conditioning control Vehicle condition inquiry/diagnosis 	● Door control ● Charging management ● Air conditioning control ● Vehicle condition inquiry/diagnosis	● Door control ● Charging management ● Air conditioning control ● Vehicle condition inquiry/diagnosis
	Steering wheel/Int	erior rearview mirror	
Steering wheel material	•Genuine leather	●Genuine leather	●Genuine leather
Steering wheel position adjustment	●Manual up and down + front and rear adjustment	●Manual up and down + front and rear adjustment	●Manual up and dow + front and rear adjustment
Shift pattern	●Electronic gear shift	●Electronic gear shift	●Electronic gear shift
Multifunction steering wheel		•	•

steering wheel gear shift		-	- (
Steering wheel heating	•	J •	•
steering wheel memory	-		
Trip computer display screen	●Color	● Color	● Color
Full LCD instrument panel	• ()	•	•
LCD instrument size	●12.3 inches	●12.3 inches /	●12.3 inches
Interior rearview	●Automatic anti-	●Automatic anti-	● Automatic anti-
mirror function	dazzle dazzle	dazz1e	dazz1e
	Chargi	ng in car	
Multimedia/charging interface	●Type-C	●Type-C	●Type-C
Number of USB/Type-	•2 in the front	•2 in the front row/2	•2 in the front
	row/2 in the back row		row/2 in the back row
wireless charging function	●Front row	●Front row	•Front row
Luggage compartment 12V power interface	• 🗎	•	V •
	Seat Cor	nfiguration	
) seat material	●Fab <mark>ric⊖Gen</mark> uine leather	●Fabric⊖Genuine leather	●Fabric⊖Genuine leather
Main seat adjustment method	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Leg rest adjustment ● Waist support (4- way)	●Front and back adjustment ●Backrest adjustment ●Height adjustment (4-way) ● Leg rest adjustment ● Waist support (4-way)	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Leg rest adjustment ● Waist support (4- way)
Secondary seat adjustment method	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Leg rest adjustment ● Waist support (4- way)	●Front and back adjustment ●Backrest adjustment ●Height adjustment (4-way) ● Leg rest adjustment ● Waist support (4-way)	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Leg rest adjustment ● Waist support (4- way)
Main/passenger seat electric adjustment	Main●/Deputy●	Main●/Deputy●	Main⊕/Deputy●
Front seat functions	●Heating○Ventilation	●Heating○Ventilation	●Heating○ Ventilation
Power seat memory function	●Driving position	•Driving position	●Driving position
Adjustable buttons for the passenger seat and rear row	- ()	-	-
Second row seat adjustment	-	- ()	_

Second row seat functions	●Heating	●Heating	●Heating
Rear seats fold down	●Inverted proportions	•Inverted proportions	●Inverted proportions
Front/rear center armrest	before●/after●	before●/after●	before ●/after ●
Rear cup holder	A 1: /T		
	Audio/Inte ●Harman/KardonHarman	erior lighting	●Harman/KardonHarman
Speaker brand name	Kardon Kardon	●Harman/KardonHarman Kardon	Kardon Kardon
Number of speakers	●13 speakers	●13 speakers	●13 speakers
Car interior ambient lighting	•Single color	•Single color	●Single color
	Air conditio	ner/Refrigerator	
Air conditioning temperature control method	•Automatic air conditioning	•Automatic air conditioning	Automatic air conditioning
heat pump air conditioner	•	•	•
Independent air conditioning in the rear	- (_	<u></u>
Rear seat air outlet	•	•	•
Temperature zone control		• \	•
Car air purifier	•		
In-car PM2.5 filter device	•		•
	Option	al package	
	20-inch wheel and tire combination (2000) Driving assistance package (2024 model) (20000) Interior package (2024 model) (30000)	20-inch wheel and tire combination (2000) Driving assistance package (2024 model) (20000) Interior package (2024 model) (30000)	20-inch wheel and tire combination (2000) Driving assistance package (2024 model) (20000) Interior package (2024 model) (30000) High-performance package (2024 model) (40000)
Exterior color	Snow crystal white, moon gray, silent black, thunder gray, magnesium silver, midnight blue	Thunder Grey, Betel Moon Grey, Silent Black, Magnesium Silver, Midnight Blue, Snow Crystal White	Snow crystal white, magnesium silver, silent black, moon gray, thunder gray, midnight blue
interior color	Carbon black, slate color, barley color	Carbon black, slate color, barley color	Slate color, barley color, carbon black
Note: ●Standard ○	Optional - None		