

QINGDAO QHCY INTERNATIONAL TRADING CO., LTD. Web:cartradinghub.com Tel: 86-15176650760

E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

Trumpchi E8 configuration table			
Trumpchi E8 2024 150km PRO Trumpchi E8 2024 model 150km MA Basic parameters	Trumpchi E8 configuration table		
Manufacturer GAC Passenger Car GAC Passenger Car 1 evel Medium MPV Medium MPV Energy type plug-in hybrid plug-in hybrid Environmental Country VI Country VI Will Country VI Country VI Country VI Line of electric crusing range (km) 150 150 Fast charging the (hours) 3.5 3.5 3.5 Fast charging the (hours) - - -			
Manufacturer GAC Passenger Car Redium MPV Medium MPV			
Level	Manufacturer		
Environmental protection standards time to market 2023.11 2023.11 WITC pure electric cruising range (km) CLTC pure electric cruising range (km) Fast charging time (hours) Slow charging time (hours) Fast charging percentage Maximum power (kW) Maximum torque (N • m) engine 2.0L 140 HP L4 2.0L 140 HP L4 Motor (Ps) 182 182 gearbox 2nd gear DHT 2nd gear DHT Length*width*height (mm) Body structure 5-door, 7-seater MPV Maximum state of charge fuel consumption (L/100km) Minimum state of charge fuel consumption (L/100km) Wehicle warranty Piers towner warranty policy Warranty policy Country VI 116 116 116 116 116 116 116 1			
Environmental protection standards time to market 2023.11 2023.11 WITC pure electric cruising range (km) CLTC pure electric cruising range (km) Fast charging time (hours) Slow charging time (hours) Fast charging percentage Maximum power (kW) Maximum torque (N • m) engine 2.0L 140 HP L4 2.0L 140 HP L4 Motor (Ps) 182 182 gearbox 2nd gear DHT 2nd gear DHT Length*width*height (mm) Body structure 5-door, 7-seater MPV Maximum state of charge fuel consumption (L/100km) Minimum state of charge fuel consumption (L/100km) Wehicle warranty Piers towner warranty policy Warranty policy Country VI 116 116 116 116 116 116 116 1	Energy type	plug-in hybrid	plug-in hybrid
standards time to market 2023.11 2023.11 WLTC pure electric cruising range (km) 116 116 CLTC pure electric cruising range (km) 150 150 Fast charging time (hours) 0.5 0.5 Slow charging time (hours) 3.5 3.5 Fast charging percentage - - Maximum power (kW) - - Maximum torque (N·m) - - (N·m) 2.0L 140 HP L4 2.0L 140 HP L4 Motor (Ps) 182 182 gearbox 2nd gear DHT 2nd gear DHT Length*width*height (mm) 4920*1900*1760 4920*1900*1760 Body structure 5-door, 7-seater MPV 5-door, 7-seater MPV Maximum speed (km/h) 170 170 Official 0-100km/h acceleration (s) 8.8 8.8 WLTC comprehensive fuel consumption (L/100km) 5.7 5.7 ocharge fuel consumption (L/100km) 5.7 5.7 ocharge fuel consumption (L/100km) 5.7 5.7 ochical consumption (L/100km) 5.7			
time to market 2023.11 2023.11 WLTC pure electric cruising range (km) 116 116 CLTC pure electric cruising range (km) 150 150 Fast charging time (hours) 0.5 0.5 Slow charging time (hours) 3.5 3.5 Fast charging percentage - - Maximum power(kW) - - Maximum torque (N*m) - - (N*m) 2.0L 140 HP L4 2.0L 140 HP L4 Motor(Ps) 182 182 gearbox 2nd gear DHT 2nd gear DHT Length*width*height (mm) 4920*1900*1760 4920*1900*1760 Body structure 5-door, 7-seater MPV 5-door, 7-seater MPV Maximum speed (km/h) 8.8 8.8 WLTC comprehensive fuel consumption (l/100km) 8.8 8.8 WLTC comprehensive fuel consumption (l/100km) 5.7 5.7 ocharge fuel consumption (l/100km) 5.7 5.7 ocharge fuel consumption (l/100km) 5.7 5.7 ocharge fuel consumption (l/100km) 5.7	protection	Country VI	Country VI
### WLTC pure electric cruising range (km) CLTC pure electric cruising range (km) Fast charging time (hours) Slow charging time (hours) Fast charging percentage Maximum power (kW) Amazimum power (km) Amazimum power (km) Amazimum speed (km/h) Amazimum spe	standards 🔷		
cruising range (km) 116 116 CLTC pure electric cruising range (km) 150 150 Fast charging time (hours) 0.5 0.5 Slow charging time (hours) 3.5 3.5 Fast charging percentage - - Maximum power (kW) - - Maximum torque (N·m) - - (N·m) - - engine 2.0L 140 HP L4 2.0L 140 HP L4 Motor (Ps) 182 182 gearbox 2nd gear DHT 2nd gear DHT Length*width*height (mm) 4920*1900*1760 4920*1900*1760 Body structure 5-door, 7-seater MPV 5-door, 7-seater MPV Maximum speed (km/h) 170 170 Official 0-100km/h acceleration (s) 8.8 8.8 WLTC comprehensive fuel consumption (L/100km) 1.13 1.13 Minimum state of charge fuel consumption (L/100km) 5.7 5.7 Wind the consumption (L/100km) 5.7 5.7 Welicle warranty - - First owner		2023. 11	2023. 11
CLTC pure electric cruising range (km) Fast charging time (hours) Slow charging time (hours) Fast charging percentage Maximum power (kW) engine 2.0L 140 HP L4 Motor (Ps) 182 gearbox Length*width*height (mm) Body structure Maximum speed (km/h) Official 0-100km/h acceleration (s) WLTC comprehensive fuel consumption (L/100km) Minimum state of charge fuel consumption (L/100km) Vehicle warranty policy Valor (L/100km) 150 150 150 150 150 150 150 15	WLTC pure electric	116	116
Cruising range (km)		110	110
Fast charging time (hours) Slow charging time (hours) Fast charging time (hours) Fast charging percentage Maximum power(kW) Maximum torque (N·m) engine 2.0L 140 HP L4 2.0L 140 HP L4 Motor(Ps) 182 182 gearbox 2nd gear DHT 2nd gear DHT Length*width*height (mm) 4920*1900*1760 4920*1900*1760 Body structure 5-door, 7-seater MPV Maximum speed (km/h) Official 0-100km/h acceleration (s) WLTC comprehensive fuel consumption (L/100km) Minimum state of charge fuel consumption (L/100km) Vehicle warranty Vehicle warranty Vehicle warranty Vehicle warranty Pirst owner warranty policy S. 5. 5. 5. 5. 5. 5. 5. 5. 7. 5. 7. 5. 7. 6. 7. 7. 5. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7. 7.	=	150	150
Chours Slow charging time (hours) 3.5 3.5 3.5		100	100
Slow charging time (hours) 3.5 3.5 3.5 Fast charging percentage -		0.5	0.5
Chours 3.5 3.5 3.5	` '	0.0	 5
Fast charging		3, 5	3.5
Description			
Maximum power (kW) - - Maximum torque (N ⋅ m) - - engine 2.0L 140 HP L4 2.0L 140 HP L4 Motor (Ps) 182 182 gearbox 2nd gear DHT 2nd gear DHT Length*width*height (mm) 4920*1900*1760 4920*1900*1760 Body structure 5-door, 7-seater MPV 5-door, 7-seater MPV Maximum speed (km/h) 170 170 Official 0-100km/h acceleration (s) 8.8 8.8 WLTC comprehensive fuel consumption (L/100km) 1.13 1.13 Minimum state of charge fuel consumption (L/100km) 5.7 5.7 Vehicle warranty - - First owner warranty policy - -		_	_
Maximum torque (N ⋅ m) — <td></td> <td></td> <td></td>			
(N • m) - - - -			-
engine 2.0L 140 HP L4 2.0L 140 HP L4 Motor(Ps) 182 182 gearbox 2nd gear DHT 2nd gear DHT Length*width*height (mm) 4920*1900*1760 4920*1900*1760 Body structure 5-door, 7-seater MPV 5-door, 7-seater MPV Maximum speed (km/h) 170 170 Official 0-100km/h acceleration (s) 8.8 8.8 WLTC comprehensive fuel consumption (L/100km) 1.13 1.13 Minimum state of charge fuel consumption (L/100km) 5.7 5.7 Vehicle warranty - - First owner warranty policy - -		-	_
Motor (Ps) 182 182 gearbox 2nd gear DHT 2nd gear DHT Length*width*height (mm) 4920*1900*1760 4920*1900*1760 Body structure 5-door, 7-seater MPV 5-door, 7-seater MPV Maximum speed (km/h) 170 170 Official 0-100km/h acceleration (s) 8.8 8.8 WLTC comprehensive fuel consumption (L/100km) 1.13 1.13 Minimum state of charge fuel consumption (L/100km) 5.7 5.7 (L/100km) - - Vehicle warranty - - First owner warranty policy - -		2 OL 140 HD L4	9 OL 140 UD L4
gearbox 2nd gear DHT 2nd gear DHT Length*width*height (mm) 4920*1900*1760 4920*1900*1760 Body structure 5-door, 7-seater MPV 5-door, 7-seater MPV Maximum speed (km/h) 170 170 Official 0-100km/h acceleration (s) 8.8 8.8 WLTC comprehensive fuel consumption (L/100km) 1.13 1.13 Minimum state of charge fuel consumption (L/100km) 5.7 5.7 Vehicle warranty - - First owner warranty policy - -			
Length*width*height (mm) 4920*1900*1760 4920*1900*1760 Body structure 5-door, 7-seater MPV 5-door, 7-seater MPV Maximum speed (km/h) 170 170 Official 0-100km/h acceleration (s) 8.8 8.8 WLTC comprehensive fuel consumption (L/100km) 1.13 1.13 Minimum state of charge fuel consumption (L/100km) 5.7 5.7 Vehicle warranty - - First owner warranty policy - -			
(mm) 4920*1900*1760 4920*1900*1760 Body structure 5-door, 7-seater MPV 5-door, 7-seater MPV Maximum speed (km/h) 170 170 Official 0-100km/h acceleration (s) 8.8 8.8 WLTC comprehensive fuel consumption (L/100km) 1.13 1.13 Minimum state of charge fuel consumption (L/100km) 5.7 5.7 Vehicle warranty - - First owner warranty policy - -			
Body structure 5-door, 7-seater MPV 5-door, 7-seater MPV Maximum speed (km/h) 170 170 Official 0-100km/h acceleration (s) 8.8 8.8 WLTC comprehensive fuel consumption (L/100km) 1.13 1.13 Minimum state of charge fuel consumption (L/100km) 5.7 5.7 Vehicle warranty - - First owner warranty policy - -		4920*1900*1760	4920*1900*1760
Maximum speed (km/h) 170 170 Official 0-100km/h acceleration (s) 8.8 8.8 WLTC comprehensive fuel consumption (L/100km) 1.13 1.13 Minimum state of charge fuel consumption (L/100km) 5.7 5.7 Vehicle warranty - - First owner warranty policy - -	i /	5-door, 7-seater MPV	5-door, 7-seater MPV
(km/h) 170 170 Official 0-100km/h acceleration (s) 8.8 8.8 WLTC comprehensive fuel consumption (L/100km) 1.13 1.13 Minimum state of charge fuel consumption (L/100km) 5.7 5.7 Vehicle warranty - - First owner warranty policy - -			
Official 0-100km/h acceleration (s) WLTC comprehensive fuel consumption (L/100km) Minimum state of charge fuel consumption (L/100km) Vehicle warranty First owner warranty policy 8.8 8.8 8.8 8.8 8.8		170	170
acceleration (s) 8.8 8.8 WLTC comprehensive fuel consumption (L/100km) 1.13 1.13 Minimum state of charge fuel consumption (L/100km) 5.7 5.7 Vehicle warranty - - First owner warranty policy - -			
fuel consumption (L/100km) 1.13 1.13 Minimum state of charge fuel consumption (L/100km) 5.7 5.7 Vehicle warranty - - First owner warranty policy - -	acceleration (s)	8.8	8.8
(L/100km) Minimum state of charge fuel consumption (L/100km) Vehicle warranty			
Minimum state of charge fuel 5.7 5.7 (L/100km) Vehicle warranty	fuel consumption	1.13	1. 13
charge fuel consumption (L/100km) Vehicle warranty First owner warranty policy 5.7 5.7	(L/100km)		
consumption (L/100km) Vehicle warranty First owner warranty policy 5.7	Minimum state of		
Consumption (L/100km) Vehicle warranty First owner warranty policy		5 7	5 7
Vehicle warranty First owner warranty policy		J. 1	J. 1
First owner			
warranty policy -		(-) ·	<u> </u>
		_	_
Body	warranty policy		
Dody		Body	

	Length(mm)	4920	4920	
	Width(mm)	1900	1900	
	Height(mm)	1760	1760	
	Wheelbase(mm)	2930	2930	
	Front wheelbase	1010	1010	
	(mm)	1618	1618	
R	Rear wheelbase (mm)	1640	1640	
Α	Approach angle (°)	13	13	
	Dep <mark>arture angle</mark>	17	17	
	(°)	17	17	
	Body structure	MPV	MPV	
	Car door opening method	Swing door + sliding door	Swing door + sliding door	
	Number of doors (number)	5	5	
	Number of seats (seats)	7	7	
	Fuel tank volume (L)	50	50	
	Trunk volume (L)	345-1917	345-1917	
	Curb weight (kg)	2112	2175	
	Maximum full load			
	mass (kg)	2700	2700	
		Engine		
	engine model	4B20L1	4B20L1	
	Displacement (mL)	1999	4620L1 1999	
	Displacement (ML) Displacement (L)	2. 0	2. 0	
\	Intake form	inhale naturally	inhale naturally	
	A		horizontal	
\vdash	Engine layout	horizontal	nortzontal	
	Cylinder	L	L	
N'	arrangement			
	Number of cylinders (number)	4	4	
	Number of valves			
	per cylinder	4	4	
L	(number)			
L	Air Supply	DOHC	DOHC	
	Maximum horsepower (Ps)	140	140	
L	Maximum power(kW)	103	103	
M	Maximum power spee <mark>d</mark> (rpm)	J* - 1	- \	
	Maximum torque (N•m)	180	180	
	Maximum torque speed (rpm)	-	_	
4	Maximum net power (kW)	103	103	
	fuel form	plug-in hybrid	plug-in hybrid	
	fuel grade	No. 92	No. 92	
	Fuel supply method		direct injection	

1		
Cylinder head material	Aluminum alloy	Aluminum alloy
Cylinder material	Aluminum alloy	Aluminum alloy
Environmental	Maintin alloy	Trainina arroy
protection standards	Country VI	Country VI
5 tailadi ab	Electric motor	
Motor type	Permanent magnet/synchronous	Permanent magnet/synchronous
Total motor power (kW)	134	134
Total motor power (Ps)	182	182
Total torque of motor (N•m)	300	300
Maximum power of front electric motor (kW)	134	134
Maximum torque of front electric motor (N•m)	300	300
Number of drive motors	single motor	single motor
Motor layout	frontload	frontload
Battery Type	Ternary lithium battery	Ternary lithium battery
Battery brand	Jiangsu Zhengli	Jiangsu Zhengli
Battery cooling method	liquid cooling	liquid cooling
WLTC pure electric cruising range (km)	116	116
CLTC pure electric ruising range (km)	150	150
Battery energy (kWh)	25. 57	25. 57
Electricity consumption per 100 kilometers (kWh/100km)	18	18
Battery pack warranty		
Fast charging function	support	support
Fast charging time (hours)	0.5	0.5
Slow charging time (hours)	3. 5	3. 5
Fast charging capacity(%)		-
	Gearbox	
Number of gears	2	2

0 1	Dedicated Hybrid Transmission	Dedicated Hybrid Transmission
Gearbox type	(DHT)	(DHT)
abbreviation	2nd gear DHT	2nd gear DHT
	chassis steering	
Drive mode	Front wheel drive	Front wheel drive
four-wheel drive	-	- /
Center differential structure	-	_
Front suspension type	MacPherson independent suspension	MacPherson independent suspension
rear suspension type	torsion beam non-independent suspension	torsion beam non-independent suspension
Assist type	electric assist	electric assist
Body structure	Load-bearing	Load-bearing
,	Wheel brake	
Front brake type	ventilated disc	ventilated disc
rear brake type	disc type	disc type
Parking brake type	Electronic parking	Electronic parking
Front tire specifications	225/50R18	225/50R18
Rear tire specifications	225/50R18	225/50R18
Spare tire specifications	Tire repair tool	Tire repair tool
	Passive safety	
Main/passenger seat airbag	Main⊕/Deputy●	Main●/Deputy●
Front/rear side airbags	Before●/After-	Before●/After-
Front/rear head airbags (curtain airbags)	before●/after●	before●/after●
Tire pressure monitoring function	●Tire pressure display	●Tire pressure display
Run-f <mark>l</mark> at tires	\ -	
Seat belt not fastened reminder	• Front row	• Front row
ISOFIX child seat interface	•	
ABS anti-lock	•	• (1
Braking force distribution	• 4	•
(EBD/CBC, etc.) Brake assist	• ()	
(EBA/BAS/BA, etc.) Traction control		
(ASR/TCS/TRC, etc.) Body stability		
control (ESC/ESP/DSC, etc.)	•	

	Active safety	
Lane Departure	Active Salety	
Warning System	-	•
Active		
braking/active	_	
_		
safety system		
Fatigue driving	_	_
tips forward collision		A
warning	- /	•
Low speed warning		
roadside assistance	•	
call	•	
Call	Duining control	
	Driving control	
Driving mode switch	Sport • Economy •	Sport Economy
	Standard/Comfortable	Standard/Comfortable
energy recovery	•	•
system	•	
automatic parking		
Hill assist		
steep descent		
	Driving hardware	
Front/rear parking	Front-/Back●	Front-/Back●
radar	, , , , , , , , , , , , , , , , , , , ,	
Driving assistance	●360-degree panoramic image	●360-degree panoramic image
images		ŭ i
Transparent		
chassis/540 degree	•	
image Number of cameras	•4 pieces	●6 pieces
Ultrasonic radar	•4 preces	• preces
quantity	●3 pieces	●3 piec <mark>e</mark> s
Millimeter wave		
radar quantity	-	●1 piece
radar quarrer cy	Driving function	
		AP 11 1 1 1
cruise system Assisted driving	•Cruise speed	• Full-speed adaptive cruise
level	-	●L2
satellite		
navigation system	•	•
Navigation traffic		
information display	•	•
map brand	●Gaode	●Gaode
Parallel assistance	-	-
Lane Keeping Assist		
System		•
Road traffic sign		
recognition	_	•
	Appearance/anti-the	.f+
	hppearance/anti-the	

Rim material	• Aluminum alloy	●Aluminum alloy
Side sliding door form	●Bilateral manual	●Bilateral electric
Electric trunk		•
Electric trunk position memory	-	•
Engine electronic anti-theft	•	•
Central locking in car	•	\ •
Key type	●Remote key	●Remote key ●Bluetooth key
Keyless start	- Treme to Trey	Tromete Ney Brueteeth Ney
system	•	•
Keyless entry function	•Front row	•Front row
Remote start function	•	• 1
external discharge	•	•
	Exterior lights	
low beam light		
source	● LED	●LED
high beam light		
source	● LED	● LED
ED daytime running		
lights		•
Adaptive high and low beam	- /	•
utomatic headlight	-	1
car front fog lights	-	_
Headlight height adjustable	• ()	• \
elayed turn off of headlights	•	
	Skylight/glass	
Skylight type	• Electric sunroof	•Segmented electric sunroof
ront/rear electric windows		before ●/after ●
One-touch window lifting function	●The whole car	●The whole car
Window anti-pinch function	• 1	•
TUIICLION		
Multilayer	()	●Front row
Multilayer soundproof glass Rear side privacy	- ()	●Front row
Multilayer soundproof glass	- — — — — — — — — — — — — — — — — — — —	● Front row ● Main driver + lighting ● Copilot + lighting

function	-	●Rain sensor type
Tunction	Exterior rearview mi	rror
	-	●Electric adjustment ●Electric
Exterior rearview mirror function	folding ●Heated rearview mirror ●Automatic folding when the car is locked	folding ●Heated rearview mirror
	Screen/system	
Central control	●Touch LCD screen	●Touch LCD screen
Central control screen size	●14.6 inches	●14.6 inches
Bluetooth/car phone	•	•
Mobile phone interconnection/map ping	(C) - (), - 1
Voice recognition control system	●Multimedia system ●Navigation ●Telephone ●Air conditioning ●Window	 Multimedia system ● Navigation ● Telephone ● Air conditioning ● Window ● Seat heating ● Seat ventilation ● Seat massage
face recognition	<u> </u>	•
Vehicle intelligent system	● ADiGO	● ADiGO
Vehicle smart chip	●Qualcomm Snapdragon 8155	●Qualcomm Snapdragon 8155
Voice area wake-up recognition	●Dual area	●Dual area
	Intelligent configura	ation
Internet of Vehicles	•	•
4G/5G network	●4G	●4G
OTA upgrade	•	•
Wi-Fi hotspot	● Door control ● Window control	●Door control ●Window control
Mobile APP remote function	●Vehicle start ●Charging management ●Air conditioning control ●Vehicle condition	● Vehicle start ● Charging management ● Air conditioning control ● Vehicle condition
Tunction	query/diagnosis •Vehicle positioning/car search	query/diagnosis •Vehicle positioning/car search
Car KTV	Post to state of	P 2221231116/ 2012 50012011
S	teering wheel/interior rea	rview mirror
Steering wheel material	●Leather	●Leather
Steering wheel position adjustment	●Manual up and down + front and rear adjustment	●Manual up and down + front and rear adjustment
Shift pattern	●Electronic gear shift	●Electronic gear shift
Multifunction steering wheel	•	•
steering wheel gear shift	-	- 7

Steering wheel heating	-	-
steering wheel memory	O 1	-
Trip computer display screen	●Color	● Color
Full LCD instrument panel	•	•
LCD instrument size	●8.88 inches	●8.88 inches
Interior rearview mirror function	●Manual anti-dazzle	●Manual anti-dazzle
	Charging in car	
Multimedia/charging interface	●USB ●Type-C	●USB ●Type-C
Number of USB/Type- C interfaces	•3 people in the front row/4 people in the back row	•3 people in the front row/4 people in the back row
Mobile phone wireless charging function	-	•Front row
Mobile phone wireless charging power		● 50W
	Seat configuratio	n
seat material	●Imitation leather	●Imitation leather
Main seat adjustment method	●Front and back adjustment ● Backrest adjustment ●Height adjustment (2-way)	●Front and back adjustment ● Backrest adjustment ●Height adjustment (2-way) ●Waist support (4-way)
Secondary seat adjustment method	●Fore and aft adjustment ● Backrest adjustment	●Fore and aft adjustment ● Backrest adjustment
Main/passenger seat electric adjustment	Main●/Deputy-	Main⊕/Deputy⊕
Front seat functions	_	●Heating (driver's seat only) ●Ventilation (driver's seat only)
Power seat memory function	•Driving position	●Driver's seat ●Co-pilot's seat
Adjustable buttons for the passenger seat and rear row	-	
Second row seat adjustment	●Fore and aft adjustment ● Backrest adjustment	●Front and back adjustment ● Backrest adjustment ●Height adjustment ●Leg rest adjustment ●Left and right adjustment
Electrically adjustable second row seats		•
Second row seat functions		●Heating ●Ventilation ● Massage

_		
Second row		
independent seats		_
Third row seat	●Backrest adjustment	●Backrest adjustment
adjustment		
Seat layout	●2-2-3	●2-2-3
Rear seats fold	●Inverted proportions	●Inverted proportions
down	• Thiver teal proportions	Thverted proportions
Front/rear center	before●/after●	before●/after●
armrest	before 3 / arter 3	before G / arter G
Rear cup holder	•	•
	Audio/interior ligh	ting /
Speaker brand name	-	1 -
N <mark>um</mark> ber of speakers	●6 speakers	●8 speakers
Car interior		●Multicolor
ambient lighting		• Multicolor
	Air conditioner/refrig	gerator
Air conditioning		
temperature control	•Automatic air conditioning	•Automatic air conditioning
method		
Independent air		
conditioning in the	•	•
rear		
Rear seat air		
outlet		•
Temperature zone		
control		
Car air purifier		_
In-car PM2.5 filter		
device		•
	Optional package)
	Brocade Purple, Blade Shadow	F1 111 - 11
Exterior color	White, Peacock Blue, Elegant	Elegant black, brocade purple,
	Black	peacock blue, blade shadow white
	Brown/black (holiday villa),	Black/Brown (Urban Villa),
interior color	black/brown (urban villa)	Brown/Black (Holiday Villa)

Note: Standard O Optional - None