

## QINGDAO QHCY INTERNATIONAL TRADING CO., LTD. Web:cartradinghub.com Tel: 86-15176650760 E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

	Voyah FREE configuration table
Basic parameters	Voyah FREE 2024 ultra-long battery life smart driving version
	Basic parameters
Manufacturer	Lantu Automobile
level	Medium and large SUV
Energy type	Extended range
Environmental	
protection	Country VI
standards 👞	
time to market	2023. 08
WLTC pure electric	160
cruising range (km)	100
CLTC pure electric	210
cruising range (km)	210
Fast charging time	0.43
(hours)	0. 10
Slow charging time	5. 7
(hours)	0.1
Fast charging	30-80
percentage	
Maximum power(kW)	360
Maximum torque	720
(N • m)	
engine	1.5T 150 horsepower L4
Motor(Ps)	490
gearbox	Electric vehicle single speed gearbox
Length*width*height (mm)	4905*1950*1645
Body structure	5-door, 5-seater SUV
Maximum speed	5 door, 5 seater 50v
(km/h)	200
Official 0-100km/h	
acceleration (s)	4.8
WLTC comprehensive	
fuel consumption	0.81
(L/100km)	
Minimum state of	
charge fuel	
consumption	6. 69
(L/100km)	
Electric energy	
equivalent fuel	0.20
consumption	2. 38
(L/100km)	

Vehicle warranty	Five years or 100,000 kilometers	
First owner	_	
warranty policy		
	Body	
Length(mm)	4905	
Width (mm)	1950	
Height (mm)	1645	
Wheelbase (mm)	2960	
Front wheelbase (mm)	1654	
Rear wheelbase (mm)	1647	
Minimum ground	1011	
clearance with full	213	
load (mm)		
Approach angle (°)	18	4
Departure angle 🔪 🤍	25	
(°)	20	
Minimum turning	5. 75	
radius (m)		
Body structure	SUV	
Car door opening method	swing door	
Number of doors		
(number)	5	
Number of seats	_	
(seats)	5	
Fuel tank volume	56	
(L)		
Trunk volume (L)	560-1320	
Curb weight (kg)	2270	
Maximum full load	2655	
mass (kg)	Engine	
ongino model	Engine	
engine model Displacement (mL)	DAM15NTDE 1499	
Displacement (L)	1.5	
Intake form	turbocharging	
Engine layout	horizontal	
Cylinder		
arrangement	L	
Number of cylinders	4	
(number)	Ŧ	
Number of valves		
per cylinder	4	
(number)	DOILO	
Air Supply Maximum horsepower	DOHC	
(Ps)	150	
Maximum power(kW)	110	
maximum power (Kii)	110	

Maximum power speed (rpm) 5500  Maximum torque (N·m) 220  Maximum torque 2500-4000  Maximum net power 2500-4000  Maximum net power 110  Musimum net power 110  Cylinder head 10  Musimum net power 110  Cylinder head 110  Musimum alloy 110  Extended range 110  Musimum alloy 110  Cylinder material 110  Environmental 110  Environmental 110  Evertic motor 110  Motor type 110  Permanent magnet/synchronous 110  Total motor power (kW) 360  Total motor power 1490  Total motor power 150  Maximum power of 1720  Maximum power of 160  motor (k·m) 1720  Maximum torque of 161  front electric 160  motor (k·m) 10  Maximum torque of 1720  Maximum power of 1720  Maximum torque of 1720  Motor layout 1720  Motor			
Maximum torque (N·m)  Maximum net power 2500-4000  Maximum net power 110  fuel form Extended range fuel grade No. 95  Fuel supply method direct injection  Cylinder head Aluminum alloy  Environmental Country VI Standards  Electric motor  Motor type Permanent magnet/synchronous  Total motor power (Ps)  Total torque of motor (N·m)  Maximum power of front electric motor (KW)  Maximum power of rear electric motor (KW)  Maximum power of rear electric motor (N·m)  Maximum power of rear electric motor (N·m)  Maximum torque of motor (N·m)  Maximum torque of rear electric motor (N·m)  Muximum torque of rear electric motor (N·m)  Number of drive Dual motor  Motor layout Front + rear Battery type Ternary lithium battery  Battery type (AII/Hive Energy  Battery cooling method (Inquid cooling Exchange battery  WICE pure electric cruising range (km)  CITC pure electric cruising range (km)  Battery energy		5500	
Maximum torque speed (rpm)  Maximum tor power (kW)  fuel form Extended range fuel grade No. 95  Fuel supply method direct injection  Cylinder head Aluminum alloy  Environmental Country VI  Standards  Flectric motor  Motor type Permanent magnet/synchronous  Total motor power (kW)  Total motor power (Ps)  Total torque of front electric motor (kW)  Maximum power of front electric motor (N·m)  Maximum power of rear electric motor (N·m)  Maximum power of rear electric motor (N·m)  Maximum torque of front electric motor (N·m)  Maximum torque of Tear electric motor 410  Maximum torque of Tear electric motor (N·m)  Number of drive Dual motor  Motor layout Pront + rear  Battery type Battery brand CATL/Hive Energy  Battery brand Exchange battery  McCIT pure electric cruising range (km)  CLTC pure electric cruising range (km)  Battery corgy	Maximum torque	220	
Maximum net power (kW)  fuel form  fuel form  Fuel grade  Fuel supply method  Cylinder head material  Cylinder material  Cylinder material  Environmental protection  Standards  Flectric motor  Motor type  Total motor power (kW)  Total motor power (kW)  Total torque of motor (N·m)  Maximum power of front electric motor (kW)  Maximum torque of front electric motor (N·m)  Maximum power of frear electric motor  (k)  Maximum torque of motor (N·m)  Maximum power of front electric motor (N·m)  Maximum torque of front electric motor (N·m)  Maximum torque of frear electric motor (k)  Maximum torque of frear electric motor (k)  Maximum torque of frear electric motor (k)  Maximum torque of frear electric motor (x)  Maximum torque of frear electric motor (x)  Motor layout  Front + rear  Battery type  Battery brand Battery cooling method  Exchange battery  MLTC pure electric cruising range (km)  Battery energy	Maximum torque	2500-4000	
fuel form fuel grade fuel synde fuel supply method Cylinder head material Cylinder material Environmental protection standards  Electric motor Motor type Total motor power (kW) Total motor power (Ps) Total torque of motor (kW) Maximum torque of front electric motor (kV·m) Maximum torque of rear electric motor (x·m) Maximum torque of rear electric motor Motor type Total motor power (Ps) Total torque of motor (kW) Total motor power (Ps) Total motor power (Ps) Total torque of motor (kW) Maximum torque of front electric motor (kW) Maximum torque of rear electric motor (x·m) Motor layout Sattery to Dual motor Battery Type Battery brand Battery brand Battery brand Battery coling mothod Exchange battery WLTC pure electric cruising range (km) Battery energy	Maximum net power	110	
Fuel supply method Cylinder head material Cylinder material Aluminum alloy  Cylinder material Environmental protection standards  Flectric motor  Motor type Total motor power (Ps) Total motor power (Ps) Total torque of motor (N • m) Maximum power of front electric motor (N • m)  Maximum torque of front electric motor (N • m)  Maximum power of rear electric motor (N • m)  Maximum torque of strong electric motor (N • m)  Maximum torque of front electric motor (N • m)  Maximum torque of front electric motor (N • m)  Maximum torque of rear electric motor (N • m)  Number of drive motors  Motor layout Battery type Battery brand Battery type Battery brand Battery type Battery brand Battery doling Battery Battery Battery MUTC pure electric cruising range (km) Battery energy	fuel form		
Cylinder head material Aluminum alloy  Cylinder material Aluminum alloy  Environmental protection			
Cylinder material Environmental protection standards  Electric motor  Motor type Total motor power (kW) Total motor power (Ps) Total torque of motor (N·m) Maximum power of front electric motor (kW)  Maximum torque of front electric motor (N·m)  Maximum power of front electric motor (kW)  Maximum torque of front electric motor (kW)  Maximum power of the electric motor (kW)  Maximum power of rear electric motor (kW)  Maximum torque of rear electric motor (N·m)  Number of drive motors  Motor layout Battery Type Battery thrand Battery brand CATL/Hive Energy Battery brand Exchange battery MUTC pure electric cruising range (km)  Battery energy  39.2	Cylinder head		
Environmental protection standards  Electric motor  Motor type Permanent magnet/synchronous  Total motor power (kW) 360  Total torque of motor (N·m) 720  Maximum power of front electric motor (kW)  Maximum torque of front electric motor (N·m)  Maximum torque of front electric motor (N·m)  Maximum torque of front electric motor (kW)  Maximum torque of front electric motor (kW)  Maximum torque of frear electric motor 410  Maximum torque of rear electric motor (N·m)  Number of drive motors  Motor layout Front + rear  Battery Type Ternary lithium battery  Battery brand CATL/Hive Energy  Battery brand CATL/Hive Energy  WITC pure electric cruising range (km)  CLTC pure electric cruising range (km)  Battery energy 39.2		Aluminum alloy	
Motor type	Environmental protection		
Total motor power (kW)  Total motor power (Ps)  Total torque of motor (N·m)  Maximum power of front electric motor (kW)  Maximum torque of front electric motor (N·m)  Maximum power of frear electric motor (kW)  Maximum torque of rear electric motor (N·m)  Maximum power of rear electric motor (N·m)  Number of drive motors  Motor layout  Battery Type Battery brand  Battery cooling method  Exchange battery WLTC pure electric cruising range (km)  Battery energy  360  490  490  490  490  490  490  490  4		Electric motor	
Total motor power (Ps)  Total torque of motor (N·m)  Maximum power of front electric motor (kW)  Maximum torque of front electric motor (N·m)  Maximum torque of front electric motor (N·m)  Maximum power of rear electric motor (kW)  Maximum power of rear electric motor (kW)  Maximum torque of rear electric motor (N·m)  Number of drive motors  Motor layout Battery Type Battery Type Battery brand Battery cooling method  Exchange battery WLTC pure electric cruising range (km)  CLTC pure electric cruising range (km) Battery energy  39.2		Permanent magnet/synchronous	
Total torque of motor (N·m)  Maximum power of front electric motor (kW)  Maximum torque of front electric motor (N·m)  Maximum power of rear electric motor (kW)  Maximum torque of rear electric motor (kW)  Maximum torque of rear electric motor (N·m)  Mumber of drive motors  Motor layout Front + rear  Battery Type Ternary lithium battery  Battery brand CATL/Hive Energy  Battery cooling method liquid cooling  Exchange battery  WITC pure electric cruising range (km)  CLTC pure electric cruising range (km)  Battery energy  Battery energy		360	
motor (N·m)  Maximum power of front electric motor (kW)  Maximum torque of front electric motor (N·m)  Maximum power of rear electric motor (kW)  Maximum power of rear electric motor (kW)  Maximum torque of rear electric motor 410  (N·m)  Number of drive motors  Motor layout Front + rear  Battery Type Ternary lithium battery  Battery brand CATL/Hive Energy  Battery cooling method 1iquid cooling  Exchange battery  WLTC pure electric cruising range (km)  CLTC pure electric cruising range (km)  Battery energy  Battery energy  39.2	(Ps)	490	
front electric motor (kW)  Maximum torque of front electric motor (N • m)  Maximum power of rear electric motor (kW)  Maximum torque of rear electric motor (N • m)  Number of drive motors  Motor layout Battery Type Battery brand Battery cooling method  Exchange battery  WLTC pure electric cruising range (km)  Battery energy  Battery energy  Battery energy  Battery energy  Battery energy  Battery and Battery Bat		720	
motor (kW)  Maximum torque of front electric motor (N·m)  Maximum power of rear electric motor (kW)  Maximum torque of rear electric motor (N·m)  Maximum torque of rear electric motor (N·m)  Number of drive motors  Motor layout Front + rear  Battery Type Ternary lithium battery  Battery brand CATL/Hive Energy  Battery cooling method  Exchange battery Induction Ind	_	100	
Maximum torque of front electric motor (N·m)  Maximum power of rear electric motor (kW)  Maximum torque of rear electric motor (N·m)  Number of drive motors  Motor layout Front + rear  Battery Type Ternary lithium battery  Battery brand CATL/Hive Energy  Battery cooling method liquid cooling  Exchange battery not support  WLTC pure electric cruising range (km)  CLTC pure electric cruising range (km)  Battery energy 39 2		160	
front electric motor (N·m)  Maximum power of rear electric motor (kW)  Maximum torque of rear electric motor (N·m)  Number of drive motors  Motor layout  Battery Type Battery brand Battery cooling method  Exchange battery  WLTC pure electric cruising range (km)  CLTC pure electric cruising range (km)  Battery energy  30 2			
Maximum power of rear electric motor (kW)  Maximum torque of rear electric motor (N·m)  Number of drive Dual motor  Motor layout Front + rear  Battery Type Ternary lithium battery  Battery brand CATL/Hive Energy  Battery cooling nethod Iiquid cooling  Exchange battery not support  WLTC pure electric cruising range (km)  CLTC pure electric cruising range (km)  Battery energy 39.2	-	310	
rear electric motor (kW)  Maximum torque of rear electric motor (N•m)  Number of drive motors  Motor layout Battery Type Battery brand Battery brand Battery cooling method Exchange battery  WLTC pure electric cruising range (km)  CLTC pure electric cruising range (km)  Battery energy  Battery energy  200  410  Cut Pure electric 210  210  239 2			
rear electric motor (N•m)  Number of drive motors  Motor layout Battery Type Battery brand Battery cooling method Exchange battery  WLTC pure electric cruising range (km)  CLTC pure electric cruising range (km)  Battery energy  410  Dual motor  Dual motor  Arront + rear  Ternary lithium battery  CATL/Hive Energy  liquid cooling not support  160  210  210	rear electric motor	200	
Number of drive motors  Motor layout  Battery Type Battery brand Battery cooling method  Exchange battery  WLTC pure electric cruising range (km)  CLTC pure electric cruising range (km)  Battery energy  Buttery Dual motor  Front + rear  Ternary lithium battery  CATL/Hive Energy  liquid cooling not support  160  210  210	rear electric motor	410	
Motor layout  Battery Type  Ternary lithium battery  Battery brand  CATL/Hive Energy  Battery cooling method  Exchange battery  WLTC pure electric cruising range (km)  CLTC pure electric cruising range (km)  Battery energy  Battery energy  Front + rear  Ternary lithium battery  Liquid cooling not support  160  210	Number of drive	Dual motor	
Battery brand  Battery cooling method  Exchange battery  WLTC pure electric cruising range (km)  CLTC pure electric cruising range (km)  Battery energy  CATL/Hive Energy  liquid cooling not support  160  210		Front + rear	
Battery cooling method  Exchange battery  WLTC pure electric cruising range (km)  CLTC pure electric cruising range (km)  Battery energy  1iquid cooling not support  160  210			
method  Exchange battery  WLTC pure electric cruising range (km)  CLTC pure electric cruising range (km)  Battery energy  11quid cooling  not support  160  210		CATL/Hive Energy	
WLTC pure electric cruising range (km)  CLTC pure electric cruising range (km)  Battery energy  160  210	method		
cruising range (km)  CLTC pure electric cruising range (km)  Battery energy  39.2		not support	
cruising range (km)  Battery energy  39.2	cruising range (km)	160	
34 /	cruising range (km)	210	
		39. 2	

Battery energy	155. 1
density (Wh/kg)	135. 1
Electricity	
consumption per 100	twenty one
kilometers (kWh/100km)	
Battery pack	
warranty	Eight years or 120,000 kilometers
Fast charging	
function	_
Fast charging time	0. 43
(hours)	0. 10
Slow charging time	5. 7
(hours)	
Fast charging capacity(%)	30-80
capacity (n)	Coarbox
Number of goods	Gearbox
Number of gears  Gearbox type	fixed ratio gearbox
abbreviation	Electric vehicle single speed gearbox
3551 0 1 TG 1 1 0 H	Chassis steering
♦ Drive mode	Dual motor four-wheel drive
four-wheel drive	Electric four-wheel drive
Center differential	Brootle 1002 mater drive
structure	_
Front suspension	Double wishbone independent suspension
type	boubte wishbone independent suspension
rear suspension	Multi-link independent suspension
type	electric assist
Assist type Body structure	Load-bearing
Body Structure	Wheel brake
Front brake type	ventilated disc
rear brake type	ventilated disc
Parking brake type	Electronic parking
Front tire	
specifications	255/45 R20
Rear tire specifications	255/45 R20
Spare tire specifications	none
	Passive safety
Main/passenger seat	
airbag	Main⊕/Deputy●
Front/rear side	Defense A/After
riont/lear side	Before●/After-
airbags	
airbags Front/rear head	
airbags	before●/after●

Tire pressure monitoring function Rup-flat tires Seat belt not fastened reminder 1SOFIX child scat interface ABS anti-lock Braking force distribution (RED/CEC, etc.) Brake assist (CEM/BAN/DA, etc.) Traction control (ASE/TSS/TEC, etc.) Body stability control (FSC/ESP/DSC, ctc.)  Active safety  Lane Departure Warning System Active braking/active safety system Futige driving tips DOW opening warning 1orward collision warning Sontry mode/clairwoyance Low speed warning Built-in driving recorder  Driving mode switch energy recovery system automatic parking iiil assist steep descent Variable suspension function air suspension Inviving hardware Pront/rear parking radar  Pront/rear parking radar  Pront/rear parking prod / After • Aft			
monitoring function Run-flat tires Soat belt not fastened reminder ISOFIX child soat interface AMS anti-lock Braking force distribution (EED/CEC, etc.) Brake assist (EBA/MAS/BA, etc.) Traction control (ASR/TCS/TRC, otc.) Body stability control (ESC/ESP/DSC, etc.)  **Control Control Con			
montoring function Run-Hist tires Scat belt not fastened reminder ISOFIX child scat interface ABS anti-lock Braking force distribution (EED/CEC, etc.) Brake assist (EBM/BAS/BA, etc.) Traction control (ASAT/CS/TEC, etc.) Body stability control (ESC/ESP/DSC, etc.)  Active safety Lane Departure Warning System Active braking/active safety system Fatigue driving tips DOW opening warning forward collision warning rear collision warning Sentry mode/clairwoyance Low speed warning Built-in driving recorder  Driving mode switch  Driving mode switch  Driving mode switch  Sports © Economy © Standard/comfortable © Off-road © Snow © Customized/personalized energy recovery system automatic parking Hill assist Steep descent Variable suspension function Driving hardware Front/rear parking  Driving hardware Front/rear parking	Tire pressure	• T'	
Seat belt not fastened reminder  ISOPIX child seat interface  ABS anti-lock  Braking force distribution (EBD/CBC, etc.)  Brake assist (EBA/BAS/BA, etc.)  Traction control (ASR/TCS/TRC, etc.)  Body stability control (ESC/ESP/DSC, etc.)  Active safety  Lane Departure Warning System  Active braking/active safety system  Fatigue driving tips  Forward collision warning forward collision warning Sentry mode/elairvoyance Low speed warning Built-in driving recorder  Driving mode switch  cnergy recovery system  automatic parking Ilill assist steep descent  Variable suspension function  air suspension  Driving hardware  Front/rear parking  Driving hardware  Front/rear parking  Driving hardware  Front/rear parking  Driving hardware  Front/rear parking		• lire pressure display	
fastened reminder  ISOFIX child seat interface  ABS anti-lock Braking force distribution (EBD/CBC, etc.) Brake assist (BBA/BAS/BA, etc.) ITraction control (ASAT/CS/TBC, etc.) Body stability control (ESC/ESP/DSC, etc.)  Active safety  Lane Departure Warning System Active braking/active safety system Fatigue driving tips  DOW opening warning Forward collision warning rear collision warning Sentry mode/clairveyance Low speed warning Built-in driving recorder  Driving mode switch Driving mode switch Driving mode switch Sports © Economy © Standard/comfortable © Off-road © Snow © Customized/personalized  energy recovery system automatic parking Hill assist steep descent Variable suspension function air suspension Driving hardware  Front/rear parking Driving hardware  Front/rear parking Driving hardware		1-	
Isothe child seat interface  ABS anti-lock  Braking force distribution (EBD/CBC, etc.)  Brake assist (EBA/BAS/BA, etc.)  Traction control (ASR/TCS/TRC, etc.)  Body stability control (ESC/ESP/DSC, etc.)  Lane Departure Sarning System Active braking/active safety system Fatigue driving tips  DOW opening warning forward collision warning Sentry mode/clairvoyance Low speed warning Built-in driving recorder  Driving mode switch energy recovery system automatic parking Hill assist steep descent Variable suspension function air suspension  Driving hardware  Front/rear parking	Seat belt not		
ISOPIX child seat interface  ABS anti-lock Braking force distribution (EBD/CBC, ctc.) Brake assist (EBA/BAS/BA, etc.) Traction control (ASR/TCS/TRC, ctc.) Body stability control (ESC/ESP/DSC, etc.)  Active safety  Lane Departure Warning System Active braking/active safety system Fatigue driving tips DOW opening warning forward collision warning rear collision warning Sentry mode/clairvoyance Low speed warning Built-in driving recorder  Driving mode switch energy recovery system automatic parking Bill assist steep descent Variable suspension  Driving hardware Front/rear parking  Driving hardware  Front/rear parking  Driving hardware  Front/rear parking  Driving hardware  Front/rear parking  Driving hardware	fastened reminder	Front row	
ABS anti-lock Braking force distribution (EBD/CEC, etc.) Brake assist (EBA/MAS/BA, etc.) Traction control (ASR/TCS/TRC, etc.) Body stability control (ESC/ESP/DSC, etc.)  Lane Departure Warning System Active braking/active safety system Fatigue driving tips DOW opening warning forward collision warning rear collision warning Sentry mode/clairvoyance Low speed warning Built-in driving recorder  Driving mode switch  energy recovery system automatic parking Hill assist steep descent Variable suspension function  Driving hardwarc  Front/rear parking  Driving hardwarc  Front/rear parking  Driving hardwarc  Front/rear parking  Driving hardwarc  Front/rear parking	ISOFIX child seat		
Braking force distribution (EBD/CBC, etc.)  Brake assist (EBA/BAS/BA, etc.)  Traction control (ASR/TCS/TRC, etc.)  Body stability control (ESC/ESP/DSC, etc.)  Lanc Departure Warning System Active braking/active safety system  Fatigue driving tips  DOW opening warning forward collision warning rear collision warning Sentry mode/clairvoyance Low speed warning Built-in driving recorder  Driving mode switch energy recovery system automatic parking Hill assist steep descent Variable suspension function  Driving hardware Front/rear parking  Driving hardware  Front/rear parking  Driving hardware  Front/rear parking	interface		
distribution (EBD/CBC, etc.) Brake assist (EBA/BAS/BA, etc.) Traction control (ASR/TCS/TRC, etc.) Body stability control (ESC/SSP/DSC, etc.)  Active safety  Lane Departure Warning System Active braking/active safety system Fatigue driving tips DOW opening warning forward collision warning rear collision warning Sentry made/clairvoyance Low speed warning Built-in driving recorder  Driving mode switch energy recovery system automatic parking Hill assist steep descent Variable suspension function air suspension  Driving hardware  Front/rear parking  Driving hardware  Front/rear parking  Driving hardware  Front/rear parking	ABS anti-lock		
(EBD/CBC, etc.) Brake assist (EBA/BAS/BA, etc.) Traction control (ASR/TCS/TRC, etc.) Body stability control (ESC/ESP/DSC, etc.)  Lane Departure Warning System Active safety system Fatigue driving tips DOW opening warning forward collision warning rear collision warning Sentry mode/clairvoyance Low speed warning Built-in driving recorder  Driving mode switch energy recovery system automatic parking Hill assist steep descent Variable suspension function air suspension Driving hardware  Front/rear parking  Driving hardware  Front/rear parking  Driving hardware  Front/rear parking  Driving hardware  Front/rear parking  Driving hardware	Braking force		
Brake assist (EBA/BAS/BA, etc.)  Traction control (ASR/TCS/TRC, etc.)  Body stability control (ESC/ESP/DSC, etc.)  Lane Departure Warning System  Active braking/active safety system  Fatigue driving tips  DOW opening warning forward collision warning rear collision warning Sentry mode/clairvoyance Low speed warning Built-in driving recorder  Driving mode switch  cnergy recovery system automatic parking Hill assist steep descent Variable suspension function air suspension  Driving hardware  Front/rear parking  Peters  Suspension  Priving hardware  Front/rear parking  Peters  Peters  Suspension  Suspension  Driving hardware  Front/rear parking			
(EBA/BAS/BA, etc.)  Traction control (ASR/TCS/TRC, etc.)  Body stability control (ESC/ESP/DSC, etc.)  Active safety  Lane Departure Warning System Active braking/active safety system Fatigu driving tips  DOW opening warning forward collision warning rear collision warning Sentry mode/clairvoyance Low speed warning Built-in driving recorder  Driving mode switch energy recovery system automatic parking Hill assist steep descent Variable suspension function air suspension Front/rear parking  Driving hardware  Front/rear parking  Driving hardware  Front/rear parking			
Traction control (ASR/TCS/TRC, etc.)  Body stability control (ESC/ESP/DSC, etc.)  Active safety  Lane Departure Warning System Active braking/active safety system Fatigue driving tips DOW opening warning forward collision warning rear collision warning Sentry mode/clairvoyance Low speed warning Built-in driving recorder  Driving mode switch  Driving mode switch  Sports Seconomy Standard/comfortable Off-road Snow Customized/personalized energy recovery system automatic parking Hill assist steep descent Variable suspension function  Driving hardware  Front/rear parking  Driving hardware  Front/rear parking			
CASR/TCS/TRC, etc.)   Body stability   Control			
Body stability control (ESC/ESP/DSC, etc.)  Active safety  Lane Departure Warning System Active braking/active safety system Fatigue driving tips DOW opening warning forward collision warning rear collision warning Sentry mode/clairvoyance Low speed warning Built-in driving recorder  Driving mode switch energy recovery system automatic parking Hill assist steep descent Variable suspension function air suspension Driving hardware  Front/rear parking  Active safety  Front/rear parking  Active safety  Active safet			
Control (ESC/ESP/DSC, etc.)  Active safety  Lane Departure Warning System  Active braking/active safety system  Fatigue driving tips  DOW opening warning forward collision warning rear collision warning Sentry mode/clairvoyance Low speed warning Built-in driving recorder  Driving mode switch cnergy recovery system automatic parking Hill assist steep descent Variable suspension function air suspension Driving hardware  Front/rear parking  Driving hardware  Active safety  Active safe			
Active safety			
Lane Departure Warning System  Active braking/active safety system  Fatigue driving tips  DOW opening warning forward collision warning rear collision warning Sentry mode/clairvoyance Low speed warning Built-in driving recorder  Driving mode switch  Sports © Economy © Standard/comfortable © Off-road © Snow © Customized/personalized energy recovery system automatic parking Hill assist steep descent Variable suspension function air suspension Driving hardware  Front/rear parking  Driving hardware  Front/rear parking			
Lane Departure Warning System  Active braking/active safety system  Fatigue driving tips  DOW opening warning forward collision warning rear collision warning Sentry mode/clairvoyance Low speed warning Built-in driving recorder  Driving mode switch energy recovery system automatic parking Hill assist steep descent Variable suspension function air suspension Driving hardware Front/rear parking  Patigue driving Front/rear parking  Driving driving  Customized/personalized  Suspension height adjustment  Driving hardware  Front/rear parking	(ESC/ESP/DSC, etc.)		
Warning System  Active braking/active safety system  Fatigue driving tips  DOW opening warning forward collision warning rear collision warning Sentry mode/clairvoyance Low speed warning Built-in driving recorder  Driving control  Driving mode switch energy recovery system automatic parking Hill assist steep descent Variable suspension function air suspension Driving hardware  Front/rear parking  Power of the suspension Suspension height adjustment Front/rear parking  Driving hardware  Front/rear parking		Active safety	
Active braking/active safety system  Fatigue driving tips  DOW opening warning forward collision warning rear collision warning Sentry mode/clairvoyance Low speed warning Built-in driving recorder  Driving control  Driving mode switch energy recovery system automatic parking Hill assist steep descent Variable suspension function air suspension Driving hardware  Front/rear parking  Driving hardware  Front/rear parking  Driving hardware  Front/rear parking  Driving hardware			
braking/active safety system  Fatigue driving tips  DOW opening warning forward collision warning rear collision warning Sentry mode/clairvoyance Low speed warning Built-in driving recorder  Driving control  Driving mode switch energy recovery system automatic parking Hill assist steep descent Variable suspension function air suspension Driving hardware  Front/rear parking  Down opening warning Front/rear parking  Built-in driving Customized/comfortable Off-road Snow opening Customized/personalized  Suspension height adjustment  Driving hardware  Front/rear parking			
safety system Fatigue driving tips  DOW opening warning forward collision warning rear collision warning Sentry mode/clairvoyance Low speed warning Built-in driving recorder  Driving control  Driving mode switch energy recovery system automatic parking Hill assist steep descent Variable suspension function air suspension Driving hardware Front/rear parking			
Fatigue driving tips  DOW opening warning forward collision warning rear collision warning Sentry mode/clairvoyance Low speed warning Built-in driving recorder  Driving control  Driving mode switch  Sports Economy Standard/comfortable Off-road Snow Customized/personalized energy recovery system automatic parking Hill assist steep descent Variable suspension function air suspension  Driving hardware  Front/rear parking			
tips  DOW opening warning  forward collision     warning  rear collision     warning  Sentry     mode/clairvoyance  Low speed warning  Built-in driving     recorder  Driving control  Driving mode switch  Osports Osconomy Ostandard/comfortable Off-road Osnow Ocustomized/personalized  energy recovery     system  automatic parking  Hill assist     steep descent  Variable suspension     function     air suspension     Driving hardware  Front/rear parking			
DOW opening warning  forward collision     warning  rear collision     warning  Sentry     mode/clairvoyance  Low speed warning  Built-in driving     recorder  Driving control  Driving mode switch  energy recovery     system  automatic parking  Hill assist     steep descent  Variable suspension     function  air suspension  Driving hardware  Front/rear parking			
forward collision warning rear collision warning Sentry mode/clairvoyance Low speed warning Built-in driving recorder  Driving control  Driving mode switch  Sports Economy Standard/comfortable Off-road Snow Customized/personalized  energy recovery system automatic parking Hill assist steep descent Variable suspension function air suspension Driving hardware  Front/rear parking  hefore After			
warning rear collision warning Sentry mode/clairvoyance Low speed warning Built-in driving recorder  Driving control  Driving mode switch  energy recovery system automatic parking Hill assist steep descent Variable suspension function air suspension Driving hardware  Front/rear parking  Driving hardware  Pront/rear parking  Driving hardware  Pront/rear parking			
rear collision warning Sentry mode/clairvoyance Low speed warning Built-in driving recorder  Driving control  Driving mode switch energy recovery system automatic parking Hill assist steep descent Variable suspension function air suspension Driving hardware  Front/rear parking  Driving hardware  Front/rear parking  Driving hardware  Front/rear parking			
warning Sentry mode/clairvoyance Low speed warning Built-in driving recorder  Driving control  Driving mode switch energy recovery system automatic parking Hill assist steep descent Variable suspension function air suspension Driving hardware  Front/rear parking  Driving hardware  Driving descent  Sports Driving control  Customized/comfortable Off-road Snow Customized/personalized  Suspension Driving hardware			
Sentry mode/clairvoyance Low speed warning Built-in driving recorder  Driving control  Driving mode switch  Sports Economy Standard/comfortable Off-road Snow Customized/personalized  energy recovery system automatic parking Hill assist steep descent Variable suspension function air suspension Driving hardware  Front/rear parking  Driving hardware			
mode/clairvoyance Low speed warning Built-in driving recorder  Driving control  Driving mode switch  energy recovery system automatic parking Hill assist steep descent Variable suspension function air suspension Driving hardware  Front/rear parking  Driving hardware  Front/rear parking  Driving hardware			
Low speed warning Built-in driving recorder  Driving control  Driving mode switch  energy recovery system automatic parking Hill assist steep descent Variable suspension function air suspension Driving hardware  Front/rear parking  Driving hardware  Pront/rear parking  Driving hardware  Pront/rear parking  Driving hardware			
Built-in driving recorder  Driving control  Driving mode switch  energy recovery system  automatic parking  Hill assist  steep descent  Variable suspension function air suspension  Driving hardware  Front/rear parking  Driving control  Standard/comfortable Off-road Snow Customized/personalized  Economy Standard/comfortable Off-road Snow Customized/personalized  Suspension  Driving hardware			
Driving control  Driving mode switch  Sports Sconomy Standard/comfortable Off-road Snow Customized/personalized  energy recovery     system     automatic parking  Hill assist     steep descent  Variable suspension     function     air suspension     Driving hardware  Front/rear parking  Driving hardware	B <mark>u</mark> ilt-in driving		
Driving mode switch  Sports Economy Standard/comfortable Off-road Snow Customized/personalized  energy recovery system automatic parking Hill assist steep descent Variable suspension function air suspension Driving hardware  Front/rear parking  Sports Economy Standard/comfortable Off-road Snow Customized/personalized  Customized/personalized  Suspension  Driving hardware	recorder		
energy recovery system automatic parking Hill assist steep descent Variable suspension function air suspension Driving hardware  Front/rear parking  Customized/personalized    Customized/personalized   Suspension		Driving control	4
system automatic parking  Hill assist steep descent  Variable suspension function air suspension  Driving hardware  Front/rear parking	Driving mode switch		J.
automatic parking  Hill assist  steep descent  Variable suspension function air suspension  Driving hardware  Front/rear parking	energy recovery		1
Hill assist  steep descent  Variable suspension function air suspension  Driving hardware  Front/rear parking			
Steep descent  Variable suspension function air suspension  Driving hardware  Front/rear parking			
Variable suspension function air suspension  Driving hardware  Front/rear parking  Suspension height adjustment  Driving hardware			
function air suspension  Driving hardware  Front/rear parking  before /after			
Tunction air suspension  Driving hardware  Front/rear parking  hefore /after		•Suspension height adjustment	
Driving hardware Front/rear parking hefore /after		1	
Front/rear parking hefore /after	air suspension		
hetore /atter	D . /	Driving hardware	
radar		before●/after●	
	radar		

Driving assistance images	●360-degree panoramic image
Transparent chassis/540 degree	
image	
Chip total	●16 TOPS
computing power Number of cameras	●10 pieces
Ultrasonic radar	
quantity	●12 pieces
Millimeter wave radar quantity	•5 pieces
	Driving function
cruise system	• Full-speed adaptive cruise
Assisted driving level	●L2
Reverse side	
warning system	
satellite	
navigation system Navigation traffic	
information display	
map brand	●Baidu
HD map	
Parallel assistance	• •
Lane Keeping Assist	
System Road traffic sign	
recognition	
Automatic parking	
remote control	O
parking	
memory parking Automatic lane	O
change assist	0
Automatic ramp exit (entry)	0
Traffic light	0
identification	
identification Start reminder	
Start reminder	Appearance/anti-theft
Start reminder Rim material	Appearance/anti-theft  • Aluminum alloy
Rim material Electric trunk	
Start reminder Rim material	
Rim material Electric trunk induction trunk Electric trunk position memory	
Rim material Electric trunk induction trunk Electric trunk	

Central locking in car    Key type		
Key type Keyless start system Keyless entry function Hidden electric door handle Remote start function Battery preheating external discharge  Exterior lights  LED Surce high beam light source Lighting features LED daytime running lights Adaptive high and low beam automatic headlight car front fog lights Headlight while Headlight while Belayed turn off of headlight Skylight type Light-sensing awning Front/rear electric windows One-touch window lifting function Window anti-pinch function Multilayer soundproof glass Rear side privacy glass Car vanity mirror rear wiper Sensing wiper Sensing wiper Genain Sensor type  Main driver + lighting Oco-pilot + lighting Frain sensor type  Pain sensor type		•
Keyless start system Keyless entry function Hidden electric door handle Remote start function Battery proheating external discharge  Exterior lights  low beam light source high beam light source Lighting features LED daytime running lights Adaptive high and low beam automatic headlight car front fog lights Headlight height adjustable Delayed turn off of headlights  Skylight/glass  Skylight/glass  Skylight type  Light-sensing awning Front/rear electric windows One-touch window lifting function Window anti-pinch function Multilayer soundproof glass Rear side privacy glass Car vanity mirror rear wiper Sensing wiper function  Main driver + lighting Co-pilot + lighting PRain sensor type  Rain sensor type		• Remote key • Bluetooth key
Keyless entry function Hidden electric door handle Remote start function Battery preheating external discharge  Exterior lights  low beam light source high beam light source Lighting features LED daytime running lights Adaptive high and low beam automatic headlight car front fog lights Headlight height adjustable Delayed turn off of headlights  Skylight/glass  Skylight type Light-sensing awning Front/rear electric windows One-touch window lifting function Multilayer soundproof glass Rear side privacy glass Car vanity mirror rear wiper Sensing wiper function  Main driver + lighting Oco-pilot + lighting Frank Enson type  Main driver + lighting Oco-pilot + lighting Frank Enson type  Rain sensor type		Themselve key abrae tooth key
Function		
Hidden electric door handle Remote start function Battery preheating external discharge  Exterior lights  low beam light source high beam light source Lighting features LED daytime running lights Adaptive high and low beam automatic headlight car front fog lights Headlight height adjustable Delayed turn off of headlights  Skylight type Light-sensing awning Front/rear electric windows One-touch window lifting function Window anti-pinch function Multilayer soundproof glass Rear side privacy glass Car vanity mirror rear wiper Sensing wiper Gunation Main driver + lighting •Co-pilot + lighting  Prairies  Rain sensor type		The whole car
door handle Remote start function  Battery preheating external discharge  Exterior lights  low beam light source high beam light source Lighting features LED daytime running lights  Adaptive high and low beam automatic headlight car front fog lights  Headlight height adjustable Delayed turn off of headlights  Skylight type  Light-sensing awning Front/rear electric windows One-touch window lifting function Window anti-pinch function Window anti-pinc		The whole car
Remote start function Battery preheating external discharge    Exterior lights		
function Battery preheating external discharge    Exterior lights		
Battery preheating external discharge  Exterior lights  low beam light source high beam light source Lighting features LED daytime running lights Adaptive high and low beam automatic headlight car front fog lights Headlight height adjustable Delayed turn off of headlights  Skylight/glass  Skylight type Light-sensing awning Front/rear electric windows One-touch window lifting function Window anti-pinch function Multilayer soundproof glass Rear side privacy glass Car vanity mirror Tear wiper Sensing wiper function  Main driver + lighting Co-pilot + lighting Frair sensor type  Rain sensor type		
Exterior lights  low beam light source high beam light source Lighting features LED daytime running lights Adaptive high and low beam automatic headlight car front fog lights Headlight height adjustable Delayed turn off of headlights  Skylight type Light-sensing awning Front/rear electric windows One-touch window lifting function Wildiayer soundproof glass Rear side privacy glass Car vanity mirror Tear wiper Sensing wiper Sensing wiper Gunto lighting Co-pilot + lighting Front type  Matrix  LLED  Matrix  LLED  Matrix  Matrix  LLED  Matrix  Matri		
Iow beam light source high beam light source Lighting features LED daytime running lights Adaptive high and low beam automatic headlight car front fog lights Headlight height adjustable Delayed turn off of headlights  Skylight type Light-sensing awning Front/rear electric windows One-touch window lifting function Window anti-pinch function Window anti-pinch function Window anti-pinch function Window anti-pinch glass Rear side privacy glass Car vanity mirror Sensing wiper Front row Main driver + lighting Co-pilot + lighting Frair ight source Sensing wiper Gension Sensing wiper Sensing		
low beam light source high beam light source Lighting features LED daytime running lights Adaptive high and low beam automatic headlight adjustable Delayed turn off of headlights  Skylight type Light-sensing awning Front/rear electric windows One-touch window anti-pinch function Multilayer soundproof glass Rear side privacy glass  Car vanity mirror Tear wiper Sensing wiper Sens		Exterior lights
Source high beam light source Lighting features LED daytime running lights Adaptive high and low beam automatic headlight car front fog lights Headlight height adjustable Delayed turn off of headlights  Skylight/glass  Skylight type Light-sensing awning Front/rear electric windows One-touch window lifting function Window anti-pinch function Multilayer soundproof glass Rear side privacy glass Car vanity mirror rear wiper Sensing wiper function  Main driver + lighting •Co-pilot + lighting  Rain sensor type	low beam light	
high beam light source  Lighting features  LED daytime running lights  Adaptive high and low beam automatic headlight car front fog lights  Headlight height adjustable  Delayed turn off of headlights  Skylight type  Light-sensing awning  Front/rear electric windows One-touch window lifting function  Window anti-pinch function  Multilayer soundproof glass  Rear side privacy glass  Car vanity mirror rear wiper Sensing wiper function  Main driver + lighting •Co-pilot + lighting  Rain sensor type		● LED
Lighting features  LED daytime running lights  Adaptive high and low beam automatic headlight car front fog lights  Headlight height adjustable  Delayed turn off of headlights  Skylight/glass  Skylight type  Light-sensing awning  Front/rear electric windows One-touch window lifting function  Window anti-pinch function  Multilayer soundproof glass  Rear side privacy glass  Car vanity mirror rear wiper Sensing wiper function  Main driver + lighting •Co-pilot + lighting  Rain sensor type		ALED.
LED daytime running lights  Adaptive high and low beam automatic headlight  car front fog lights  Headlight height adjustable  Delayed turn off of headlights  Skylight type  Light-sensing awning  Front/rear electric windows  One-touch window lifting function  Window anti-pinch function  Multilayer soundproof glass  Rear side privacy glass  Car vanity mirror rear wiper  Sensing wiper function  Main driver + lighting Co-pilot + lighting  PRain sensor type  Rain sensor type	source	LED
Adaptive high and low beam automatic headlight car front fog lights  Headlight height adjustable  Delayed turn off of headlights  Skylight type  Light-sensing awning  Front/rear electric windows One-touch window lifting function  Window anti-pinch function  Window anti-pinch function  Multilayer soundproof glass  Rear side privacy glass  Car vanity mirror of Main driver + lighting of Co-pilot + lighting rear wiper  Sensing wiper function  Rain sensor type		●Matrix
Adaptive high and low beam automatic headlight car front fog lights Headlight height adjustable Delayed turn off of headlights  Skylight/glass  Skylight type  Light-sensing awning  Front/rear electric windows One-touch window lifting function Window anti-pinch function Window anti-pinch function Window anti-pinch function Window anti-pinch function Wultilayer soundproof glass Rear side privacy glass Car vanity mirror		
automatic headlight car front fog lights  Headlight height adjustable  Delayed turn off of headlights  Skylight/glass  Skylight type  Light-sensing awning  Front/rear electric windows  One-touch window lifting function  Window anti-pinch function  Multilayer soundproof glass  Rear side privacy glass  Car vanity mirror rear wiper  Sensing wiper function  Main driver + lighting Co-pilot + lighting rear wiper  Sensing wiper function  Rain sensor type		
automatic headlight car front fog lights  Headlight height adjustable  Delayed turn off of headlights  Skylight/glass  Skylight type  Light-sensing awning  Front/rear electric windows  One-touch window lifting function  Window anti-pinch function  Multilayer soundproof glass  Rear side privacy glass  Car vanity mirror rear wiper Sensing wiper function  Main driver + lighting		
car front fog lights  Headlight height adjustable  Delayed turn off of headlights  Skylight/glass  Skylight type  Light-sensing awning  Front/rear electric windows  One-touch window lifting function  Window anti-pinch function  Multilayer soundproof glass  Rear side privacy glass  Car vanity mirror  Sensing wiper function  Main driver + lighting ●Co-pilot + lighting rear wiper  Sensing wiper function  Rain sensor type		
lights Headlight height adjustable  Delayed turn off of headlights  Skylight/glass  Skylight type  Light-sensing awning  Front/rear electric windows  One-touch window lifting function  Window anti-pinch function  Multilayer soundproof glass  Rear side privacy glass  Car vanity mirror Sensing wiper function  Main driver + lighting •Co-pilot + lighting rear wiper  Sensing wiper function  Rain sensor type		
Headlight height adjustable  Delayed turn off of headlights  Skylight/glass  Skylight type  Light-sensing awning  Front/rear electric windows  One-touch window lifting function Window anti-pinch function Multilayer soundproof glass  Rear side privacy glass  Car vanity mirror  Sensing wiper function  Main driver + lighting Co-pilot + lighting  Rain sensor type	_	-
adjustable Delayed turn off of headlights  Skylight/glass  Skylight type  Light-sensing awning  Front/rear electric windows One-touch window lifting function Window anti-pinch function Multilayer soundproof glass  Rear side privacy glass  Car vanity mirror Sensing wiper function  Mend title and the sensor type  Rain sensor type  Rain sensor type		
Skylight type  Light-sensing awning  Front/rear electric windows  One-touch window lifting function  Window anti-pinch function  Multilayer soundproof glass  Rear side privacy glass  Car vanity mirror Sensing wiper function  Main driver + lighting •Co-pilot + lighting  Rain sensor type		
Skylight type  Cannot be opened OThe panoramic sunroof cannot be opened  Light-sensing awning  Front/rear electric windows  One-touch window lifting function  Window anti-pinch function  Multilayer soundproof glass  Rear side privacy glass  Car vanity mirror  Sensing wiper function  Malin driver + lighting Co-pilot + lighting  Rain sensor type  Rain sensor type		
Skylight type  Light-sensing awning  Front/rear electric windows  One-touch window lifting function  Window anti-pinch function  Multilayer soundproof glass  Rear side privacy glass  Car vanity mirror  Sensing wiper function  The panoramic sunroof can be opened ○The panoramic sunroof cannot be opened  The panoramic sunroof can be opened ○The panoramic sunroof cannot be opened  The panoramic sunroof can be opened ○The panoramic sunroof cannot be opened  One-touch the panoramic sunroof can be opened ○The panoramic sunroof cannot be opened  One-touch the panoramic sunroof can be opened ○The panoramic sunroof cannot be opened  One-touch the panoramic sunroof can be opened ○The panoramic sunroof cannot be opened  One-touch the panoramic sunroof cannot be opened One-touch the panoramic sunroof cannot be opened One-touch the panoramic sunroof cannot be opened One-touch the panoramic sunroof cannot be opened One-touch the panoramic sunroof cannot be opened One-touch the panoramic sunroof cannot be opened One-touch the panoramic sunroof cannot be opened One-touch the panoramic sunroof cannot be opened One-touch the panoramic sunroof cannot be opened One-touch the panoramic sunroof cannot be opened One-touch the panoramic sunroof one-t	headlights	
Light-sensing awning  Front/rear electric windows  One-touch window lifting function  Window anti-pinch function  Multilayer soundproof glass  Rear side privacy glass  Car vanity mirror Sensing wiper function  Rain sensor type  Cannot be opened  One-touch before \( \) / after \( \)  One-touch window  One-touch window		
awning  Front/rear electric windows  One-touch window lifting function  Window anti-pinch function  Multilayer soundproof glass  Rear side privacy glass  Car vanity mirror	Skylight type	
windows One-touch window lifting function Window anti-pinch function Multilayer soundproof glass Rear side privacy glass Car vanity mirror Sensing wiper function  Mindow anti-pinch function  Multilayer Sensing wiper function  Main driver + lighting Co-pilot + lighting  Rain sensor type  Rain sensor type		0
One-touch window lifting function  Window anti-pinch function  Multilayer soundproof glass  Rear side privacy glass  Car vanity mirror  Sensing wiper function  One-touch window  The whole car  Front row  Main driver + lighting  Rain sensor type  Rain sensor type		hefore●/after●
lifting function Window anti-pinch function Multilayer soundproof glass Rear side privacy glass Car vanity mirror rear wiper Sensing wiper function  The whole car  Front  Main driver + 1  Rain sensor type		551515 5 , 61 151 5
Window anti-pinch function  Multilayer soundproof glass  Rear side privacy glass  Car vanity mirror rear wiper Sensing wiper function  Multilayer Sensing wiper function  Main driver + lighting • Co-pilot + lighting Rain sensor type		•The whole car
function  Multilayer soundproof glass  Rear side privacy glass  Car vanity mirror rear wiper Sensing wiper function  Front row  Main driver + lighting • Co-pilot + lighting  Rain sensor type		
Multilayer soundproof glass  Rear side privacy glass  Car vanity mirror rear wiper Sensing wiper function  Front row		
Rear side privacy glass  Car vanity mirror rear wiper Sensing wiper function  Front row  Main driver + lighting • Co-pilot + lighting  Rain sensor type		
Rear side privacy glass  Car vanity mirror Par wiper Sensing wiper function  Rain sensor type		• Front row
Car vanity mirror  rear wiper  Sensing wiper function  Main driver + lighting •Co-pilot + lighting  Rain sensor type	Rear side privacy	
rear wiper Sensing wiper function  Rain sensor type		
Sensing wiper function ● Rain sensor type		●Main driver + lighting ●Co-pilot + lighting
function Train sensor type		
runction		● Rain sensor type
Exterior rearview mirror	TUNCTION	Futonian magnism minus
		Exterior rearview mirror

Exterior rearview mirror function	●Electric adjustment ●Electric folding ●Rearview mirror memory ●Heated rearview mirrors ●Automatically flip down when
	reversing ●Automatically fold when the car is locked
	Screen/system
Central control	●Touch LCD screen
color screen	
Central control screen size	●12.3 inches
Passenger	
entertainment screen	●12.3 inches
entral control LCD	
creen split screen	•
display	
luetooth/car phone Mobile phone	
nterconnection/map	●Support HiCar
ping	3 5 5 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7 7
Voice recognition	●Multimedia system ●Navigation ●Telephone
control system	• martimedia system • mavigation • refeptione
gesture control	
face recognition Voiceprint	
recognition	
Vehicle smart chip	●Qualcomm Snapdragon 8155
rear LCD screen	
Vehicle system memory (GB)	●16
Vehicle system storage (GB)	●128
ulti-finger flying screen control	
Voice wake word free	
Voice area wake-up	●Four areas
Speech continuous recognition	•
t can be said that	•
it is visible	Intalligant configuration
Internet of	Intelligent configuration
Vehicles	
4G/5G network	● 5G
OTA upgrade	
Wi-Fi hotspot	•
In-vehicle biometric	
DIOMETITC	

_	
Mobile APP remote function	<ul> <li>Door control ● Vehicle start ● Charging management ● Aiconditioning control ● Vehicle condition inquiry/diagnosis</li> <li>Vehicle positioning/finding ● Car owner services (find charging piles, gas stations, parking lots, etc.) ● Appointment for maintenance/repair</li> </ul>
Active noise	
reduction	
Car KTV	
	eering wheel/interior rearview mirror
Steering wheel	•Leather
material	
Steering wheel	● Manual up and down + front and rear adjustment
position adjustment	
Shift pattern	●Electronic gear shifting
Multifunction	
steering wheel	
steering wheel gear shift	
Steering wheel	
heating	_
steering wheel	
memory	-
Trip computer	
display screen	• Color
Full LCD instrument	
panel	
LCD instrument size	●12.3 inches
Interior rearview	Aut
mirror function	●Automatic anti-dazzle
	Charging in car
Multimedia/charging	
interface	●USB ●Type-C
Number of USB/Type-	
C interfaces	●2 in the front row/2 in the back row
Mobile phone	
wireless charging	•Front row
function	
Luggage compartment	
12V power interface	
	Seat configuration
seat <b>m</b> aterial	●Leather/fleece material mix and match
Main seat	● Front and back adjustment ● Backrest adjustment ● Height
adjustment method	adjustment (4-way) ●Waist support (4-way)

Secondary seat adjustment method	●Front and back adjustment ●Backrest adjustment ●Height adjustment (4-way) ●Waist support (4-way)	
Main/passenger seat	Main●/Deputy●	
electric adjustment Front seat		
functions	●Heating ●Ventilation ●Massage	
Power seat memory		
function	● Driving position	
Adjustable buttons		
for the passenger	- 10	
seat and rear row		
Second row seat		
adjustment Rear seats fold		╁
down	● Inverted proportions	
Front/rear center		
armrest	before●/after●	
Rear cup holder		
	Audio/interior lighting	
Speaker brand name	●Dynaudio Dynaudio	
Number of speakers	●10 speakers	
Car interior	•64 colors	
ambient lighting		
	Air conditioner/refrigerator	
Air conditioning		
temperature control	•Automatic air conditioning	
method		
Independent air conditioning in the	( ) (	
rear		
Rear seat air		
outlet		
Temperature zone		
control		
Car air purifier		
In-car PM2.5 filter device	•	
Car fragrance device		
	Optional package	
	Car charger (6999) Apollo pilot assisted smart driving (25000	0)
Exterior color	Xuanying Black, Glazed Gold, Dark Green, Du Ruobai, Yunguang Blue	
	DIG	

Note: ●Standard ○ Optional - None