

QINGDAO QHCY INTERNATIONAL TRADING CO., LTD. Web:cartradinghub.com Tel: 86-15176650760

E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

Feifan F7 configuration sheet												
	Felta	an F7 configu	ration sheet									
	Feifan F7 2023 Urban Edition	Feifan F7 2023 advanced version	Feifan F7 2023 Advanced Pro Edition	Feifan F7 2023 long- term Pro version	Feifan F7 2023 Performance Pro Edition							
		Basic para	neters									
Manufacturer	Feifan Automobile	Feifan Automobile	F <mark>e</mark> ifan Automobile	Feifan Automobile	Feifan Automobile							
level	Medium and large cars	Medium and large cars	Medium and large cars	Medium and large cars	Medium and large cars							
Energy type	pure electric	pure electric	pure electric	pure electric	pure electric							
time to market	2023.11	2023.03	2023.03	2023.03	2023.03							
CLTC pure electric cruising range (km)	500	576	576	666	600							
Fast charging time (hours)	0.5	0. 5	0. 5	0.5	0.5							
Slow charging time (hours)	10.5	12	12	14	14							
Fast charging percentage	30-80	80	80	80	80							
Maximum pow <mark>er(kW)</mark>	216	250	250	250	400							
Maximum torque (N•m)	450	450	450	450	700							
Motor(Ps)	294	340	340	340	544							
Length*width*height (mm)	5000*1953*14 94	5000*1953*149 4	4	4	5000 * 1953 * 149 4							
Body structure	5-door, 5- seater hatchback	5-door, 5- seater hatchback	5-door, 5- seater hatchback	5-door, 5- seater hatchback	5-door, 5- seater hatchback							
Maximum speed (km/h)	200	200	200	200	200							
Official O-100km/h acceleration (s)	6. 7	5. 7	5. 7	5.7	3. 7							
Electric energy equivalent fuel consumption (L/100km)	1.64	1.64	1. 64	1.69	1. 83							
Vehicle warranty	Five years or 120,000 kilometers	Five years or 120,000 kilometers	Five years or 120,000 kilometers	Five years or 120,000 kilometers	Five years or 120,000 kilometers							

First owner warranty policy		-	_	-	- (
		Body			
Length(mm)	5000	5000	5000	5000	5000
Width(mm)	1953	1953	1953	1953	1953
Height(mm)	1494	1494	1494	1494	1494
Wheelbase(mm)	3000	3000	3000	3000	3000
Front wheelbase (mm)	1660	1660	1660	1660	1660
Rear wheelbase (mm)	1660	1660	1660	1660	1660
Approach angle (°)	14	14	14	14	14
Departure angle (°)	18	18	18	18	18
Body structure	hatchback	hatchback	hatchback	hatchback	hatchback
Car door opening • method 💊	swing door	swing door	swing door	swing door	swing door
Number of doors (number)	5	5	5	5	5
Number of seats (seats)	5	5	5	5	5
Trunk volume (L)	466	466	466	466	466
Drag coefficient (Cd)	0.206	0.206	0.206	0.206	0.206
Curb weight (kg)	2162	2162	2162 🔥	2162	2162
Maximum full load mass (kg)	2593	2593	2593	2626	2626
		Electric M	Motor		
Motor type	Permanent magnet/synch ronous	Permanent	Permanent	Permanent magnet/synchr onous	Permanent magnet/synchr onous
Total motor power (kW)	216	250	250	250	400
Total motor power (Ps)	294	340	340	340	544
Total torque of motor (N•m)	450	450	450	450	700
Maximum power of front electric motor (kW)	X	_	-		150
Maximum torque of front electric motor (N•m)		-	4-	-	250
Maximum power of rear electric motor (kW)	216	250	250	250	250
Maximum torque of rear electric motor (N • m)	450	450	450	450	450
Number of drive motors	single motor	single motor	single motor	single motor	Dual motor

Motor layout	rear	rear	rear	rear	Front + rear
motor rayout	Lithium iron	Ternary	Ternary	Ternary	Ternary
Battery Type	phosphate	lithium	l <mark>i</mark> thium	lithium	lithium
	battery	battery	battery	battery	battery
Battery brand	-	SAIC Times	SAIC Times	SAIC Times	SAIC Times
Battery cooling method	liquid cooling	liquid cooling	liquid cooling	liquid cooling	liquid cooling
Exchange battery		support	support	support	support
CLTC pure electric cruising range (km)	500	576	576	666	600
Battery energy (kWh)	64	77	77	90	90
Battery energy density (Wh/kg)		180	180	185	185
Electricity consumption per 100 kilometers (kWh/100km)		15.4	15. 4	15.6	16.2
Battery pack warranty	Eight years or 150,000 kilometers	Eight ye <mark>a</mark> rs or 150,000 kilometers	Eight years or 150,000 kilometers	Eight years or 150,000 kilom <mark>e</mark> ters	Eight years or 150,000 kilometers
Fast charging function	support	support	support	support	support
Fast charging time (hours)	0.5	0.5	0.5	0.5	0.5
Slow charging time (hours)	10.5	12	12	14	14
Fast charging capacity (%)	30-80	80	80	80	80
electric motor	216	250	250	250	400
		Gearbo	x		
Number of gears	l fixed ratio	l fixed ratio	l fixed ratio	l fixed ratio	l fixed ratio
Gearbox type	gearbox	gearbox	gearbox	gearbox	gearbox
abbreviation	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox
		Chassis Ste		0.001.001	goaron
	rear wheel	rear wheel	rear wheel	rear wheel	Dual motor
Drive mode	drive	drive	drive	drive	four-wheel drive
four-wheel drive	_	O^{X}	-		Electric four-wheel drive

Center differential		-	-	_	- (
structure	Doub 1 o	Doublo	Double.	Doublo	Doub 1
Front suspension	Double wishbone	Double wishbone /	Double wishbone	Double wishbone	Double wishbone
type	independent	independent	independent	independent	independent
	suspension	suspension	suspension	suspension	suspension
rear suspension	Five-link	Five-link	Five-link	Five-link	Five-link
type	independent	independent	independent	independent	independent
	suspension electric	suspension electric	suspension electric	suspension electric	suspension electric
Assist type	assist	assist	assist	assist	assist
Body structure	Load-b <mark>e</mark> aring	Load-bearing	Load-bearing	Load-bearing	
		Wheel Br			T
Front brake type	ventilated	ventilated	ventilated	ventilated	ventilated
	di <mark>s</mark> c ventilated	disc ventilated	disc ventilated	disc ventilated	disc ventilated
rear brake type	disc	disc	disc	disc	disc
Parking brake type	Electronic	Electronic	Electronic	Electronic	Electronic
	parking	parking	parking	parking	parking
Front tire specifications	255/45R19	255/45R19	255/45R19	255/45R19	255/40 R20
Rear tire specifications	255/45R19	255/45R19	255/45R19	255/45R19	255/40 R20
Spare tire specifications	none	none	none	none	none
	Feifan F7	Feifan F7	Feifan F7	Feifan F7	Feifan F7
passive safety	2023 Urban	2023 advanced	2023 Advanced	2023 long- term Pro	2023 Performance
	Edition	version	Pro Edition	version	Pro Edition
Main/passenger seat	Main●	Main●/Dep <mark>u</mark> ty	Main●/Deputy	Main●/Deputy	Main●/Deputy
airbag	/Deputy				
Front/rear side airbags	Before● /After-	Before● /After-	Before● /After-	Before● /After-	Before● /After-
Front/rear head airbags (curtain airbags)	before● ∕after●	before● /after●	before● /after●	before● /after●	before● /after●
passive pedestrian protection	ų s	•	• (•
	●Tire	●Tire	●Tire	●Tire	●Tire
Tire pressure monitoring function	pressure	pressure	pressure	pressure	pressure
monitioning function	display	display	display	display	display
Run-flat tires	_	-) –	_	
Seat belt not	●The whole	●The whole	●The whole	●The whole	•The whole
fastened reminder	car	car	car	car	car
ISOFIX child seat	●		•		•
interface ABS anti-lock					
The diff TOOK		· · · ·		1	

Braking force)		\bigcirc	
<pre>distribution (EBD/CBC, etc.)</pre>		•	•	•	• (
Brake assist (EBA/BAS/BA, etc.)		•		•	
Traction control (ASR/TCS/TRC, etc.)	●	•	~ •	•	
Body stability control (ESC/ESP/DSC, etc.)	•	O	•		•
		Active S	Safety		1
Lane Departure Warning System		•	•	•	•
Active braking/active safety system		•	•	•	
Fatigue driving tips	-	-	•	•	
DOW opening warning	•		•		•
forward collision warning	•	$\mathbf{\tilde{\mathbf{A}}}$	•	•	•
rear collision warning	•	•	•	•	•
Moving object warning system	_	_		•	•
Low speed warning Built-in driving		•		•	•
recorder roadside assistance	_				•
call		Driving (Control		
	●Economic	4	• • Economic •	Francis	Francis
Driving mode switch	fortable 🗨		nf Standard/comf ortable ● Snow		
Single pedal mode	Snow	-		-	- (
energy recovery system		•	•	•	
automatic parking Hill assist	•	•	•	•	
steep descent	•		i	•	
Front/rear parking	Front-/Back	Driving H	hoforo	before●	before●
radar		Front-/Back	● /after●	/after●	/after●

Driving assistance images	●360-degree panoramic	●360-degree panoramic	●360-degree panoramic	●360-degree panoramic	●360-degree panoramic
Assisted driving	image ●Mobileye	image ●Mobileye	image ●NVIDIA	image ●NVIDIA	image • NVIDIA
chip Number of cameras Ultrasonic radar	EyeQ4H ●5 pieces	EyeQ4H ●5 pieces	Drive Orin ●12 pieces	Drive Orin • 12 pieces	Drive Orin 12 pieces
quantity Millimeter wave	4 pieces2 pieces	4 pieces2 pieces	●12 pieces ●5 pieces	●12 pieces ●5 pieces	●12 pieces ●5 pieces
radar quantity	•2 pieces			- 5 preces	• 5 preces
cruise system	●Full-speed adaptive	Driving Fun Full-speed adaptive	●Full-speed adaptive	•Full-speed adaptive	●Full-speed adaptive
Assisted driving system	cruise ●RISING PILOT	cruise ●RISING PILOT	cruise ●RISING PILOT	⊂ruise ●RISING PILOT	cruise ●RISING PILOT
Assisted driving level	•L2	●L2	●L2	●L2	•L2
Reverse side warning system	•	•	•	•	$\mathbf{X}_{\mathbf{A}}$
satellite navigation system	•		•		•
Navigation traffic information display	•	•	•	•	•
map brand HD map	●Baidu ●	●Baidu ●	●Baidu ●	●Baidu ●	●Baidu ●
Parallel assistance	•	•		•	•
Lane Keeping Assist System	•	•	•	•	•
Lane centering Road traffic sign recognition	•	•	•	•	•
Automatic parking remote control	-	-	•		•
parking memory parking			-	-	 O
Automatic lane change assist		-	•	•	•
Automatic ramp exit (entry) Traffic light		_	•	•	•
identification Steering wheel hand	_	- (•	
off detection Autonomous driving	_		_	_	_
assistance road section	_	Appearance/An	ti-thoft		
		ippear ance/ All			

Rim material	●Aluminum alloy	●Aluminum alloy	●Aluminum alloy	●Aluminum alloy	●Aluminum alloy
Electric suction door	\mathbf{O}	OThe whole car	OThe whole car	OThe whole car	OThe whole car
Frameless design door	•	•	•	•	
Electric trunk Electric trunk position memory	•		•	•	•
Central locking in car	•		•		•
Key type	●Remote key ●Bluetooth key ●NFC/RFID key	 ●Remote key ●Bluetooth key ●NFC/RFID key 	●Remote key ●Bluetooth key ● NFC/RFID key	●Remote key ●Bluetooth key ● NFC/RFID key	●Remote key ●Bluetooth key ● NFC/RFID key
Keyless start system					
Keyless entry function	●The whole car	●The whole car	●The whole car	●The whole car	•The whole car
Hidden electric door handle Active closing air	•		•	•	•
intake grille Remote start	•		•	•	•
function Battery preheating external discharge		•	•	•	•
	•	Exterior L	ights		
low beam light source	• LED	●LED	●LED	●LED	●LED
high beam light source LED daytime running	• LED	●LED	●LED	●LED	●LED
lights Adaptive high and	•	•	•		•
low beam automatic headlight	•	•	•		•
car front fog lights		_	-	_	- (
Headlight height adjustable	•	•	•	•	•
Delayed turn off of headlights	•	• (•	•	
	●The	Skylight/(●The	Glass ●The	●The	●The
Skylight type	panoramic sunroof cannot be	panoramic sunroof cannot be	panoramic sunroof cannot be	panoramic sunroof cannot be	panoramic sunroof cannot be
	opened	opened	opened	opened	opened

Front/rear electric	before •	before	before •	before	before•
windows One-touch window lifting function	/after● ●The whole car	/after● ●The whole car	/after● ●The whole car	/after● ●The whole car	/after● ●The whole car
Window anti-pinch function	•				
Multilayer soundproof glass	●The whole car	●The whole car	●The whole car	●The whole car	●The whole car
Rear side privacy glass	•		•	•	•
Car vanity mirror	●Main driver + lighting ● Co-pilot + lighting			●Main driver + lighting ● Co-pilot + lighting	●Main driver + lighting ● Co-pilot + lighting
rear wiper 🔹		-	- /	-	-
Sensing wiper function	●Rain sensor type	Rain sensor type	Rain sensor type	Rain sensor type	Rain sensor type
Tunetion		terior Rearv		type	
Exterior rearview mirror function	●Electric adjustment ●Electric folding ● Heated rearview mirrors ● Automaticall y flip down when reversing ● Automaticall y fold when the car is locked	flip down when reversing Automatically fold when the	Electric folding • Heated rearview mirrors • Automatically flip down when reversing • Automatically fold when the	flip down when reversing ● Automatically fold when the	●Electric adjustment ● Electric folding ● Heated rearview mirrors ● Automatically flip down when reversing ● Automatically fold when the car is locked
		Screen/Sy			1
Central control color screen	Touch LCD screen	●Touch LCD screen	●Touch LCD screen	 Touch LCD screen 	•Touch LCD screen
Central control	• 15. 05	●15.05	● 15.05	●15.05	●15.05
screen size Passenger entertainment	inches ●12.3 inches	inches ●12.3 inches	inches ●12.3 inches	inches ●12.3 inches	inches ●12.3 inches
screen Bluetooth/car phone			•	•	
Mobile phone interconnection/map ping		\overline{O}	-	<u> </u>	_
F 5	3		OX		

	●Multimedia			●Multimedia	●Multimedia
Voice recognition control system	system ● Navigation ●Telephone ●Air	Telephone • Air	Telephone ● Air	system ● Navigation ● Telephone ● Air	Telephone ● Air
	conditioning	conditioning	conditioning	conditioning	conditioning
face recognition	-			•	
Vehicle intelligent system	•RISING OS	●RISING OS	●RISING OS	●RISING OS	●RISING OS
Vehicle smart chip	●Qualcomm Snapdragon 8155	●Qualcomm Snapdragon 8155	●Qualcomm Snapdragon 8155	●Qualcomm Snapdragon 8155	●Qualcomm Snapdragon 8155
Rear LCD screen size	●8 inches	●8 inches	●8 inches	●8 inches	●8 inches
Rear seat control multimedia	•	•	•	•	•
Voice wake word free	•		_	-	-
Voice area wake-up	•Four areas		_		-
Speech continuous recognition	•	-	_	_	-
It can be said that it is visible		_		_	-
	In	telligent Con	figuration	L	
Internet of Vehicles	●	_	_	_	-
4G/5G network	•4G	●4G	•5G	● 5G	• 5G
OTA upgrade Wi-Fi hotspot	•	•	•		
V2X communication	-	_		•	•

	Desire				
	●Door control ●				
	Window	●Door	●Door	●Door	• Door
	control •	control •	control •	control •	control •
	Vehicle	Window	Window	Window	Window
	start 🖲	control 🔵	co <mark>n</mark> trol ●	control \bullet	<mark>control</mark> ●
	Charging	Vehicle start	Vehicle start	Vehicle start	Vehicle start
	management	● Charging	● Charging	● Charging	● Charging
	●Air	-	-	management $ullet$	-
	conditioning	Air	Air	Air	Air
	control •	conditioning control ●	-	conditioning	conditioning
	Vehicle condition	Vehicle	control ● Vehicle	control ● Vehicle	control ● Vehicle
	query/diagno	condition	condition	condition	condition
Mobile APP remote	sis				query/diagnos
function	Vehicle		is •Vehicle		is ●Vehicle
	positioning/	positioning/c	positioning/c	positioning/c	positioning/c
	car search	ar search ●	ar search ●	ar search ●	ar search ●
	●Car owner	Car owner	Car owner	Car owner	Car owner
	service				service (find
	(find charging	charging piles, gas	charging piles, gas	charging piles, gas	charging piles, gas
	piles, gas	stations,	stations,	stations,	stations,
	stations,			parking lots,	
	parking	etc.)	etc.)	etc.)	etc.)
	lots, etc.)	Maintenance/r	Maintenance/r	Maintenance/r	Maintenance/r
	•	epair	epair	epair	epair
	Maintenance/	appointments	appointments	appointments	appointments
	repair				
	appointments	wheel/Interio			
Steering wheel	Genuine	●Genuine	Genuine	●Genuine	●Genuine
material	leather	leather	leather	leather	leather
	●Manual up	●Manual up	●Manual up	●Manual up	•Manual up
	and down +	and down +	and down +	and down +	and down +
Steering wheel	front and	front and	front and	front and	front and
position adjustment	rear	rear	rear	rear	rear
	adjustment	adjustment	adjustment	adjustment	adjustment
	●Electronic	●Electronic	●Electronic	●Electronic	●Electronic
Shift pattern	gear				gear shifting
N 1 1 2	shifting	goor onriting	Jour Shirting	Joan Shirting	good Shirting
Multifunction	•	•	•	•	
steering wheel steering wheel gear					
steering wheer gear shift	_	-		_	<u> </u>
Steering wheel					
heating	-	-	•	•	•
steering wheel					
memory	_	_			_

Trip computer display screen	●Color	●Color	●Color	●Color	•Color
Full LCD instrument panel		•	1.	•	
LCD instrument size	●10.25 inches	●10.25 inches	●10.25 inches	●10.25 inches	●10.25 inches
Interior rearview mirror function	●Automatic anti-dazzle	●Automatic anti-dazzle	●Automatic anti-dazzle	●Automatic anti-dazzle	●Automatic anti-dazzle
ETC device	_	Charging i	n car	0	0
Multimedia/charging interface	●USB ● Type-C	●USB ●SD ● Type-C	●USB ●SD ● Type-C	●USB ●SD ● Type-C	●USB ●SD ● Type-C
Number of USB/Type-	•2 in the front row/2	•2 in the front $row/2$	•2 in the front $row/2$	•2 in the front $row/2$	•2 in the front row/2
C interfaces	in the back row	in the back row	in the back row	in the back row	in the back row
Mobile phone wireless charging function	●Front row	●Front row	●Front row	●Front row	• Front row
Luggage compartment 12V power interface	•		•		•
		Seat config	uration		
) seat material	●Imitation leather	●Imitation leatherO Genuine leather	●Imitation leatherO Genuine leather	●Imitation leatherO Genuine leather	●Imitation leatherO Genuine leather
Main seat adjustment method	<pre>●Front and back adjustment ●Backrest adjustment ●Height adjustment (4-way) ● Leg rest adjustment ●Waist support (4- way)</pre>	Backrest adjustment • Height adjustment (4-way) •Leg rest adjustment •	Backrest adjustment • Height adjustment (4-way) •Leg rest adjustment •	rest adjustment ●	Backrest adjustment ● Height adjustment (4-way) ●Leg rest

	.(~		OX.	
Secondary seat adjustment method	 Front and back adjustment Backrest adjustment Height adjustment (2-way) 	 Front and rear adjustment Backrest adjustment Height adjustment (2-way) Waist support (4-way) 	Backrest adjustment ● Height adjustment (2-way) ○	Backrest adjustment ● Height adjustment (2-way) ○	 Front and rear adjustment Backrest adjustment Height adjustment (2-way) O Waist support (4-way)
Main/passenger seat electric adjustment	Main● /Deputy●	Main●/Deputy ●	Main •/Deputy	Main •/Deputy	Main●/Deputy ●
Front seat functions	●Heating ● Ventilation (driver's seat only)	●Heating ○ Massage ● Ventilation (driver's seat only) ○ Ventilation (passenger seat only)	●Heating ○ Massage ● Ventilation (driver's seat only) ○ Ventilation (passenger seat only)	●Heating ○ Massage ● Ventilation (driver's seat only) ○ Ventilation (passenger seat only)	●Heating ○ Massage ● Ventilation (driver's seat only) ○ Ventilation (passenger seat only)
Power seat memory	●Driving	●Driving	●Driving	●Driving	●Driving
function Adjustable buttons for the passenger seat and rear row	position	position	position	position	position
Second row seat adjustment	_	OBackrest adjustment	OBackrest adjustment	OBackrest adjustment	OBackrest adjustment
Electrically adjustable second row seats	_	0	0	0	0
Second row seat functions		OHeatingO Ventilation	OHeatingO Ventilation	OHeatingO Ventilation	OHeatingO Ventilation
Rear seats fold down Front/rear center	● Inverted proportions before●	● Inverted proportions before●	● Inverted proportions before●	●Inverted proportions before●	• Inverted proportions before
armrest Rear cup holder	∕after●	/after● ●	/after● ●	/after● ●	/after●
Speaker brand name	A	udio/Interior -	· lighting -	_	
Number of speakers	●16 speakers	●16 speakers	●16 speakers	●16 speakers	●16 speakers
touch reading light	•		•	•	•
Car interior ambient lighting	●256 colors	●256 colors	●256 colors	●256 colors	●256 colors
	Air	conditioner/	Refrigerator		

	Ċ	1		SH C	ر `
Air conditioning temperature control method	•Automatic air conditioning	●Automatic air conditioning	●Automatic air conditioning	●Automatic air conditioning	●Automatic air conditioning
heat pump air conditioner Independent air	•	•	•	●	
conditioning in the rear	•	•	•	●	•
Rear seat air outlet Temperature zone	•		•	•	•
control Car air purifier In-car PM2.5 filter	•	•	•		•
device		• Optional pa	ackage		
		20-inch Feifan Xinghan supercar wheels (1) Feifanbach cockpit seat upgrade package (7000) Feifanbach cockpit atmosphere upgrade package (12000)	20-inch Feifan Xinghan supercar wheels (1) Feifanbach cockpit seat upgrade package (7000) Feifanbach cockpit atmosphere upgrade package (12000)	20-inch Feifan Xinghan supercar wheels (1) Feifanbach cockpit seat upgrade package (7000) Feifanbach cockpit atmosphere upgrade package (12000) RISING PILOT fully integrated high-end intelligent driving system software package (20000)	Flying Bach Cockpit Seat Upgrade Package (7000) Flying Bach Cockpit Atmosphere Upgrade Package (12000) RISING PILOT Fully Integrated High-end Intelligent Driving System Software Package (20000)

Exterior color	Raw coconut latte, amber gray, agape blue, silver wing purple, cloud white	Gray, Raw	White,	Amber Grey, Raw Coconut Latte, Yunshu White, Obsidian Black	Amber Grey, Raw Coconut Latte, Yunshu White, Obsidian Black			
interior color	Zunya white, obsidian brown, dusk brown	obsidian brown	Dusk cloud brown, obsidian brown, elegant white	Dusk cloud brown, obsidian brown, elegant white	Dusk cloud brown, obsidian brown, elegant white			
Note: ●Standard ○ Optional - None								