

## QINGDAO QHCY INTERNATIONAL TRADING CO., LTD. Web:cartradinghub.com Tel: 86-15176650760

E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

	Nezha X configuration sheet		
	Nezha X 2023 model	Nezha X 2023 model	Nezha X 2023 model
	400 Lite	500 Lite	400
		Basic parameters	
Manufacturer	Hezhong Motors	Hezhong Motors	Hezhong Motors
level	Compact SUV	Compact SUV	Compact SUV
Energy type	pure electric	pure electric	pure electric
time to market	2023. 10	2023. 10	2023. 10
CLTC pure electric	401	501	401
cruising range (km)	101		101
Fast charging time (hours)	0.5	0.5	0.5
Slow charging time (hours)	-	-	
Fast charging percentage	30-80	30-80	30-80
Maximum power(kW)	120	120	120
Maximum torque (N•m)	210	210	210
Motor(Ps)	163	163	163
Length*width*height (mm)	4619*1860*1628	4619*1860*1628	4619*1860*1628
Body structure	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV
Maximum speed (km/h)	150	150	150
Official 0-100km/h acceleration (s)	9. 5	9. 5	9. 5
Vehicle warranty	Four years or 120,000 kilometers	Four years or 120,000 kilometers	Four years or 120,000 kilometers
First owner			
warranty policy			
		Body	
Length(mm)	4619	4619	4619
Width (mm)	1860	1860	1860
Height (mm)	1628	1628	1628
Wheelbase(mm)	2770	2770	2770
Front wheelbase (mm)	1580	1580	1580
Rear wheelbase (mm)	1580	1580	1580
Minimum ground			
clearance with full load (mm)	135	135	135
Approach angle (°)	19	19	19

Departure angle	28	28	28
Body structure	SUV	SUV	SUV
Car door opening method	swing door	swing door	swing door
Number of doors (number)	5	5	5
Number of seats (seats)	5	5	5
Trunk volume (L)	508-1388	508-1388	508-1388
Drag coefficient (Cd)	0.3	0.3	0.3
Curb weight (kg)	1670	1670	1740
Maximum full load mass (kg)	2045	2045	2130
mass (ng)		Electric motor	
Motor type	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous
Total motor power (kW)	120	120	120
Total motor power (Ps)	163	163	163
Total torque of motor (N•m)	210	210	210
Maximum power of front electric motor (kW)	120	120	120
Maximum torque of front electric motor (N•m)	210	210	210
Number of drive motors	single motor	single motor	single motor
Motor layout	prefix	prefix	prefix
Battery Type	Lithium iron phosphate battery	Lithium iron phosphate battery	Lithium iron phosphate battery
Battery brand	Ningde e <mark>r</mark> a	Ningde era	Ningde era
Battery cooling method	liquid cooling	liquid cooling	liquid cooling
CLTC pure electric cruising range (km)	401	501	401
Battery energy (kWh)	-	-	-
Electricity consumption per 100 kilometers (kWh/100km)	12. 5	12. 9	12. 5
Battery pack warranty	-	_	-
Fast charging function	support	support	support

Fast charging time (hours)	0.5	0.5	0. 5
Slow charging time (hours)	· -	1	-
Fast charging capacity (%)	30-80	30-80	30-80
electric motor	120	120	120
N 1 0	1	Gearbox	-
Number of gears  Gearbox type	l fixed ratio gearbox	fixed ratio gearbox	fixed ratio gearbox
abbreviation	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox
	A .	Chassis steering	
Drive mode four-wheel drive	Front wheel drive	Front wheel drive	Front wheel drive
Center differential structure	_	-	- (
Front suspension type	MacPherson independent suspension	MacPherson independent suspension	MacPherson independent suspension
rear suspension type	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension
Assist type	elec <mark>t</mark> ric assist	electric assist	electric assist
Body structure	Load-bearing	Load-bearing	Load-bearing
		Wheel brake	
Front brake type	ventilated disc	ventilated disc	ventilated disc
rear brake type	disc type	disc type	disc type
Parking brake type Front tire specifications	Electronic parking 225/60R18	Electronic parking 225/60R18	Electronic parking 225/60R18
Rear tire specifications	225/60R18	225/60R18	225/60R18
Spare tire specifications	Tire repair tool	Tire repair tool	Tire repair tool
Specifications		Passive safety	
Main/passenger seat airbag	Main●/Deputy●	Main●/Deputy●	Main●/Deputy●
Front/rear side airbags	-	\ -	Front●/Back-
Front/rear head airbags (curtain airbags)	-		Front O/After O
Tire pressure monitoring function Run-flat tires	●Tire pressure display	●Tire pressure display -	●Tire pressure display -
Seat belt not fastened reminder	•Front row	•Front row	•Front row

ISOFIX child seat		•	•	
interface		•		
ABS anti-lock		•	•	
Braking force distribution				
(EBD/CBC, etc.)	•			
Brake assist				
(EBA/BAS/BA, etc.)	•		•	
Traction control			A -	
(ASR/TCS/TRC, etc.)	•		•	
Body stability				
control	•	• (	•	
(ESC/ESP/DSC, etc.)	<b>\</b>			
		Active safety		
Lane Departure				]
Warning System 📏			0	
Active				
braking/active	_	-	O	
safety system				
Fatigue driving	_	_	O	
tips				4
DOW opening warning	-	_	0	ł
forward collision	-	_	0	
warning Maying object				1
Moving object		-	0	
warning system Low speed warning				
Built-in driving	<del></del>			
recorder	_	1-	0	
roadside assistance	_			1
call	•		<b>●</b>	
		Driving control		
				1
Driving mode switch		●Sport ●Economy ● Standard/Comfortable	●Sport ●Economy ● Standard/Comfortable	
Single pedal mode		•	•	_
energy recovery			<i>y</i>	
system			-	
automatic parking		•		1
Hill assist	•			
steep descent		D 1 1		<u> </u>
B . /		Driving hardware		1
Front/rear parking radar	Front-/Back●	Front-/Back●	Front O/Back	
Driving assistance images	•Reversing image	●Reversing image	●360-degree panoramic image	
Transparent chassis/540 degree image	_	-	1	

Assisted driving		_	OHorizon Journey 3
chip Number of cameras	_	4-	●4 ○ 5 pcs
Ultrasonic radar			
quantity	•4 pieces	•4 pieces	●4pcs○12pcs
Millimeter wave radar quantity	-	<b>\</b>	O2 pieces
		Driving function	1
cruise system	●Cruise speed	●Cruise speed	●Fixed-speed cruise ○Full-speed adaptive cruise
Assisted driving level	_	-	OL2
Reverse side		-	0
warning system			
satellite	•		• 4
navigation system Navigation traffic			
information display	•	•	
Parallel assistance	-	-	0
Lane Keeping Assist		_	0
System			
Lane centering	_	_	0
Road traffic sign recognition	-	-	0
Automatic parking			0
remote control			0
parking	<del>-</del>		O
Follow the trail	_	_	0
and reverse	Δ.	/	
D: 4 : 1		pearance/anti-th	
Rim material Electric trunk	●Aluminum alloy -	●Aluminum alloy -	●Aluminum alloy
Electric trunk			
position memory	_	_	0
roof rack			
Central locking in car	•,	•	•
Key type	● Remote key ● Bluetooth key	●Remote key ● Bluetooth key	●Remote key ● Bluetooth key
Keyless start system	•	•	• \
Keyless entry function	•Driving position	•Driving position	●Driving position
Battery preheating	•	•	
external discharge			
1 1 1 1 1		Exterior lights	
Low beam light source	● LED	●LED	●LED

high beam light source	• LED	●LED	●LED
LED daytime running lights	<u></u>	4	•
Adaptive high and low beam			0
automatic headlight Turn assist light	•		
car front fog lights	-	-	-
Headlight height adjustable	•	•	•
Delayed turn off of headlights	1.	•	•
<u> </u>		Skylight/glass	1
Skylight type	-		●The panoramic sunroof can be opened
Front/rear electric windows	Front●/Back●	Front●/Back●	Front●/Back●
One-touch window lifting function	●The whole car	•The whole car	●The whole car
Window anti-pinch function	•	•	•
Car vanity mirror	●Main driver's seat ●Co-pilot	●Main driver's seat ●Co-pilot	● Main driver + lighting ● Co-pilot + lighting
rear wiper	•	. • 1	•
Sensing wiper function	●Rain sensor type	●Rain sensor type	●Rain sensor type
	Ext	erior rearview mi	rror
Exterior rearview mirror function	●Electric adjustment ●Heated rearview mirrors	●Electric adjustment ●Heated rearview mirrors	●Electric adjustment ●Electric folding ● Heated rearview mirror ●Automatic folding when the car is locked
		Screen/system	• T 1 1 CD
Central control screen size	●Touch LCD screen  ●15.6 inches	●Touch LCD screen ●15.6 inches	●Touch LCD screen ●15.6 inches
Bluetooth/car phone Mobile phone	•		•
interconnection/map ping	-	-	-
Voice recognition control system	• ()	•	•
face recognition			

W 1 · 1	■Qualcomm	●Qualcomm	•Qualcomm Snapdragon
Vehicle smart chip	Snapdragon 8155	Snapdragon 8155	8155
Vehicle system storage (GB)	●128	●128	●128
Internet of	Inte	lligent configura	ation
Vehicles	•		•
4G/5G network OTA upgrade	●4G	●4G	● 4G
Wi-Fi hotspot	•	•	•
Mobile APP remote function	•	•	•
	Steering wh	eel/interior rea	rview mirror
Steering wheel material	•Leather	●Leather	●Leather
Steering wheel position adjustment	●Manual up and down + front and rear adjustment	<ul><li>Manual up and down</li><li>front and rear</li><li>adjustment</li></ul>	+ front and rear adjustment
Shift pattern	●Electronic gear shifting	Electronic gear shifting	●Electronic gear shifting
Multifunction steering wheel	•	Shifting	Shifting
steering wheel gear shift	-	-	-
Steering wheel heating	( - )	-	-
steering wheel memory	-	.()	-
Trip computer display screen	●Color	●Color	●Color
Full LCD instrument panel	•	•	•
LCD instrument size	●8.9 inches	●8.9 inches	●8.9 inches
Interior rearview mirror function	●Manual anti-dazzle	●Manual anti-dazzle	●Manual anti-dazzle
		Charging in car	
Multimedia/charging interface	●USB ●Type-C	●USB ●Type-C	●USB ●Type-C
Number of USB/Type- C interfaces	•2 in the front row	•2 in the front row	●2 in the front row/2 in the back row
Mobile phone wireless charging function	-		OFront row
Luggage compartment 12V power interface	•	•	•
		Seat configuration	
seat material Sports style seats	● Imitation leather ●	● Imitation leather	● Imitation leather ●
	4		

Main seat adjustment method	●Front and back adjustment ● Backrest adjustment ●Height adjustment (2-way)	●Front and back adjustment Backrest adjustment ●Height adjustment (2-way)	●Front and back adjustment ●Backrest adjustment ●Height adjustment (2-way)
Secondary seat adjustment method	● Fore and aft adjustment ● Backrest adjustment	●Fore and aft adjustment ● Backrest adjustment	●Fore and aft adjustment ●Backrest adjustment
Main/passenger seat electric adjustment	_	-	Main● / Deputy●
Front seat functions	-	-	●Heating
Power seat memory function		-	ODriving position
Adjustable buttons for the passenger seat and rear row	-		- 4
Second row seat adjustment	-	_	
Rear seats fold down	●Inverted proportions	●Inverted proportions	●Inverted proportions
Front/rear center armrest	Front●/Back-	Front●/Back-	Front●/Back-
Rear cup holder	A110	  lio/interior ligh	ting
Speaker brand name			-
Number of speakers	●6 speakers	●6 speakers	●8 speakers
touch reading light			•
Car interior ambient lighting	-	_	OMulticolor
ambrent lighting	Air c	onditioner/refrig	gerator
Air conditioning temperature control method	• Automatic air	•Automatic air conditioning	• Automatic air conditioning
Independent air conditioning in the rear	. (-)	-	-
Rear seat air outlet		•	•
Temperature zone control	<b>-</b>		- \}
Car air purifier	_	_	-
In-car PM2.5 filter	•	•	•
device		Optional package	е
device		operonar package	

	Ambor brown noor1	Intelligent black,	Clear Sky Grey,
Exterior color			
	white, glacier blue,	glacier blue, amber	Glacier Blue, Amber
	smart black, clear	brown, <mark>c</mark> lear sky	Brown, Intelligent
	sky gray	gray, pearl white	Black, Pearl White
interior color	black, black/brown	black, black/brown	black, black/brown
•	0 0 1 1 17		

Note: ●Standard ○ Optional - None


4	1
	•
Nezha X 2023 model 500	
300	
Hezhong Motors	
Compact SUV	1
pure electric	
2023. 10	
501	
0.5	
- <i>U</i>	
30-80	
120	
210	
163	
4619*1860*1628	
5-door, 5-seater SUV	
150	
9. 5	
Four years or 120,000 kilometers	4
_	
4619	
1860	
1628	
2770	
1 <mark>5</mark> 80	
1580	
135	
19	

		A
	28	
	SUV	
	swing door	
	5	
	5	
	508-1388	
	0.3	
	1740	<b>\</b>
	2130	
	Permanent magnet/synchronous	
	120	
	163	
	210	
	120	
	210	
	single motor	
	prefix	
	Lithium iron phosphate battery	A
į	Ningde era	
	liquid cooling	
,	501	
	-	
	12. 9	
	support	


0. 5	
-	
30-80	
120	
fixed ratio gearbox Electric vehicle single speed	
gearbox	
Front wheel drive	
-	
MacPherson independent suspension	
Multi-link independent suspension	
electric assist Load-bearing	
ventilated disc disc type Electronic parking	
225/60R18	
225/60R18	
Tire repair tool	4
Main●/Deputy●	
Front●/Back-	
Front O/After O	
●Tire pressure display	
•Front row	

•			
•			
•			
•			
•			
0			
0			
0			
0			
0			
0			
•			
0	1		
•			
●Sport ●Econom	NV.		
Standard/Comforta e	[ld.		
•			
•			
Front⊖/Back●			
●360-degree			
panoramic image			
<b>A</b>			

OHorizon Journey 3	
●4 ○ 5 pcs	
●4pcs○12pcs	
○2 pi <mark>e</mark> ces	
• Fixed-speed cruise OFull-speed adaptive cruise	
OL2	
0	
•	
•	
0	
0	
0	
0	
0	
0	
●Aluminum alloy ○	
0	
•	
•	
●Remote key ● Bluetooth key	
• Brue tooth key	
●Driving position	
•	
●LED	



● Qualcomm	
Snapdragon 8155 ●128	0)
•	
● 4G ●	
•	
●Leather  ●Manual up and down + front and	
rear adjustment  • Electronic gear shifting	
-	
<u> </u>	
-	
•Color	
●8.9 inches ●Manual anti- dazzle	
●USB ●Type-C	
●2 in the front row/2 in the back row	
○Front row	
● Imitation leather	



Glacier blue, amber brown, smart black, clear sky gray, pearl white black,black/brown