

QINGDAO QHCY INTERNATIONAL TRADING CO.,LTD.

Web:cartradinghub.com Tel: 86-15176650760

E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

	Great Wall Tank 400Hi4-T config	guration table
	Tank 400 New Energy 2023 Hi4-T	Tank 400 New Energy 2023 Hi4-T
	Functional Version	Super Edition
	Basic parameters	
Manufacturer	Great Wall Motors	Great Wall Motors
level	Medium SUV	Medium SUV
Energy type	plug-in hybrid	plug-in hybrid
Environmental protection standards	Country VI	Country VI
time to market	2023.09	2023.09
WLTC pure electric cruising range (km)	105	105
Fast charging time (hours)	0.4	0.4
Slow charging time (hours)	6.5	6.5
Fast charging percentage	30-80	30-80
Maximum power(kW)	300	300
Maximum torque $(N \cdot m)$	750	750
engine	2.0T 252 horsepower L4	2.0T 252 horsepower L4
Motor(Ps)	163	163
gearbox	9-stop automatic transmission	9-stop automatic transmission
Length*width*height (mm)	4985*1960*1900	4985*1960*1900
Body structure	5-door, 5-seater SUV	5-door, 5-seater SUV
Maximum speed (km/h)	180	180
Official 0-100km/h acceleration (s)	6.8	6.8
WLTC comprehensive fuel consumption (L/100km)	2.61	2.61

Minimum state of charge fuel consumption (L/100km)	9.52	9.52
Vehicle warranty	Five years or 150,000 kilometers	Five years or 150,000 kilometers
First owner warranty policy	Lifetime warranty for core parts of engine and transmission (the liability exemption clause shall be subject to the official)	Lifetime warranty for core parts of engine and transmission (the liability exemption clause shall be subject to the official)
	Body	
Length(mm)	4985	4985
Width(mm)	1960	1960
Height(mm)	1900	1900
Wheelbase(mm)	2850	2850
Front wheelbase (mm)	1635	1635
Rear wheelbase (mm)	1635	1635
Minimum ground clearance with full load (mm)	224	224
Approach angle (°)	33	33
Departure angle (°)	30	30
Minimum turning radius (m)	5.6	5.6
Maximum wading depth (mm)	800	800
Body structure	SUV	SUV
Car door opening method	swing door	swing door
Number of doors (number)	5	5
Number of seats (seats)	5	5
Fuel tank volume (L)	70	70
Trunk volume (L)	566-1803	566-1803
Curb weight (kg)	2770	2770
Maximum full load mass (kg)	3270	3270
	Engine	

engine model	E20NA	E20NA
Displacement (mL)	1998	1998
Displacement(L)	2.0	2.0
Intake form	turbocharging	turbocharging
Engine layout	vertically placed	vertically placed
Cylinder arrangement	L	L
Number of cylinders (number)	4	4
umber of valves per cylinder (number)	4	4
Air Supply	DOHC	DOHC
Maximum horsepower (Ps)	252	252
laximum power(kW)	185	185
Maximum power speed (rpm)	5500-6000	5500-6000
Maximum torque (N · m)	380	380
Maximum torque speed (rpm)	1700-4000	1700-4000
Maximum net power (kW)	180	180
fuel form	plug-in hybrid	plug-in hybrid
fuel mark	No. 92	No. 92
Fuel supply method	direct injection	direct injection
Cylinder head material	Aluminum alloy	Aluminum alloy
Cylinder material	Aluminum alloy	Aluminum alloy
Environmental protection standards	Country VI	Country VI
	Electric Motor	
Motor type	Permanent magnet/synchronous	Permanent magnet/synchronous
Total motor power (kW)	120	120
Total motor power (Ps)	163	163
Total torque of motor (N · m)	400	400

compression of the compression o	lectric motor (kW) um torque of lectric motor N·m) System hensive power (kW) System hensive power (Ps) System prehensive ue (N·m) ber of drive motors tor layout	400 300 408 750 single motor	400 300 408 750	
compression compre	lectric motor N·m) System hensive power (kW) System hensive power (Ps) System prehensive ue (N·m) ber of drive motors tor layout	300 408 750	300	
compre compre com torq Num Mo Bat	hensive power (kW) System hensive power (Ps) System prehensive ue (N · m) ber of drive motors tor layout	408 750	408	
compression compre	hensive power (Ps) System prehensive ue (N · m) ber of drive motors tor layout	750		
com torq Num Mo Bat	prehensive ue (N · m) ber of drive motors tor layout		750	
Mo Bat	motors tor layout	single motor		
Mo Bat	tor layout	· · · · · · · · · · · · · · · · · · ·	single motor	
Bat Bat		prefix	prefix	
Bat	tery Type	Ternary lithium battery	Ternary lithium battery	
1	tery brand	hive energy	hive energy	
	ery cooling nethod	liquid cooling	liquid cooling	
Exch	ange battery	not support	not support	
WLTC	pure electric g range (km)	105	105	
	WLTC hensive range (km)	800	800	
Battery	energy (kWh)	37.1	37.1	
consum ki	ectricity uption per 100 lometers h/100km)		0	
Ва	tery pack			
W	arranty			
Fas	t charging	support	support	
	ınction	Support	Support	
	narging time (hours)	0.4	0.4	

Slow charging time (hours)	6.5	6.5
Fast charging	30-80	30-80
capacity (%)	Gearbox	
Number of gears	9	9
Gearbox type	Automatic manual transmission (AT)	Automatic manual transmission (AT)
abbreviation	9-stop automatic transmission	9-stop automatic transmission
	Chassis Steering	
Drive mode	Front four-wheel drive	Front four-wheel drive
four-wheel drive	timely four-wheel drive	timely four-wheel drive
Center differential structure	multi-disc clutch	multi-disc clutch
Front suspension type	Double wishbone independent suspension	Double wishbone independent suspension
rear suspension type	Multi-link non-independent suspension	Multi-link non-independent suspension
Assist type	electric assist	electric assist
Body structure	Non-load-bearing	Non-load-bearing
,	Wheel Brake	
Front brake type	ventilated disc	ventilated disc
rear brake type	ventilated disc	ventilated disc
Parking brake type	Electronic parking	Electronic parking
Front tire specifications	265/65 R18	265/65 R18
Rear tire specifications	265/65 R18	265/65 R18
Spare tire specifications	Full Size	Full Size
	Passive Safety	
Main/passenger seat	Main ● / Deputy ●	Main ● / Deputy ●
Front/rear side airbags	Before ● / After-	Before ● / After-
Front/rear head airbags (curtain airbags)	before●/after●	before ● / after ●
Tire pressure monitoring function	●Tire pressure display	●Tire pressure display

Run-flat tires	-	-
Seat belt not fastened reminder	• Front row	● Front row
ISOFIX child seat interface	•	•
ABS anti-lock	•	•
Braking force distribution (EBD/CBC, etc.)		•
Brake assist		
(EBA/BAS/BA, etc.)		•
Traction control		
(ASR/TCS/TRC, etc.)		
Body stability control		
(ESC/ESP/DSC, etc.)	•	
	Active Safety	
Lane Departure		
Warning System		
Active		
braking/active safety		•
system		
Fatigue driving tips	•	•
DOW opening		
warning		•
forward collision warning	• ()	• 1
rear collision warning	•	
Low speed warning	4.	•
Built-in driving recorder	•	•
roadside assistance call	•	• (
Anti-rollover system		•
	Driving Contro	ol
	●Sports ●Economy ●	●Sports ●Economy ●
Driving mode switch St	andard/Comfortable Off-road	
	Snow Snow	Snow
energy recovery		
system	•	•
oyotem	_	

automatic parking	•	•
Hill assist	•	•
steep descent	•	•
<u> </u>	4WD/Off-Road	
Center differential locking function	•	•
Limited slip differential/differenti al lock	● Rear axle differential lock	○Front axle differential lock ● Rear axle differential lock
low speed four wheel drive	1	•
creep mode	•	•
tank turns	•	•
tow hitch	○ Manual	○ Manual
	Driving Hardware	
Front/rear parking radar	before ● /after ●	before ● / after ●
Driving assistance images	● 360-degree panoramic image	● 360-degree panoramic image
Transparent chassis/540 degree image		4 • 6
	Driving Function	
cruise system	●Full-speed adaptive cruise	●Full-speed adaptive cruise
Assisted driving level	●L2	●L2
Reverse side warning system	•	•
satellite navigation system	•	•
Navigation traffic	, (1 <u>-</u>	
information display	•	•
map brand	●Gaode	●Gaode
Parallel assistance	•	•
Lane Keeping Assist		
System		• ()
Lane centering	•.)	•
Road traffic sign		
recognition		
	Appearance/Anti-Tl	neft

Electric suction door		● Tailgate
Electric trunk	-	-
roof rack	•	• >>
Engine electronic anti-theft	•	•
Central locking in car	•	•
Key type	● Remote key	● Remote key ● Bluetooth key
Keyless start system	•	•
Keyless entry function	● Front row	• Front row
car side pedals	●Fixed	● Electric
external discharge	•	•
	Exterior Lights	
Low beam light source	●LED	● LED
high beam light source	●LED	• LED
LED daytime running lights		
Adaptive high and low beam		•
automatic headlight	•	•
car front fog lights	●LED	●LED
Headlight height adjustable	•	•
Delayed turn off of headlights		
	Skylight/Glass	
Skylight type	• Electric sunroof	●The panoramic sunroof can be opened
Front/rear electric windows	before ● /after ●	before ●/after ●
One-touch window lifting function	●The whole car	●The whole car
Window anti-pinch function		• (),
Multilayer soundproof glass	● Front row	● Front row ● Back row
Rear side window sunshades	<u>-</u>	● Manual

Rear side privacy	-	•
Car vanity mirror	●Main driver + lighting ●Co-pilot + lighting	●Main driver + lighting ●Co-pilot + lighting
rear wiper	• ()	• /
Sensing wiper function	• Rain sensor type	●Rain sensor type
	Exterior Rearview Mir	ror
Exterior rearview mirror function	 ◆ Electric adjustment ◆ Electric folding ◆ Rearview mirror memory ◆ Heated rearview mirrors ◆ Automatically flip down when reversing ◆ Automatically fold when the car is locked 	 ◆ Electric adjustment ◆ Electric folding ◆ Rearview mirror memory ◆ Heated rearview mirrors ◆ Automatically flip down when reversing ◆ Automatically fold when the car is locked
	Screen/System	
Central control color screen	● Touch LCD screen	●Touch LCD screen
Central control screen size	•16.2 inches	●16.2 inches
Bluetooth/car phone	•	•
Mobile phone interconnection/map ping	●Original interconnection/mapping	Original interconnection/mapping
Voice recognition control system	● Multimedia system ● Navigation ● Telephone ● Air conditioning ● Sunroof	● Multimedia system ● Navigation ● Telephone ● Air conditioning ● Sunroof
Voice wake word free	. •	
Speech continuous recognition		•
	Intelligent Configurati	ion
Internet of Vehicles	•	•
4G/5G network	● 4G	● 4G
OTA upgrade	•	•
Wi-Fi hotspot	•	• ()
Mobile APP remote function		•
Active noise reduction		•

Steering wheel material	● Leather	■ Leather
Steering wheel position adjustment	● Manual up and down + front and rear adjustment	●Manual up and down + front and rear adjustment
Shift pattern	●Electronic gear shift	●Electronic gear shift
Multifunction steering wheel		•
steering wheel gear		
Steering wheel heating	-	
steering wheel memory		-
Trip computer		
display screen	● Colo r	● Color
Full LCD instrument	•	
LCD instrument size	●12.3 inches	●12.3 inches
HUD heads up digital display		•
Interior rearview mirror function	● Manual anti-dazzle	• Streaming media rearview mirror
ETC device	•	•
	Charging in Car	
Multimedia/charging interface	●USB ●Type-C	●USB ●Type-C
Number of USB/Type-C interfaces	●2 in the front row/2 in the back row	•2 in the front row/2 in the back row
220V/230V power supply		•
Mobile phone wireless charging function	●Front row	● Front row
Luggage compartment 12V power interface	• \(\)	
	Seat Configuration	\
seat material	● Imitation leather	Genuine leather

Main seat adjustment method	● Front and back adjustment ● Backrest adjustment ● Height adjustment (2-way) ● Waist support (4-way)	● Front and back adjustment ● Backrest adjustment ● Height adjustment (2-way) ● Waist support (4 way)
Secondary seat adjustment method	●Fore and aft adjustment ●Backrest adjustment	●Fore and aft adjustment ●Backrest adjustment
Main/passenger seat electric adjustment	Main ● / Deputy ●	Main ● / Deputy ●
Front seat functions	◆Heating	● Heating ● Ventilation ● Massage (driver's seat only)
Power seat memory function	-	●Driving position
Adjustable buttons for the passenger seat and rear row		
Second row seat adjustment		
Rear seats fold down	● Inverted proportions	●Inverted proportions
Front/rear center armrest	before ●/after ●	before ● /after ●
Rear cup holder	•	•
	Audio/Interior Lighti	ng
Speaker brand name	-	
Number of speakers	●10 speakers	●10 speakers
Car interior ambient lighting	●Multicolor	● Multicolor
Air conditioner/refrigera tor	Tank 400 New Energy 2023 Hi4-T Functional Version	Tank 400 New Energy 2023 Hi4-T Super Edition
Air conditioning temperature control method	• Automatic air conditioning	•Automatic air conditioning
Independent air conditioning in the rear	0, 4	•
Rear seat air outlet	•	• •
Temperature zone		•
control	(,)	
Car air purifier		-
	4	

In-car PM2.5 filter		
device		
	Optional Package	
	All-terrain tires (AT) (1) Outdoor leisure	All-terrain tires (AT) (1) Outdoor off-
	bags (1)	road bags (1)
Exterior color	Wing Silver, Streaming Green, Nebula Gray, Magic Night Black	Streaming green, flying silver, magic night black, nebula gray
interior color	black,black/red	black

Note: ● Standard ○ Optional - None