

QINGDAO QHCY INTERNATIONAL TRADING CO., LTD.
Web:cartradinghub.com Tel: 86-15176650760 E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

	NIO ES6 config	uration sheet	
1	NIO ES6 2023 model	NIO ES6 2023 model	NIO ES6 2023 model
	75kWh	100kWh	150kWh
	Basic par	ameters	4
Manufacturer	NIO	NIO	NIO
leve1	Medium SUV	Medium SUV	Medium SUV
Energy type	pure electric	pure electric	pure electric
time to market	2023. 05	2023. 05	_
NEDC pure electric			_
cruising range (km)			
CLTC pure electric	490	625	930
cruising range (km)	430	020	930
Fast charging time	_	_	_ (
(hours)			
Slow charging time	_	_	
(hours)			
Fast charging	- ()	_	
percentage			200
Maximum power(kW)	360	360	360
Maximum torque (N•	700	700	700
m) Motor(Ps)	400	400	400
Length*width*height	490	490	490
(mm)	4854*1995*1703	4854 * 1 <mark>9</mark> 95*1 7 03	4854*1995*1703
Body structure	5-door, 5-seater SUV	5-door, 5-seater	5-door, 5-seater
Maximum speed			
(km/h)	200	200	200
Official 0-100km/h	, -		
acceleration (s)	4.5	4.5	4. 5
Electric energy	A		
equivalent fuel			
consumption			_
(L/100km)			
Vehicle warranty	Three years or	Three years or	Three years or
venicle warranty	120,000 kilometers	120,000 kilometers	120,000 kilometers
		4	Ten years with no
First owner	6 years or 150,000	6 years or 150,000	limit on kilometers
warranty policy	kilometers	kilometers	(the liability
warrancy porrcy	VIIOME (EL 2	VIIOMETEIS	exemption clause
4			shall be subject to
	Bod	· •	
Length (mm)	4854	4854	4854
Width (mm)	1995	1995	1995
Height (mm)	1703	1703	1703
<pre>Wheelbase(mm)</pre>	2915	2915	2915

Front wheelbase			
(mm)	1711	1711	1711
Rear wheelbase (mm)	1711	1711	1711
Approach angle (°)	17	17	17
Departure angle (°)	20	20	20
Body structure	SUV	SUV	SUV
Car door opening method	swing door	swing door	swing door
Number of doors (number)	5	5	5
Number of seats	5	5	5
(seats) Trunk volume (L)	579-1430	579-1430	579-1430
Drag coefficient (Cd)	0. 25	0. 25	0. 25
Curb weight (kg)	2316	2336	2353
Total mass of quasi-trailer (kg)	1200	1200	1200
Maximum full load mass (kg)	2843	2843	2843
mass (118)	Electric	motor	
Motor type	Front AC/asynchronous rear permanent magnet/synchronous	Front AC/asynchronous rear permanent	Front AC/asynchronous rear permanent
Total motor power (kW)	360	360	360
Total motor power (Ps)	490	490	490
Total torque of motor (N•m)	700	700	700
Maximum power of front electric motor (kW)	150	150	150
Maximum torque of front electric motor (N•m)	280	280	280
Maximum power of rear electric motor (kW)	210	210	210
Maximum torque of rear electric motor (N•m)	420	420	420
Number of drive motors	Dual motor	Dual motor	Dual motor
Motor layout	Front + rear	Front + rear	Front + rear
Battery Type	Ternary lithium + lithium iron phosphate	Ternary lithium battery	solid state battery

Battery brand	Jiangsu Times	Ningde Times/Jiangsu	Ningde era
-	Jungou 11mes	Times/China New	NINGUS SIG
Battery cooling method	liquid cooling	liquid cooling	liquid cooling
Exchange battery	support	support	support
NEDC pure electric cruising range (km)	-	-	-
CLTC pure electric cruising range (km)	490	625	930
Battery energy (kWh)	75	100	150
Battery energy density (Wh/kg)	142. 1	185. 4	-
Electricity consumption per 100 kilometers (kWh/100km)		0)	- 4
Battery pack warranty	Ten years of unlimited mileage for the first owner (the liability exemption clause shall be subject to the official)	Ten years of unlimited mileage for the first owner (the liability exemption clause shall be subject to the official)	(the liability exemption clause
Fast charging	support	support	support
function Fast charging time (hours)	-		-
Slow charging time (hours)	_	_	-
Fast charging capacity(%)	-	<u></u> -	-
electric motor	360	360	360
N 1 0	Gear	box	
Number of gears Gearbox type	1 fixed ratio gearbox	fixed ratio gearbox	fixed ratio gearbox
abbreviation	Electric vehicle	Electric vehicle	Electric vehicle
	single speed gearbox Chassis s		single speed
Drive mode	Dual motor four-wheel drive	Dual motor four- wheel drive	Dual motor four- wheel drive
four-wheel drive	Electric four-wheel drive	Electric four-wheel drive	
Center differential structure	-	-	
Front suspension type	Five-link independent suspension	Five-link independent	Five-link independent
rear suspension type	Five-link independent suspension	Five-link independent	Five-link independent
Assist type	electric assist	electric assist	electric assist

Body structure	Load-bearing	Load-bearing	Load-bearing
Front brake type	wheel ventilated disc	ventilated disc	ventilated disc
rear brake type	ventilated disc	ventilated disc	ventilated disc
Parking brake type	Electronic parking	Electronic parking	Electronic parking
Front tire specifications	255/50 R20	255/50 R20	255/50 R20
Rear tire specifications	255/50 R20	255/50 R20	255/50 R20
Spare tire specifications	Tire repair tool	Tire repair tool	Tire repair tool
Specifications	Passive	safety	1
Main/passenger seat airbag	<u>Main</u> ●Deputy●	Main⊕Deputy⊕	Main⊕Deputy⊕
Front/rear side airbags	before ● after -	before • after -	before ● after -
Front/rear head airbags (curtain airbag <mark>s</mark>)	before ● after ●	before ● after ●	before ● after ●
Front middle airbag	•	•	• m.t
Tire pressure	●Tire pressure	•Tire pressure	•Tire pressure
monitoring function Run-flat tires	display -	display _	display -
Seat belt not fastened reminder	●The whole car	●The whole car	●Front row
ISOFIX child seat interface		• -	•
ABS anti-lock	•		•
Braking force distribution (EBD/CBC, etc.)	•	•	•
Brake assist (EBA/BAS/BA, etc.)	•	V •	
Traction control (ASR/TCS/TRC, etc.)	•	•	•
Body stability control (ESC/ESP/DSC, etc.)		•	•
(230, 251, 250, 000.)	Active	safety	
Lane Departure Warning System /	•	•	•
Active braking/active	<i>y</i> .	4.	•
safety system Fatigue driving	• .		
tips DOW opening warning			
forward collision			<u> </u>
warning	•	•	•
Sentry mode/clairvoyance	•	• (•
	4		

Built-in driving recorder roadside assistance call Driving control
Driving control Sports Seconomy Sports Seconomy Standard/comfortable Off-road Snow Customized/personaliz e Off-road Snow
Driving control Sports ●Economy ● Sports ●Economy Standard/comfortable ●Off-road ●Snow ● Customized/personaliz ed energy recovery system automatic parking Hill assist steep descent Variable suspension air suspension air suspension Front/rear parking radar Driving assistance image Assisted driving chip Chip total computing power Number of cameras Ultrasonic radar quantity Millimeter wave radar quantity Assisted driving cruise Sports ●Economy Sports ●Economy Sports ●Economy Standard/comfortable Supplementale Suspension of tand hard adjustment and hard a
Sports ©Economy Standard/comfortable Off-road Snow Customized/personaliz e Off-road Snow ed Customized/personaliz e Off-road Snow ed energy recovery system automatic parking Hill assist steep descent Variable suspension of the function hard adjustment air suspension of the function hard adjustment and hard adjustment air suspension of the function hard adjustment and hard adjustment air suspension of the function hard adjustment and hard adjustment air suspension of the function hard adjustment and hard adjustment are suspension soft and hard adjustment and hard adjustmen
Customized/personaliz ed energy recovery system automatic parking Hill assist steep descent Variable suspension function air suspension Front/rear parking radar Driving assistance images Transparent chassis/540 degree image Assisted driving chip Chip total computing power Number of cameras Ultrasonic radar quantity Millimeter wave radar quantity Assisted driving cruise Cruise system Customized/personaliz ed Off-road Snow e Off-road Snow enders Of Suspension soft and hard adjustment of Suspension soft and hard adjustment and hard adjustment of Suspension soft of Suspension soft and hard adjustment of Suspension soft and hard a
energy recovery system automatic parking Hill assist Steep descent Variable suspension air suspension Front/rear parking radar Driving assistance images Transparent chassis/540 degree image Assisted driving chip Chip total computing power Number of cameras Ultrasonic radar quantity Millimeter wave radar quantity LiDAR quantity Assisted driving Suspension soft and hard adjustment Assisted driving chip Driving hardware Defore after before after before after panoramic image 360-degree panoramic image 360-degree panoramic image After before after panoramic image 360-degree panoramic image After parking chip Driving hardware Before after panoramic image 360-degree panoramic image After panoramic image 360-degree panoramic image After parking chip Driving hardware After parking After panoramic imade After panoramic image After pano
automatic parking Hill assist steep descent Variable suspension function air suspension Pront/rear parking radar Driving hardware before after before after panoramic image Transparent chassis/540 degree image Assisted driving chip Chip total computing power Number of cameras Ultrasonic radar quantity Millimeter wave radar quantity LiDAR quantity Assisted driving cruise system Assisted driving System Assisted driving Crips Assisted driving Crips Crips Assisted driving Crips Crips Assisted driving Crips
Hill assist steep descent Variable suspension function air suspension Triving hardware Front/rear parking radar Driving assistance images Transparent chassis/540 degree image Assisted driving chip Chip total computing power Number of cameras Ultrasonic radar quantity Millimeter wave radar quantity LiDAR quantity Assisted driving system Assisted driving cruise system Assisted driving system Front/rear parking hard adjustment and hard adjustient and hard adj
Steep descent Variable suspension function function air suspension Front/rear parking radar Driving assistance images Assisted driving chip Chip total computing power Number of cameras Ultrasonic radar quantity Millimeter wave radar quantity Assisted driving Cruise system Assisted driving Cruise system Assisted driving Cruise system Assisted driving Cruise Assisted driving Assisted driving Cruise Assisted driving A
function hard adjustment and hard adjustment air suspension Driving hardware Front/rear parking radar Driving assistance images Transparent chassis/540 degree image Image Assisted driving chip Chip total computing power Number of cameras Ultrasonic radar quantity Millimeter wave radar quantity LiDAR quantity Assisted driving cruise Assisted driving quantity Assisted driving quantity Four NVIDIA Orin-X are panoramic image Four
Front/rear parking radar Driving assistance images Transparent chassis/540 degree image Assisted driving chip Chip total computing power Number of cameras Ultrasonic radar quantity Millimeter wave radar quantity LiDAR quantity Assisted driving cruise Full-speed adaptive cruise Assisted driving quantity Assisted driving chip Full-speed adaptive cruise Assisted driving daptive cruise Assisted driving chip Four NVIDIA Orin-X A Four NVIDIA Orin-
Front/rear parking radar Driving assistance images panoramic image panoramic image Transparent chassis/540 degree image Assisted driving chip Chip total computing power Number of cameras Ultrasonic radar quantity Millimeter wave radar quantity LiDAR quantity Assisted driving cruise system Assisted driving quantity Mill-speed adaptive cruise Assisted driving quantity Assisted driving chip Four NVIDIA Orin-X X Four NVIDIA Orin-X X Four NVIDIA Orin-X X Four NVIDIA Orin-X Y Four NVIDIA Orin
radar before after before
Transparent chassis/540 degree image Assisted driving chip Chip total computing power Number of cameras Ultrasonic radar quantity Millimeter wave radar quantity LiDAR quantity Cruise system Image Panoramic image Panor
chassis/540 degree image Assisted driving chip Chip total computing power Number of cameras Ultrasonic radar quantity Millimeter wave radar quantity LiDAR quantity Cruise system Spour NVIDIA Orin-X X Four NVIDIA Orin-X X X Four NID NIO Four NVIDIA Orin-X X X Four NID Four NVIDIA Orin-X X Four NID Four NVID Four NID Fo
Assisted driving chip Chip total computing power Number of cameras Ultrasonic radar quantity Millimeter wave radar quantity LiDAR quantity Assisted driving system Four NVIDIA Orin- X Four NVIDIA Orin- X 1016 TOPS 1016 TOPS 1016 TOPS 1016 TOPS 11 pieces 11 pieces 12 pieces 12 pieces 12 pieces 12 pieces 13 pieces 14 pieces 15 pieces 16 pieces 17 pieces 18 pieces 19 pieces 10 pieces 10 pieces 10 pieces 11 pieces 12 pieces 13 pieces 14 pieces 15 pieces 16 pieces 17 pieces 18 pieces 19 pieces 19 piece 10 pieces 10
Number of cameras Ultrasonic radar quantity Millimeter wave radar quantity LiDAR quantity Cruise system Olio fors Ill pieces Olio fors Ill pieces Olio fors
Number of cameras Ultrasonic radar quantity Millimeter wave radar quantity LiDAR quantity Cruise system Assisted driving system Older in pieces Older in pi
quantity Millimeter wave radar quantity LiDAR quantity The second of
radar quantity LiDAR quantity On piece Driving function cruise system Assisted driving system On piece On pie
Driving function cruise system Assisted driving system □ Cruise □ Full-speed adaptive cruise □ Full-speed adaptive cruise □ NIO Pilot □ NIO Pilot □ NIO Pilot □ NIO Pilot
cruise system Assisted driving system OFull-speed adaptive dataptive cruise ONIO Pilot ONIO Pilot OFull-speed adaptive cruise Adaptive cruise ONIO Pilot ONIO Pilot
Assisted driving system Only Pilot
system SNIO Pilot SNIO Pilot System
Assisted driving level •L2 •L2
Reverse side warning system
satellite navigation system
Navigation traffic information display

		•
	•	•
	•	
	•	
	•	•
	•	•
	•	
	0	•
	0	
	0	7
		0
		U
		•
OCity section O	OCity section O	. (1
High-speed section	High-speed section	-
		11
■Aluminum alloy	■Aluminum alloy	●Aluminum alloy
•The whole car	●The whole car	•The whole car
		•
•		
		•
●Remote key ●	●Remote kev ●	●Remote key ●
Bluetooth key ●	Bluetooth key ●	Bluetooth key ●
NFC/RFID key ●UWB	NFC/RFID key ●UWB	NFC/RFID key ●UWB
digital key	digital key	digital key
		•
The whole car	The whole car	• The whole car
The whole cal	The whole cal	THE WHOLE CAL
		_
•	1	
•		
	1;	4
Exterior	l gnts	
● LED	●LED	●LED
		Ť
	● Aluminum alloy ● The whole car ● ● ● ● ● ■ ● ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■ ■	● The whole car ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ● ●

high beam light			
source	● LED	●LED	●LED
Lighting features	●Geometric multi- beam	●Geometric multi- beam	●Geometric multi- beam
LED daytime running lights	•		•
Adaptive high and low beam	•	•	•
automatic headlight	•	•	. •
Turn assist light		•	•
car front fog lights	●LED	●LED	●LED
Headlight height adjustable	4.	•	•
Delayed turn off of headlights	•		•
	Skylight		
Skylight type	●The panoramic sunroof can be opened	●The panoramic sunroof can be	●The panoramic sunroof can be
Front/rear electric windows	before ● after ●	before ● after ●	before ● after ●
One-touch window lifting function	●The whole car	●The whole car	●The whole car
Window anti-pinch function	•	•	•
Multilayer soundproof glass	●The whole car	●The whole car	●The whole car
Rear side privacy glass	•	•	•
Car vanity mirror	●Main driver + lighting ●Co-pilot + lighting	●Main driver + lighting ●Co-pilot + lighting	●Main driver + lighting ●Co-pilot + lighting
rear wiper	•	•	
Sensing wiper function	●Rain sensor type	●Rain sensor type	●Rain sensor type
	Exterior rear		
Exterior rearview mirror function	● Electric adjustment ● Electric folding ● Rearview mirror memory ● Rearview mirror heating ● Automatic flip-down when reversing ●	●Electric adjustment ● Electric folding ● Rearview mirror memory ●Rearview mirror heating ● Automatic flip-down	●Electric adjustment ● Electric folding ● Rearview mirror memory ●Rearview mirror heating ● Automatic flip-down
4	Automatic folding when locking the car • Automatic anti- dazzle	when reversing ● Automatic folding when locking the car ●Automatic	when reversing • Automatic folding when locking the car •Automatic
Control control	Screen/s	system 	
Central control color screen	●Touch LCD screen	●Touch LCD screen	●Touch LCD screen

Central control			<i>)</i>
screen size	•12.8 inches	●12.8 inches	●12.8 inches
Bluetooth/car phone	•		•
Mobile phone			
interconnection/map ping	_		-
	●Multimedia system	●Multimedia system	●Multimedia system
Voice recognition	•Navigation •	•Navigation •	● Navigation ●
control system	Telephone •Air	Telephone ●Air	Telephone •Air
	conditioning •	conditioning •	conditioning •
face recognition	Sunroof	Sunroof	Sunroof
Vehicle intelligent	1-	_	
system	●Banyan	●Banyan	●NOMI
Vehicle smart chip	•Qualcomm Snapdragon 8155	●Qualcomm Snapdragon 8155	●Qualcomm Snapdragon 8155 \
rear LCD screen	•	. 3	
Rear LCD screen size	●6.6 inches	●6.6 inches	●6.6 inches
Rear seat control multimedia	•	•	
Vehicle system memory (GB)	●16	●16	Or .
Vehicle system storage (GB)	●256	●256	-
Voice wake word free		• ~	•
Voice area wake-up recognition	●Four areas	●Four areas	●Four areas
Speech continuous recognition	•	•	•
It can be said that it is visible	•	•	
	Intelligent c	onfiguration	
Internet of			
Vehicles			
4G/5G network	5 G	● 5G	● 5G
OTA upgrade Wi-Fi hotspot			
V2X communication			
In-vehicle			
biometric	•		
monitoring system			

	● Door control ● Window control ● Vehicle start ●	●Door control ● Window control ● Vehicle start ●	●Door control ● Window control ● Vehicle start ●	
Mobile APP remote	Charging management ● Air conditioning control ● Vehicle condition query/diagnosis ●	Charging management Air conditioning control Vehicle condition query/diagnosis	Charging management Air conditioning control Vehicle condition query/diagnosis	
function	Vehicle positioning/car search ●Car owner	Vehicle positioning/car search •Car owner	Vehicle positioning/car search ●Car owner	
	service (find charging piles, gas stations, parking	service (find charging piles, gas stations, parking	service (find charging piles, gas stations, parking	
simulated sound	lots, etc.)	lots, etc.)	lots, etc.)	
DIMITATOR STATE	Steering wheel/interi	ior rearview mirror		
Steering wheel material	●Leather⊖Genuine leather	●Leather⊖Genuine leather	●Leather⊖Genuine leather	
Steering wheel position adjustment	• Electric up and down + front and rear adjustment	• Electric up and down + front and rear adjustment	•Electric up and down + front and rear adjustment	
Shift pattern	●Electronic gear shift	●Electronic gear shift	●Electronic gear shift	
Multifunction steering wheel	•	• \	•	
steering wheel gear shift	-	-	-	
Steering wheel heating	0	0	0	
steering wheel memory	•	•	•	
Trip computer display screen	●Color	●Color	• Color	
Full LCD instrument panel	• \	•		
LCD instrument size HUD heads up digital display	●10.2 inches	●10.2 inches	●10.2 inches	
Interior rearview mirror function	●Automatic anti- dazzle	●Automatic anti- dazzle	●Automatic anti- dazzle	
ETC device	•	•		
	Charging	in car		
Multimedia/charging interface	●USB ●Type-C	●USB ●Type-C	●USB ●Type-C	
	●3 people in the front row/1 person in	●3 people in the front row/1 person	●3 people in the front row/1 person	
Number of USB/Type- C interfaces	the back row○3 people in the front row/6 people in the	in the back row 03 people in the front row/6 people in the back row		

Mobile phone wireless charging function	●Front row	●Front row	●Front row
Luggage compartment	•		•
12V power interface	Seat confi	guration	
seat material	●Imitation leather Genuine leather	● Imitation leather ○ Genuine leather	●Imitation leather ○Genuine leather
Main seat adjustment method	●Front and back adjustment ●Backrest adjustment ●Height adjustment (4-way) ● Leg rest adjustment ●Waist support (4- way)	● Front and back adjustment ■ Backrest adjustment ● Height adjustment (4-way) ● Leg rest adjustment ● Waist support (4-way)	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Leg rest adjustment ● Waist support (4-way)
Secondary seat adjustment method	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Leg rest adjustment ● Waist support (4- way)	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Leg rest adjustment ● Waist support (4-way)	●Front and back adjustment ●
Main/passenger seat electric adjustment	Main⊕Deputy⊕	Main⊕Deputy⊕	Main●Deputy●
Front seat functions	●Heating○ Ventilation○Massage	●Heating○ Ventilation○	●Heating○ Ventilation○
Power seat memory function	●Driver's seat ●Co- pilot's seat	●Driver's seat ● Co-pilot's seat	●Driver's seat ● Co-pilot's seat
Adjustable buttons for the passenger seat and rear row	-		-
Second row seat adjustment Electrically	●Backrest adjustment	●Backrest adjustment	●Backrest adjustment
adjustable second row seats	•	•	•
Second row seat functions Rear seats fold	○Heating○ Ventilation○Massage ●Inverted	OHeatingO VentilationO ●Inverted	OHeatingO VentilationO ●Inverted
down Front/rear center	proportions	proportions	proportions
armrest Rear cup holder	before ● after ●	before ● after ●	before ● after ●
2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2 2	Audio/interi	or lighting	
Speaker brand name	-	-	-
Number of speakers Dolby Atmos	●23 speakers	●23 speakers	●23 speakers
touch reading light		•	•
Car interior ambient lighting	●256 colors	•256 colors	•256 colors
	Air conditioner	r/refrigerator	

Air conditioning temperature control method	•Automatic air conditioning	●Automatic air conditioning	●Automatic air conditioning	
heat pump air conditioner	•		•	
Independent air conditioning in the	•	\(\)	•	
Rear seat air outlet	• ()	•	•	
Temperature zone control Car air purifier	•	•	•	
In-car PM2.5 filter device	•	•	•	
negative ion generator			•	
Car fragrance device	0	0	0	
	Optional NIO battery (75kWh	package NIO battery (100kWh		
	battery pack) rental service (1) NAD full function service subscription ¥ 680/month (1) Front wiper defrost function (1000) Airglow orange calipers (3500) Moon theme (4500) N-BOX enhanced entertainment Main unit (4600) NOMI vehicle artificial intelligence system (4900) Trailer package (7500) Queen passenger package (8500) Comfort package (9500) Full enjoyment package (15000) Nappa premium interior package (16000)	battery pack) rental service (1) NAD full function service subscription Y 680/month (1) Front wiper defrost function (1000) Airglow Orange caliper (3500) Moon theme (4500) N-BOX enhanced entertainment Main unit (4600) NOMI vehicle artificial intelligence system (4900) Trailer package (7500) Queen passenger package (8500) Comfort package	NAD full function service subscription ¥ 680/month (1) Front wiper defrost function (1000) Airglow orange calipers (3500) Moon theme (4500) N-BOX enhanced entertainment host (4600) NOMI vehicle artificial intelligence system (4900) Towing Plug-	

	Mars red, aurora	Mars red, aurora	Aurora green,
	green, Antarctic star	green, Antarctic	Antarctic blue,
	blue, deep space	star b <mark>l</mark> ue, deep	deep space black,
Exterior color	black, stratosphere	space black,	dawn gold,
	blue, star gray,	stratosphere blue,	stratosphere blue,
4	cloud white,	star gray, cloud	twilight orange,
	aerospace blue	white, aerospace	star gray, galactic
	Black/urban brown,	Black/urban brown,	Black/tortoise
interior color	black/speed gray,	black/speed gray,	brown,
	technology black	technology black	black/chogoli gray,
Note: ●Standard ○	Optional - None		