

QINGDAO QHCY INTERNATIONAL TRADING CO., LTD. Web:cartradinghub.com Tel: 86-15176650760

E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

	NIO ES	7 configura	tion sheet		
	NIO ES7 2022 model 75kWh	NIO ES7 2022 model 100kWh	NIO ES7 2022 model 100kWh first	NIO ES7 2022 model 150kWh	NIO ES7 2022 150kWh first
		Basic param	eters		
Manufacturer	NIO	NIO	NIO	NIO	NIO
level	Medium and large SUV	Medium and large SUV	Medium and large SUV	Medium and large SUV	Medium and large SUV
Energy type		pure electric		pure electric	pure
time to market	2022.06	2022.06	2022.06	-	-
CLTC pure electric cruising range	485	620	575	930	930
Fast charging time (hours)	0.5	0.6	0.6	-	-
Slow charging time (hours)	11.5	14	14		_
Fast charging percentage	80	80	80	_	-
Maximum power(kW)	480	480	480	480	480
Maximum torque (N•m)	850	850	850	850	850
Motor(Ps)	653	653	653	653	653
Length*width*heigh t (mm)	4912*1987*1720	4912*1987*172 0	4912*1987*17 20	4912 * 1987 * 172 0	4912*1987*1 720
Body structure	5-door, 5- seater SUV	5-door, 5- seater SUV	5-door, 5- seater SUV	5-door, 5- seater SUV	5-door, 5- seater SUV
Maximum speed (km/h)	200	200	200	200	200
Official 0-100km/h acceleration (s)	3. 9	3. 9	3.9	3.9	3.9
Actual measured O- 100km/h acceleration (s)	J.	-	3. 96	-	-
Actual measurement of 100-0km/h braking (m)		-	36. 29	_	
Actual cruising range (km)	-	- (463	- (
Electric energy equivalent fuel consumption (L/100km)	1.99	1.99	2.16	_	-

Vehicle warranty	Three years or 120,000 kilometers	Three years or 120,000 kilometers	Three years or 120,000 kilometers	Three years or 120,000 kilometers	Three years or 120,000 kilometers
First owner warranty policy	6 years or 150,000 kilometers	6 years or 150,000 kilometers	6 years or 150,000 kilometers	Ten years with no limit on kilometers (the liability exemption clause shall	Ten years with no limit on kilometers (the liability exemption
		Body			
Length(mm) Width(mm) Height(mm)	4912 1987 1720	4912 1987 1720	4912 1987 1720	4912 1987 1720	4912 1987 1720
Wheelbase(mm)	2960	2960	2960	2960	2960
Front wheelbase (mm)	1668	1668	1668	1668	1668
Rear wheelbase	1672	1672	1672	1672	1672
Approach angle Departure angle (°)	17 twenty two	17 twenty two	17 twenty two	17 twenty two	17 twenty two
Body structure	SUV	SUV	SUV	SUV	SUV
Car door opening method	swing door	swing door	swing door	swing door	swing door
Number of doors (number) Number of seats	5	5	5	5	5
(seats)	5	5	5	5	5
Trunk volume (L)	570-1545	570-1545	570-1545	570-1545	570-1545
Drag coefficient (Cd)	0. 263	0. 263	0.263	0.263	0.263
Curb weight (kg) Total mass of quasi-trailer (kg)	2361 2000	2381 2000	2400 2000	- 2000	2000
Maximum full load mass (kg)	2850	2850	2850		-
	C	Electric m	otor 🌈		
Motor type	Front permanent magnet/synchro nous rear	Front permanent magnet/synchr onous rear	Front permanent magnet/synch ronous rear	Front permanent magnet/synchr onous rear	Front permanent magnet/sync hronous
Total motor power (kW)	480	480	480	480	480
Total motor power (Ps)	653	653	653	653	653
Total torque of motor (N • m)	850	850	850	850	850
Maximum power of front electric motor (kW)	180	180	180	180	180

			(\bigcirc	_
Maximum torque of front electric motor (N • m)	350	350	350	350	350
Maximum power of rear electric motor (kW)	300	300	300	300	300
Maximum torque of rear electric motor (N • m)	500	500	500	500	500
Number of drive motors	Dual motor	Dual motor	Dual motor	Dual motor	Dual motor
Motor layout	Front + rear	Front + rear	Front + rear	Front + rear	Front +
Battery Type	Ternary lithium + lithium iron	Ternary lithium battery	Ternary lithium battery	solid state battery	solid state battery
Battery brand	Jiangs <mark>u</mark> Times	Jiangsu Times	Jiangsu	Jiangsu Times	Jiangsu
Battery cooling method	liquid cooling	cooling	liquid cooling	liquid cooling	liquid cooling
Exchange battery	support	support	support	support	support
CLTC pure electric cruising range	485	620	575	930	930
Battery energy (kWh)	75	100	100	150	150
Battery energy density (Wh/kg)	142. 1	185. 44	185. 44	360	360
Electricity consumption per 100 kilometers (kWh/100km)	17.6	17.6	19. 1	_	- C
Battery pack warranty	Ten years of unlimited mileage for the first owner (the liability exemption clause shall be subject to	unlimited mileage for the first owner (the liability exemption clause shall	Ten years of unlimited mileage for the first owner (the liability exemption clause shall be subject	There is no limit on the age/mileage of the first car owner (the liability exemption clause shall	There is no limit on the age/mileage of the first car owner (the liability exemption
Fast charging function	support	support	support	support	support
Fast charging power (kW)	180	180	180	_	
Fast charging time (hours)	0.5	0.6	0.6	-	
Slow charging time (hours)	11.5	14	14	_	<u> </u>
Fast charging capacity (%)	80	80	80	_	_
electric motor	480	480	480	480	480
		Gearbox			
Number of gears	1	1	1	1	1

gearbox	fixed ratio	fixed ratio	fixed ratio	fixed ratio
Scurbox	gearbox	gearbox	gearbox	gearbox
Electric	Electric	Electric	Electric	Electric
vehicle single		vehicle	vehicle	vehicle
	-	A	single speed	single
				Dual motor
				four-wheel Electric
				four-wheel
-	-	-	-	-
Double	Double	Double	Double	Double
				wishbone
independent	independent	independent	independent	independent
Multi-link	Multi-link	Multi-link	Multi-link	Multi-link
independent	independent	independent	independent	independent
suspension	suspension	suspension	suspension	suspension
				electric
Load-bearing			Load-bearing	Load-
1				
				ventilated ventilated
				Electronic
				parking
255/50 R20	255/50 R20	265/45 R21	255/50 R20	265/45 R21
255/50 R20	255/50 R20	265/45 R21	255/50 R20	265/45 R21
Tire repair	Tire repair	Tire repair	Tire repair	Tire repair
tool	tool	tool	tool only	tool only
	Passive sa	fety		
Main●/Deputy ●	Main●/Deputy	Main● /Deputy●	Main●/Deputy	Main● /Deputy●
Front●/Back-	Front •/Back-	Front●	Front●/Back-	Front● /Back-
Front●/Back●	Front•/Back		Front●/Back	Front • /Back • •
		•		/ Dack
				●Tire
pressure _	pressure –	pressure _	pressure	pressure _
●The whole	• The whole	•The whole	•The whole	●The whole
car	car	car	car	car
			•	•
●				
	speed gearbox Dual motor four-wheel Electric four- wheel drive - Double wishbone independent Multi-link independent suspension electric Load-bearing ventilated ventilated Electronic parking 255/50 R20 255/50 R20 Conter	speed gearbox single speed Chassis steed Dual motor four-wheel four-wheel Electric four- wheel drive four-wheel Couble four-wheel Double Double wishbone independent Multi-link independent suspension suspension electric electric Load-bearing Load-bearing ventilated ventilated ventilated ventilated ventilated ventilated Ventilated Selectronic parking parking 255/50 R20 255/50 R20 Z55/50 R20 255/50 R20 Tire repair tool Tire repair tool Fourter Main Deputy Front Back- Front Back- Front Back- Front Back- Front Passure 	speed gearbox single speed single speed Chassis stering Dual motor four-wheel four-wheel Electric four- kheel drive four-wheel four-wheel four-wheel independent fulti-link independent suspension suspension electric electric electric Load-bearing Load-bearing Load-bearing toad-bearing back-back four-wheel four-wheel four-wheel four-wheel front four-wheel four-wheel front four-wheel four-wheel front four four four- front four four four four- front four four four four four four four four	speed gearbox single speed single speed single speed Chassis steering Dual motor four-wheel four-wheel four-wheel Electric four- wheel drive four-wheel four-tric leactric felectric felectroic felectroic felectroic felectroic four-whing four-four four-wheel four-whing four-toic felectroic four-wheel four-w

Braking force		-	-		
distribution (EBD/CBC, etc.)		•	•	•	•
Brake assist		•			
(EBA/BAS/BA, etc.)	•	•		•	
Traction control (ASR/TCS/TRC,	•	•		•	
Body stability					
control	•		•	•	•
(ESC/ESP/DSC,					
Lane Departure		Active saf	ety		
Warning System	•	•	•	$\bigcirc \bullet$	•
Active					
braking/active	•	•		•	•
safety system Fatigue driving					
tips	•	•	•	•	
DOW opening	•		•	•	
forward collision	•		•	•	•
warning Sentry					
mode/clairvoyance	•	•	•	•	•
Low speed warning		•		•	
Built-in driving	•	•	• \	•	•
recorder roadside					
assistance call	•	•	•	•	•
Anti-rollover					
system		D · · ·			
	●Sports ●	Driving con • Sports •	●Sports ●	●Sports ●	●Sports ●
	Economy	Economy	Economy	Economy	Economy
Driving mode	Standard/comfo		Standard/com	Standard/comf	Standard/co
switch	rtable ●0ff-	ortable •	fortable •	ortable •	mfortable
	road ●Snow ● Customized/per	Off-road ● Snow ●	Off-road ● Snow ●	Off-road ● Snow ●	●Off-road ●Snow ●
	sonalized			Customized/pe	
energy recovery		•	•	•	
system automatic parking					
Hill assist		•	•	•	
steep descent	•	•		•	
4	• Suspension	• Suspension	• Suspension		
<u>Vari</u> able	soft and hard adjustment ●	soft and hard adjustment ●	soft and hard	soft and hard adjustment ●	Suspension soft and
suspension	Suspension	Suspension	adjustment	Suspension	hard
function	height	height	• Suspension		adjustment
	adjustment	adjustment	height	adjustment	•
air suspension	•			•	

Drag mode	0	0	0	0	0
		Driving har	dware		. (
Front/rear parking radar	Front●/Back●		Front●/Back	Front●/Back	Front● /Back●
Driving assistance images	●360-degree panoramic	●360-degree panoramic	●360-degree panoramic	●360-degree panoramic	●360- degree
Transparent chassis/540 degree image	●		•	•	•
Assisted driving chip	●Four NVIDIA Orin-X	●Four NVIDIA Orin-X	●Four NVIDIA Orin-	●NVIDIA Orin-X	●NVIDIA Orin-X
Chip total computing power	●1016 TOPS	●1016 TOPS	●1016 TOPS	●1016 TOPS	●1016 TOPS
<u>Number of cameras</u> Ultrasonic radar	●11 pieces ●12 pieces	●11 pieces ●12 pieces	●11 pieces ●12 pieces	●11 pieces ●12 pieces	●11 pieces ●12 pieces
quantity Millimeter wave	•12 pieces	12 preces5 pieces	•12 pieces	12 preces5 pieces	•12 pieces
radar quantity LiDAR quantity	●J pieces ●1 piece	● J pieces	● J pieces	●J pieces ●1 piece	J pieces
	I	Driving fun	ction		
cruise system	●Full-speed adaptive	●Full-speed adaptive	●Full-speed adaptive	adaptive	●Fu11- speed
Assisted driving system	●Aquila NIO super-sensory system	●Aquila NI0 super-sensory system	●Aquila NI0 super- sensory	●Aquila NIO super-sensory system	●Aquila NIO super- sensory
Assisted driving level	●L2 OL3	●L2 OL3	●L2 OL3	●L2 OL3	●L2 OL3
Reverse side warning system	●	•		●	•
satellite navigation system	•	•	•	•	•
Navigation traffic information	●	•	•	•	•
map brand HD map	●Gaode	●Gaode	●Gaode ●	●Gaode	●Gaode ●
Parallel Lane Keeping	•	•	•		•
Assist System Lane centering		•	•	•	•
Road traffic sign recognition		•	•	•	
Automatic parking remote control parking	0	0	0	0	0
Automatic lane change assist	•	•	•	•	•
Automatic ramp exit (entry)	0	0	0	0	0
remote summoning	0	0	0	0	0

Steering wheel					
hand off detection Autonomous driving	OCity section	OCity	OCity	OCity	OCity
assistance road section	OHigh-speed section	section () High-speed	section O High-speed	section ○ High-speed	section O High-speed
4	Арр	earance/ant	ti-theft		
Rim material	● Aluminum	• Aluminum	• Aluminum	• Aluminum	• Aluminum
Electric suction door	●The whole car	●The whole car	●The whole car	●The whole <ar< td=""><td>●The whole car</td></ar<>	●The whole car
Electric trunk	•		•		•
induction trunk	•	•	•		
Electric trunk position memory	•	•	•	\bigcirc	•
roof rack		•		•	
Central locking in car	•	●		●	•
	• Remote key	●Remote key	•Remote key	●Remote key	Remote
Key type	●Bluetooth key ●NFC/RFID	●Bluetooth key ●	●Bluetooth key ●	●Bluetooth key ●	key ● Bluetooth
	key ●UWB	-	NFC/RFID key	NFC/RFID key	key •
Keyless start	•				
system		• The whole	The substants		The mhele
Keyless entry function	●The whole car	car	●The whole car	●The whole car	●The whole car
Hidden electric door handle			•	•	•
Active closing air				-	
intake grille	•	•		•	•
Remote start	•	•		•	•
function Battery preheating	•	•	•	•	•
external discharge	•	•	l i	•	•
		Exterior li	ights		
Low beam light source	● LED	●LED	●LED	●LED	●LED
high beam light source	●LED	●LED	●LED	●LED	● LED
LED daytime					
running lights				•	
Adaptive high and low beam	\bullet	●	•	●	•
automatic					
Turn assist light	●			•	
car front fog lights	● LED	●LED	●LED	●LED	• LED
Headlight height adjustable	•		•	•	•
Delayed turn off of headlights	•		•	•	•
		Skylight/g	lass	1	
/		<u></u>			

I					
Skylight type	• The panoramic	●The panoramic	●The panoramic	●The panoramic	●The panoramic
Front/rear	sunroof can be	sunroof can Front●/Back	sunroof can Front●/Back	sunroof can Front●/Back	sunroof can Front●
electric windows	Front●/Back●				/Back
One-touch window	•The whole	●The whole	• The whole	●The whole	●The whole
lifting function	car	car	car	car	car
Window anti-pinch function	•		•	•	•
Multilayer	•The whole	•The whole	●The whole	●The whole	●The whole
soundproof glass	car	car	car	car	car
Rear side privacy	•	●	•	•	•
glass	●Main driver	●Main driver	●Main	●Main driver	●Main
Car vanity mirror	+ lighting ●	+ lighting •	driver +	+ lighting ●	driver +
. · ·	Co-pilot +	Co-pilot +	lighting •	Co-pilot +	lighting $ullet$
rear wiper Sensing wiper	● ●Rain sensor	● ●Rain sensor	●Rain	● Rain sensor	●Rain
function	type	type	sensor type	type	sensor type
		rior rearvi			
	●Electric	●Electric	●Electric	●Electric	●Electric
	-	adjustment •	adjustment	adjustment •	adjustment
	Electric folding	Electric folding ●	●Electric folding ●	Electric folding ●	●Electric folding ●
	Rearview	Rearview	Rearview	Rearview	Rearview
	mirror memory	mirror memory	mirror	mirror memory	mirror 🕚
Exterior rearview	• Rearview	● Rearview	memory •	● Rearview	memory •
mirror function	mirror heating ●Automatic	mirror heating ●	Rearview mirror	mirror heating ●	Rearview mirror
	flip down when	Automatic	heating •	Automatic	heating •
	reversing •	flip down	Automatic	flip down	Automatic
	Automatic	when	flip down	when	flip down
	folding when locking the	reversing ● Automatic	when reversing •	reversing ● Automatic	when reversing
	car •	folding when	-	folding when	•Automatic
		Screen/sys			
Central control	• Touch OLED	• Touch OLED	●Touch OL <mark>E</mark> D	• Touch OLED	●Touch
color screen	screen	screen	screen	screen	OLED screen
Central control screen size	●12.8 inches	●12.8 inches	●12.8 inches	●12.8 inches	●12.8 inches
Bluetooth/car	•			•	
Mobile phone					
interconnection/ma pping	_		-	-	
	●Multimedia	●Multimedia	●Multimedia		
Voice recognition	system ● Navigation ●	system ● Navigation ●	system ● Navigation	system ● Navigation ●	Multimedia system ●
control system	Telephone •	Telephone •	• Telephone	Telephone	Navigation
	Air	Air	●Air	Air	● Telephone
	conditioning	conditioning	conditioning	conditioning	●Air

Vehicle	Dener	Demon	Democra	Damage	Daman
intelligent system		●Banyan	●Banyan	●Banyan	●Banyan
Vehicle smart chip	●Qualcomm Snapdragon	●Qualcomm Snapdragon	●Qualcomm Snapdragon	●Qualcomm Snapdragon	●Qualcomm Snapdragon
rear LCD screen	•	•			
Rear LCD screen size	●6.6 inches	●6.6 inches	●6.6 inches	●6.6 inches	●6.6 inches
Rear seat control multimedia	•		•	•	•
Vehicle system memory (GB)	•16	•16	●16		_
Vehicle system storage (GB)	●256	●256	●256) -	_
Voice wake word free		•	•	•	•
Voice area wake-up recognition	●Four areas	●Four areas	●Four areas	-	-
Speech continuous recognition	•	•	•	•	
It can be said that it is visible	•		•	•	•
	Intel	ligent conf	iguration		T
Internet of	•	•	•	•	•
Vehicles 4G/5G network	• 5G	• 5G	●5G 🖕	●5G	● 5G
OTA upgrade		• • •	• • • •	• • •	• • • •
Wi-Fi hotspot	•	•		•	•
V2X communication				•	
	●Door control	●Door	• Door	●Door	• Door
	●Window	control 🗨	control 🗨	control $ullet$	control $ullet$
	⊂ control ●	Window	Window	Window	Window
	Vehicle start	control	control •	control	control ●
	●Charging management ●	Vehicle start ●Charging	Vehicle start ●	Vehicle start ●Charging	Vehicle start ●
Mobile APP remote	Light control	management	Charging	management	Charging
function		Light control	management	Light control	management
1 dilo 01 Oli	conditioning	•Air	•Light	•Air	•Light
	control •	conditioning	control •	conditioning	control •
	Vehicle	control \bullet	Air	control •	Air
	condition	Vehicle	conditioning		conditionin
	inquiry/diagno		control ●	condition	g control
• 1 . 1 1	sis Vehicle	inquiry/diagn	Vehicle	inquiry/diagn	●Vehicle
simulated sound	Steering whe	el/interior	r rearview	mirror	
Steering wheel	●LeatherO	•LeatherO	●Genuine	●Leather〇	●Genuine
material	Genuine	Genuine	leather	Genuine	leather
Steering wheel	●Electric up	●Electric up		●Electric up	●Electric
position	and down +	and down +	up and down	and down +	up and down
adjustment	front and rear		+ front and	front and	+ front and
	adjustment	rear	rear	rear	rear

_				\bigcirc	
Shift pattern	●Electronic gear shift	●Electronic gear shift	●Electronic gear shift	 Electronic gear shift 	Electronic
Multifunction steering wheel		•	•	•	•
steering wheel gear shift	_	-		_	
Steering wheel heating	•	•	•	•	•
steering wheel memory	•	•	●	•	•
Trip computer display screen	●Color	●Color	●Color	●Color	●Color
Full LCD instrument panel	•	•	•	•	•
LCD instrument HUD heads up	●10.2 inches	●10.2 inches	• 10. 2 •	●10.2 inches	• 10. 2
digital display Interior rearview	•Automatic	•Automatic	•Automatic	•Automatic	• Automatic
mirror function ETC device	● anti-dazzle ●	anti-dazzle	anti-dazzle ●	anti-dazzle	anti-dazzle ●
Multimedia/chargin	●USB ●Type-C	Charging in ●USB ●Type-	●USB ●	●USB ●Type-	●USB ●
g interface Number of USB/Type-C	●2 in the front row/2 in	●2 in the front row/2	Type-C ●2 in the front row/2	●2 in the front row/2	Type-C ●2 in the front row/2
interfaces Mobile phone wireless charging function	the back row ●Front row	in the back ●Front row	in the back • Front row	in the back ●Front row	in the back ●Front row
Luggage compartment 12V	•	•	•	•	•
	Se	eat configu	ration		
seat material	●Imitation leather⊖ Genuine	●Imitation leather⊖ Genuine	●Genuine leather	●Imitation leather⊖ Genuine	●Genuine leather
Main seat adjustment method	 Front and back adjustment Backrest adjustment Height adjustment (4- way) Leg rest adjustment 	 Front and back adjustment Backrest adjustment Height adjustment (4-way) Leg rest adjustment 	 Front and back adjustment Backrest adjustment Height adjustment (4-way) Leg rest adjustment 	●Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ●Leg rest adjustment ●	 Front and back adjustment Backrest adjustment Height adjustment (4-way) Leg rest adjustment
	A	Ŏ,		3	

	•Front and	•Front and	•Front and	•Front and	•Front and
	back adjustment ●	back adjustment ●	back adjustment	back adjustment ●	back adjustment
	Backrest	Backrest	Backrest	Backrest	 Backrest
Secondary seat	adjustment •	adjustment •	adjustment	adjustment •	adjustment
adjustment method	Height	Height	Height	Height	●Height
	adjustment (4-		adjustment	adjustment	adjustment
	way) ●Leg	(4-way) ●Leg		(4-way) ●Leg	-
	rest	rest	Leg rest	rest	Leg rest
Main/passenger	adjustment ● Main●/Deputy	adjustment ● Main●/Deputy	adjustment Main●	adjustment ● Main●/Deputy	adjustment Main●
seat electric			/Deputy●	Marn V Deputy	/Deputy●
	●Heating ●	●Heating ●	•Heating •	●Heating ●	•Heating
Front seat	Ventilation ●	Ventilation	Ventilation	Ventilation	•
functions	Massage	●Massage	●Massage	●Massage	Ventilation
Power seat memory	●Driver's	●Driver's	●Driver's	●Driver's	●Driver's
function	seat ●Co-	seat ●Co-	seat ●Co-	seat ●Co-	seat ●Co-
	pilot's seat	pilot's seat	pilot's seat	pilot's seat	pilot's
Adjustable buttons for the passenger	•		•	•	
seat and rear row					
Second row seat	●Backrest	●Backrest	●Backrest	●Backrest	●Backrest
adjustment	adjustment • Waist	adjustment ● Waist	adjustment ●Waist	adjustment ● Waist	adjustment ●Waist
Electrically	Walst	Walst	Walst	Walst	Walst
adjustable second row seats	•	•		•	•
Second row seat functions	●Heating	●Heating	●Heating	●Heating	●Heating
Rear seats fold	●Inverted	Inverted	●Inverted	●Inverted	●Inverted
down	<pre>>proportions</pre>	proportions	proportions	proportions	proportions
Front/rear center armrest	Front●/Back●	Front •/Back	Front •/Back	Front •/Back	Front● /Back●
Rear cup holder	•				
	Audi	o/interior	lighting		1
Speaker brand name	-	-	-		-
Number of speakers	●23 speakers	●23 speakers	•23	●23 speakers	•23
Dolby Atmos touch reading					
Car interior ambient lighting	●256 colors	●256 colors	●256 colors	●256 colors	●256 colors
	Air co	nditioner/r	ofrigorato	r	COTOTS
Air conditioning	● Automatic	•Automatic		●Automatic/	●Automatic
temperature	air	air	air	air	air
control method	conditioning		conditioning		conditionin
heat pump air conditioner	•		•	•	•
Independent air conditioning in the rear	●	•	•		•
	A	1		0	

Rear seat air					
outlet		•		•	
Temperature zone control	•	•	•	•	
Car air purifier	•	•	•	•	
In-car PM2.5					
filter device	•				
negative ion	•		●	•	
generator Car fragrance					
device	•	•	•	•	•
	(Optional pa	ckage		
	NIO battery	NIO battery	NIO battery	NAD full	
	(75kWh battery	(100kWh	(100kWh	function	NAD full
	pack) rental	battery pack)	battery	service	function
4	service (-	rental	pack) rental	subscription	service
	70000) NAD	service (-	service (-	(1) Airglow	subscriptio
	full function	128000) NAD	128000) NAD	Orange	n (1)
	service	full function	full	Caliper	Airglow
	subscription	service	function	(3500)	Orange
	(1) Airglow	subscription	service	Appearance	Caliper
	Orange	(1) Airglow	subscription	-	(3500)
	calipers (3500)	Orange	(1) Airglow	Theme (4500) NOMI Vehicle	Appearance
	(3500) Appearance	caliper (3500)	Orange caliper	Artificial	Package Moon Theme
)	package Moon	Appearance	(3500)	Intelligence	(4500)
	theme (4500)	package Moon	Appearance	System (4900)	Towing
	NOMI vehicle	theme (4500)	package Moon	Trailer	Package
1	artificial	NOMI vehicle	theme (4500)	Package	(7500)
	intelligence	artificial	Towing	(7500) Nappa	、 · /
	Space blue,	Aurora g <mark>r</mark> een,	Antarctic	Aurora green,	Aurora
	cloud white,	star gray,	blue, aurora	Antarctic	green,
	twilight	stratosphere	green, deep	star blue,	Antarctic
	orange, aurora		space black,	deep space	star blue,
Exterior color	green,	space black,	stratosphere	black,	deep space
	Antarctic star	Antarctic	blue,	stratosphere	black,
	blue, deep	star blue,	twilight	blue,	stratospher
	space black,	twilight	orange, star	twilight	e blue, twilight
	stratosphere blue, star	orange,	gray,	orange, star	twilight
	Black/Edelweis	aerospace Black/Pamir	aerospace Black/Edelwe	gray, Black/Pamir	orang <mark>e</mark> , Black/Pamir
	s White, Agate		iss White,	Brown,	Brown,
interior color		Black/Edelwei	Black/Pamir	Black/Edelwei	Black/Edelw
	Black/Pamir	ss White,	Brown, Agate	ss White,	eiss White,
	Brown	Agate Black	Black	Agate Black	Agate Black
Note: 🗨 Standard	O Optional	- None			
				4	