

## QINGDAO QHCY INTERNATIONAL TRADING CO., LTD. Web:cartradinghub.com Tel: 86-15176650760

Web:cartradinghub.com lel: 86-15176650760

E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

I single motor I single motor Idual motors with	4				
Basic parameters   Single motor standard battery life   Polestar   Polestar		Polestar 4	configuration	on sheet	
Manufacturer   Polestar   Polestar   Medium and large   SUV   SU	Basic parameters	single motor standard battery	single motor standard range	dual motors with long battery	Polestar 4 2024 dual motor long range PLUS
Redium and large   SUV		<sub>4</sub> Bas	sic parameters		
SUV   SUV   SUV   SUV   SUV   SUV   Energy type   pure electric   pure elect	Manufacturer				
time to market         2023.11	level	_	7	_	_
CLTC pure electric cruising range         668         668         682         682           Fast charging time (hours)         0.53         0.53         0.53         0.53         0.53           Slow charging time (hours)         15.5         15.5         17.5         17.5         17.5           Fast charging percentage         5-80         5-80         5-80         5-80         5-80           Maximum power (kW)         200         200         400         400           Maximum torque (N*m)         343         343         686         686           Motor (Ps)         272         272         544         544           Length*width*heigh t (mm)         4845*1994*1544         4845*1994*1544         4845*1994*1544         4845*1994*1544         4845*1994*1544         4845*1994*1544         4845*1994*1544         4845*1994*1544         4845*1994*1544         4845*1994*1544         4845*1994*1544         4845*1994*1544         4845*1994*1544         4845*1994*1544         4845*1994*1544         4	Energy type				
cruising range         688         682         682           Fast charging time (hours)         0.53         0.53         0.53         0.53           Slow charging time (hours)         15.5         15.5         17.5         17.5           Fast charging percentage         5-80         5-80         5-80         5-80           Maximum power (kW)         200         200         400         400           Maximum torque (N·m)         343         343         686         686           Motor (Ps)         272         272         544         544           Length*width*heigh t (mm)         4845*1994*1544         4845*1994*15		2023. 11	2023.11	2023. 11	2023. 11
Slow charging time (hours)		668	668	682	682
Three years with no limit on   Three years with no limit on   Three years with no limit on   Three years with warranty policy   Three years   Three years		0.53	0. 53	0.53	0.53
Fast charging percentage         5-80         5-80         5-80         5-80           Maximum power (kW)         200         200         400         400           Maximum torque (N ⋅ m)         343         343         686         686           Motor (Ps)         272         272         544         544           Length*width*heigh t (mm)         4845*1994*1544         4845*1994		15. 5	15. 5	17. 5	17.5
Maximum power (kW)         200         200         400         400           Maximum torque (N·m)         343         343         686         686           Motor (Ps)         272         272         544         544           Length*width*heigh t (mm)         4845*1994*1544         4	Fast charging	5-80	5-80	5-80	5-80
Maximum torque (N⋅m)         343         343         686         686           Motor(Ps)         272         272         544         544           Length*width*heigh t (mm)         4845*1994*1544         4845*1994*1994         4845*1994*1544         4845*1994*19		200	200	400	400
Motor(Ps)         272         272         544         544           Length*width*heigh t (mm)         4845*1994*1544         4845*1994*1994	Maximum torque				
Length*width*heigh t (mm)         4845*1994*1544	•	272	272	544	544
Body structure	Length*width*heigh				
Maximum speed (km/h)         200         200         200         200           Official 0-100km/h acceleration (s)         7.1         7.1         3.8         3.8           Vehicle warranty         Three years with no limit on limit on polimit on on limit on				· ·	
Three years with no limit on	V =				•
No limit on		7.1	7.1	3.8	3.8
First owner warranty policy  Body  Length (mm)					
Body           Length(mm)         4845         4845         4845         4845           Width(mm)         1994         1994         1994         1994           Height(mm)         1544         1544         1544         1544           Wheelbase(mm)         2999         2999         2999         2999           Front wheelbase (mm)         - </td <td></td> <td>-</td> <td>-</td> <td>_</td> <td>- (</td>		-	-	_	- (
Length (mm)       4845       4845       4845         Width (mm)       1994       1994       1994         Height (mm)       1544       1544       1544       1544         Wheelbase (mm)       2999       2999       2999       2999         Front wheelbase (mm)       —       —       —       —         Rear wheelbase       —       —       —       —			Body		
Width (mm)       1994       1994       1994         Height (mm)       1544       1544       1544       1544         Wheelbase (mm)       2999       2999       2999       2999         Front wheelbase (mm)	Length (mm)	4845		4845	4845
Wheelbase (mm)         2999         2999         2999           Front wheelbase (mm)         -			1994		
Front wheelbase				1544	
(mm)	Wheelbase(mm)	2999	2999	2999	2999
Real wheelbase		-	_	-	_
Body structure SUV crossover SUV crossover SUV crossover SUV crossover	Rear wheelbase	-			_
	Body structure	SUV crossover	SUV crossover	SUV crossover	SUV crossover

Car door opening	swing door	swing door	swing door	swing door
Number of doors	4	4	4	Swing door
(number) Number of seats (seats)	5	5	5	5
Front trunk volume (L)	15	15	15	15
Trunk volume (L) Curb weight (kg)	526-1536 -	526-1536 -	526-1536 -	526-1536 -
	E	ectric motor		
Motor type	Permanent magnet/synchrono	Permanent magnet/synchrono	Permanent magnet/synchrono	Permanent magnet/synchrono
Total motor power (kW)	200	200	400	400
Total motor power (Ps)	272	272	544	544
Total torque of motor (N • m)	343	343	686	686
Maximum power of front electric motor (kW)	-		200	200
Maximum torque of front electric motor (N•m)		-	343	343
Maximum power of rear electric motor (kW)	200	200	200	200
Maximum torque of rear electric motor (N•m)	272	272	343	343
Number of drive motors	single motor	single motor	Dual motor	Dual motor
Motor layout	rear	rear	Front + rear	Front + rear
Battery Type	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery	Ternary lithium battery
CLTC pure electric cruising range	668	668	682	682
Battery energy (kWh)	86	86	100	100
Electricity consumption per 100 kilometers (kWh/100km)		4	-	
Battery pack warr <mark>a</mark> nty	-	-	-	_
Fast charging function	support	support	support	support
Fast charging power (kW)	200	200	200	200

		1		
Fast charging time (hours)	0. 53	0. 53	0. 53	0. 53
Slow charging time (hours)	15. 5	15. 5	17. 5	17.5
Fast charging capacity(%)	5-80	5-80	5-80	5-80
electric motor	200	200	400	400
		Gearbox		
Number of gears	1	1	1	1
Gearbox type	fixed ratio	fixed ratio	fixed ratio	fixed ratio
	Electric vehicle			Electric vehicle
abbreviation	single speed	single speed	single speed	single speed
	ge <mark>a</mark> rbox	gearbox	gearbox	gearbox
		assis steering		8001501
	CII		Dual motor four-	Dual motor four-
Drive mode	rear wheel drive	rear wheel drive	wheel drive	wheel drive
four-wheel drive	_	-	Electric four- wheel drive	Electric four- wheel drive
Center differential		1 -		-
г .	Double wishbone	Double wishbone	Double wishbone	Double wishbone
Front suspension	independent 🦠	independent	independent	independent
type	suspension	suspension	suspension	suspension
	Multi-link	Multi-link	Multi-link	Multi-link
rear suspension	independent	independent	independent	independent
type	suspension	suspension	suspension	suspension
Assist type	electric assist	electric assist	electric assist	electric assist
Body structure	Load-bearing	Load-bearing	Load-bearing	Load-bearing
		Wheel brake		
Front brake type	ventilated disc	ventilated disc	ventilated disc	ventilated disc
rear brake type	ventilated disc	ventilated disc	ventilated disc	ventilated disc
Parking brake type	Electronic	Electronic	Electronic	Electronic
Front tire specifications	255/50 R20	255/45 R21	255/50 R20	255/45 R21
Rear tire specifications	255/50 R20	255/45 R21	255/50 R20	255/45 R21
Spare tire specifications	Tire repair tool	Tire repair tool	Tire repair tool	Tire repair tool
specifications		Passive safety		
Main/passenger seat airbag	Main●/Deputy●	Main●/Deputy●	Main●/Deputy●	Main●/Deputy●
Front/rear side airbags	Front●/Back-	Front●/Back-	Front●/Back-	Front●/Back-
Front/rear head airbags (curtain airbags)	Front●/Back-	Front●/Back-	Front●/Back-	Front●/Back-
Front middle	•	•	• 4	•
Tire pressure monitoring	●Tire pressure display	Tire pressure display	●Tire pressure display	●Tire pressure display
Run-flat tires	-		-	——————————————————————————————————————

Seat belt not fastened reminder	•The whole car	●The whole car	●The whole car	•The whole car
ISOFIX child seat interface	•	• _	•	•
ABS anti-lock	•	•	•	
Braking force distribution (EBD/CBC, etc.)	•		•	
Brake assist (EBA/BAS/BA, etc.)	•	•	• \	•
Traction control (ASR/TCS/TRC,	•	•		•
Body stability control	•	•	•	•
(ESC/ESP/DSC,	A	ctive safety		
Lane Departure Warning System	•	•	•	
Active braking/active safety system	•	4.	•	
Fatigue driving tips	• )	<b>O</b> •	•	<b>)</b> •
forward collision warning	•	•	•	•
rear collision warning		•	•	•
Low speed warning	•	•	1	•
Built-in driving recorder	•	•	•	•
roadside assistance call	•	•	•	•
		iving control		
Driving mode switch	●Sport ● Standard/Comfort able			
energy recovery system		•	•	•
automatic parking		•		•
Hill assist steep descent		•	•	
Variable suspension	_		•Suspension soft and hard	•Suspension soft and hard
Front /noor	Dri	iving hardware		
Front/rear parking radar	Front ●/Back ●  ■360-degree	Front ●/Back ●  ■ 360-degree	Front ●/Back ●  ■360-degree	Front ●/Back ●  ■360-degree
Driving assistance images	panoramic image	panoramic image	panoramic image	_
Assisted driving chip	●Dual Mobileye EyeQ5H	●Dual Mobileye EyeQ5H	●Dual Mobileye EyeQ5H	●Dual Mobileye EyeQ5H

Number of cameras	●12 pieces	●12 pieces	●12 pieces	●12 pieces _
Ultrasonic radar quantity	●12 pieces	●12 pieces	●12 pieces	●12 pieces
Millimeter wave radar quantity	●1 piece	●1 piece	●1 piece	●1 piece
4	Dri	iving function	1	
cruise system	●Full-speed adaptive cruise	●Full-speed adaptive cruise	●Full-speed adaptive cruise	●Full-speed adaptive cruise
Assisted driving level	●L2	●L2	●L2	●L2
Reverse side warning system	•	•		•
satellite navigation system		•	•	•
Navigation traffic information	•	• (	•	• \
map brand	●Gaode	●Gaode	●Gaode	Gaode
Parallel Lane Keeping	•	4	•	
Assist System	•	•	•	•
Lane centering	•	•	•	•
Road traffic sign recognition	•	<b>O</b> •	•	<i>y</i> •
Automatic parking	•	•	•	•
Automatic lane change assist		•	•	•
Steering wheel hand off detection	•	•	•	•
Autonomous driving assistance road	●Highway section	●Highway section	●Highway section	●Highway section
section	Annea	rance/anti-th	l eft	
Rim material	●Aluminum alloy		●Aluminum alloy	●Aluminum allov
Frameless design door	• (	•	•	) •
Electric trunk		•		•
induction trunk Electric trunk		•		•
position memory Central locking in	•	•	•	•.
car Key type	Bluetooth key     NFC/RFID key			
Keyless start system	●UWB digital ●	●UWB digital	●UWB digital	●UWB digital
Keyless entry function	●The whole car	•The whole car	●The whole car	●The whole car
Hidden electric door handle	•	•		•
	1			

Active closing air intake grille		•	•	•
Remote start function	0.	• _	•	•
Battery preheating	•		•	
external discharge	•		•	
	Ex	terior lights		
low beam light source	●LED	LED	●LED	●LED
high beam light source	●LED	• LED	• LED	●LED
Lighting features	_	●Pixel style		●Pixel style
LED daytime running lights		•	•	•
Adaptive high and low beam	•	•	•	• \
automatic 🔪		•	•	
car front fog lights	-	_	-	
Headlight height adjustable	•	•	•	•
Delayed turn off of headlights	•	•	•	<b>少・</b>
	SI	xylight/glass		
Skylight type	●The panoramic sunroof cannot be opened	•The panoramic sunroof cannot be opened	●The panoramic sunroof cannot be opened	●The panoramic sunroof cannot be opened
Light-sensing awning	•	• De Openeu	• Dev Opened	• Opened
Front/rear electric windows	Front●/Back●	Front●/Back●	Front●/Back●	Front●/Back●
One-touch window lifting function	●The whole car	●The whole car	●The whole car	•The whole car
Window anti-pinch function	•	•	• (	) •
Multilayer soundproof glass	●The whole car	●The whole car	●The whole car	●The whole car
Rear side privacy glass	•	•	•	•
Car vanity mirror	●Main driver + lighting ●Co-pilot + lighting	●Main driver + lighting ●Co-pilot + lighting	● Main driver + lighting ● Co-pilot + lighting	●Main driver + lighting ●Co- pilot + lighting
rear wiper				
Sensing wiper	●Rain sensor	●Rain sensor	●Rain sensor	●Rain sensor
function	type	type	type	type
	Exterio	or rearview mi	rror	

	●Electric	●Electric	●Electric	●Electric
Exterior rearview mirror function	adjustment   Electric folding  Rearview  mirror memory   Heated rearview  mirrors   Automatically  flip down when  reversing	● Rearview mirror memory ● Rearview mirror heating ● Automatic flip down when reversing ●	adjustment  Electric folding Rearview mirror memory  Heated rearview mirrors  Automatically flip down when reversing	● Rearview mirror memory ● Rearview mirror heating ● Automatic flip down when reversing ●
	Automatically fold when the	Automatic folding when	Automatically fold when the	Automatic folding when
	A.	creen/system		j
Central control color screen	●Touch LCD screen	●Touch LCD screen	Touch LCD screen	●Touch LCD screen
Central control screen size Bluetooth/car	•15.4 inches	●15.4 inches	•15.4 inches	●15.4 inches
Mobile phone interconnection/ma	●Support CarPlay	•Support CarPlay	•Support CarPlay	●Support CarPlay
Voice recognition control system	●Multimedia system ● Navigation ● Telephone ●Air	●Multimedia system ● Navigation ● Telephone ●Air	●Multimedia system ● Navigation ● Telephone ●Air	●Multimedia system ● Navigation ● Telephone ●Air
face recognition		•	•	•
Vehicle intelligent system	●Polestar OS	●Polestar OS	•Polestar OS	●Polestar OS
Vehicle smart chip	●Qualcomm Snapdragon 8155	●Qualcomm Snapdragon 8155	●Qualcomm Snapdragon 8155	●Qualcomm Snapdragon 8155
Rear LCD screen size	-	●5.7 inches	-	•5.7 inches
Rear seat control multimedia	-	•	- (	•
V <mark>o</mark> ice <mark>wak</mark> e word free	•	•	•	•
Voice area wake-up recognition	●Four areas	●Four areas	●Four areas	●Four areas
Speech continuous recognition It can be said	•	•	•	•
that it is visible	T . 11.	•	•	•
Internet of	Intelli •	gent configura	ation •	
Vehicles 4G/5G network	● 5G	●5G	● 5G	● 5G
OTA upgrade	4			

W 1 : 1 ADD	●Door control ●Vehicle	●Door control ●Vehicle	●Door control ●Vehicle	●Door control ●Vehicle
Mobile APP remote function	starting • Charging	starting • Charging	starting • Charging	starting • Charging
C	management •	management ● /interior rea	management •	management •
Steering wheel	Steering wheel  • Genuine	• Genuine	• Genuine	●Genuine
material	leather	leather	leather	leather
Steering wheel	●Manual up and	●Electric up	●Manual up and	●Electric up
position	down + front and	and down + front		and down + front
adjustment	rear adjustment  • Electronic	and rear  ●Electronic	rear adjustment  • Electronic	and rear  ●Electronic
Shift pattern	gear shift	gear shift	gear shift	gear shift
Multifunction steering wheel	Sear Britt	•	•	•
steering wheel gear shift	<u> </u>	-	<i>y</i> -	
Steering wheel heating	-	•	-	•
steering wheel memory Trip computer	-	•	- (	•
display screen Full LCD	●Color	●Color	●Color	●Color
instrument panel		•	•	•
LCD instrument	ullet10.2 inches	●10.2 inches	●10.2 inches	●10.2 inches
HUD heads up digital display	-	•	_	•
Interior rearview mirror function	● Auto-dimming ■ Streaming media rearview	●Auto-dimming ●Streaming media rearview	● Auto-dimming     ● Streaming     media rearview	●Auto-dimming ●Streaming media rearview
		arging in car	media rearview	media rearview
Multimedia/chargin g interface	●Type-C	● Type-C	● Type-C	●Туре-С
Number of USB/Type-C	•2 in the front row/2 in the	●2 in the front row/2 in the	row/2 in the	row/2 in the
interfaces	back row	back row	back row	back row
Mobile phone wireless charging function	•Front row	●Front row	•Front row	●Front row
Mobile phone wireless charging	●50W	● 50W	● 50W	●50W
power Luggage compartment 12V	•		•	
Compartment 12v	Seat	t configuratio	n	
2004 4-4-1 1		● Fabric O	_	●Fabric○
seat material	●Fabric	Genuine leather	●Fabric	Genuine leather
Sports style seats	•	•		•

	●Front and back adjustment ●	●Front and back adjustment ●	●Front and back adjustment ●	●Front and back adjustment ●
Main seat adjustment method	Backrest adjustment ● Height adjustment (4-	Backrest adjustment ● Height adjustment (4-	Backrest adjustment ● Height adjustment (4-	Backrest adjustment ● Height adjustment (4-
Secondary seat adjustment method	● Front and back adjustment ● Backrest adjustment ● Height adjustment (2-	●Front and back adjustment ● Backrest adjustment ● Height adjustment (4-	● Front and back adjustment ● Backrest adjustment ● Height adjustment (2-	● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-
Main/passenger seat electric	Main●/Deputy●	Main●/Deputy●	Main●/Deputy●	Main●/Deputy●
Front seat functions	●Heating	●Heating○ Ventilation○ Massage	●Heating	●Heating○ Ventilation○ Massage
Power seat memory function Adjustable buttons for the passenger	●Driving position	●Driving position	●Driving position	●Driving position
seat and rear row Second row seat adjustment	●Backrest adjustment	•Backrest adjustment	●Backrest adjustment	●Backrest adjustment
Electrically adjustable second row seats		•	4-	•
Second row seat functions	-	●Heating	J -	●Heating
Rear seats fold down	●Inverted proportions	●Inverted proportions	●Inverted proportions	●Inverted proportions
Front/rear center armrest	Front●/Back●	Front●/Back●	Front●/Back●	Front●/Back●
Rear cup holder		interior ligh	ting	•
Speaker brand name	Add10/	● Harman/KardonHar	- Ling	● Harman/KardonHar
Number of speakers	●8 speakers	man Kardon  ●12 speakers○  16 speakers	●8 speakers	man Kardon  ●12 speakers○  16 speakers
Car interior ambient lighting	•9 colors	●9 colors	●9 colors	•9 colors
	Air condi	itioner/refrig	erator	
Air conditioning temperature control method	•Automatic air conditioning	●Automatic air conditioning	●Automatic air conditioning	●Automatic air conditioning
heat pump air conditioner	• (	•	• 1	•

Independent air conditioning in the rear		•	-	• (
Rear seat air outlet	•	• ~	•	•
Temperature zone control	•		•	
Car air purifier				•
In-car PM2.5 filter device	•	•	•	•
	Opt	ional package		
	70	Exclusive package (10,000) 21-inch 4-spoke forged wheels (12,000) Nappa seat upgrade package (28,000)	21-inch 4-spoke forged wheels (12000)	Exclusive package (10,000) 21-inch 4-spoke forged wheels (12,000) Nappa seat upgrade package (28,000) High-performance
Exterior color	Storm gray, electronic blue, magnesium silver, Swedish gold, space black, snow	Magnesium silver, storm gray, electronic blue, Swedish gold, space black, snow	Storm gray, electronic blue, magnesium silver, Swedish gold, space black, snow	Snow crystal white, Swedish gold, storm gray, electronic blue, space black, magnesium
interior color	Carbon black	Black/zinc gray, carbon black, black/mist gray	Carbon black	Black/Mist Gray, Black/Zinc Gray, Carbon Black
Note: •Standard	O Optional - N	Vone		