

QINGDAO QHCY INTERNATIONAL TRADING CO., LTD. Web:cartradinghub.com Tel: 86-15176650760 E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

Trumpchi GS8 20	24 (dual-engine version)	configuration sheet	
	Trumpchi GS8 2024 Dual Engine	Trumpchi GS8 2024 Dual Engine	
	Series 2.0TM Two-wheel drive	Series 2. OTM Four-wheel Drive	
	Premium Edition	Premium Edition	
	Basic parameters		
Manufacturer	GAC Passenger Car	GAC Passenger Car	
level	Medium SUV	Medium SUV	
Energy type	Gas-electric hybrid	Gas-electric hybrid	
Environmental protection standards	Country VI	Country VI	
time to market	2023.06	2023.06	
Maximum power(kW)	- (-	
Maximum torque (N•m)		-	
engine	2.0T 190 horsepower L4	2.0T 190 horsepower L4	
Motor(Ps)	182	237	
gearbox	E-CVT continuously variable transmission	E-CVT continuously variable transmission	
Length*width*height (mm)	5015*1950*1780	5015*1950*1780	
Body structure	5-door, 7-seater SUV	5-door, 7-seater SUV	
Maximum speed (km/h)	190	190	
Official O-100km/h	100		
acceleration (s)	-	6.9	
NEDC comprehensive fuel	5. 3	5.8	
consumption (L/100km)	5. 5	5. 6	
WLTC comprehensive fuel consumption (L/100km)	5.96	6. 33	
Consumption (L/ Tookin)	Five years or 150,000	Five years or 150,000	
Vehicle warranty	kilometers	kilometers	
First owner warranty	NTIOme COTS		
policy	-		
	Body		
Length(mm)	5015	5015	
Width (mm)	1950	1950	
Height (mm)	1780	1780	
Wheelbase(mm)	2920	2920	
Front wheelbase (mm)	1664	1664	
Rear wheelbase (mm)	1676	1676	
Minimum ground clearance with full load (mm)	150	150	
Minimum ground clearance without load (mm)	190	190	
Approach angle (°)	18	18	
Departure angle (°)	twenty three	twenty three	

Body structure	SUV	SUV
Car door opening method	swing door	swing door
Number of doors (number)	5	5
Number of seats (seats)	7	7
Fuel tank volume (L)	58	58
Trunk volume (L)	-	-
Curb weight (kg)	2045	2120
Maximum full load mass	2575	2650
(kg)	Engine	
engine model	4B20.J2	4B20J2
Displacement (mL)	1991	1991
Displacement (L)	2.0	2.0
Intake form	turbocharging	turbocharging
Engine layout	horizontal	horizontal
Cylinder arrangement	IIII IZOIITAI	
Number of cylinders	L	L
(number)	4	4
Number of valves per cylinder (number)	4	4
Air Supply	DOHC	DOHC
Maximum horsepower (Ps)	190	190
Maximum power(kW)	140	140
Maximum power speed (rpm)	4500-5000	4500-5000
Maximum torque (N•m)	320	320
Maximum torque (N + M)		
(rpm)	1500-5000	1500-5000
Maximum net power (kW)	140	140
Engine specific	_	_
technology		4
fuel form	Gas-electric hybrid	Gas-electric hybrid
fuel grade	No. 92	No. 92
Fuel supply method	direct injection	direct injection
Cylinder head material	Aluminum alloy	Aluminum alloy
Cylinder material	Aluminum alloy	Aluminum alloy
Environmental protection standards	Country VI	Country VI
<u> </u>	Electric motor	
Motor type	Permanent magnet/synchronous	Permanent magnet/synchronous
Total motor power (kW)	134	174
Total motor power (Ps)	-	-
Total torque of motor (N • m)	270	391
Maximum power of front electric motor (kW)	134	134
Maximum torque of front	270	270
electric motor (N • m) Maximum power of rear	_	40
electric motor (kW)		

Maximum torque of rear electric motor (N•m)	-	121
Number of drive motors	single motor	Dual motor
Motor layout 🔪	frontload	Front + rear
Battery Type	NiMH batteries	NiMH batteries
Battery energy (kWh) Electricity consumption per 100 kilometers (kWh/100km)		-
Battery pack warranty	Eight years or 200,000 kilometers	Eight years or 200,000 kilometers
Fast charging function		-
Fast charging time (hours)	<u> </u>	-
Slow charging time (hours)	, - (-
Fast charging capacity(%)		
	Gearbox	
Number of gears	Continuously va <mark>r</mark> iable speed	Continuously variable speed
Gearbox type	Electronic continuously variable transmission (E-CVT)	Electronic continuously variable transmission (E-CVT)
abbreviation	E-CVT continuously variable transmission	E-CVT continuously variable transmission
1	Chassis steering	
Drive mode	Front wheel drive 🔷	🧹 Front four-wheel drive
four-wheel drive		Electric four-wheel drive
Center differential structure		-
Front suspension type	MacPherson independent suspension	MacPherson independent suspension
rear suspension type	Multi-link independent suspension	Multi-link independent suspension
Assist type	electric assist	electric assist
Body structure	Load-bearing	Load-bearing
	Wheel brake	
Front brake type rear brake type	ventilated disc	ventilated disc
Parking brake type	Electronic parking	Electronic parking
Front tire		
specifications	255/50 R20	255/50 R20
Rear tire specifications Spare tire	255/50 R20 Not full size	255/50 R20 Not full size
specifications		Not Iuli Size
Main/nagagereant	Passive safety	
Main/passenger seat airbag	Main /Deputy	Main●/Deputy●
Front/rear side airbags	Before●/After-	Before●/After-
Front/rear head airbags (curtain airbags)	before●/after●	before●/after●

knee air bag	-	-
Tire pressure monitoring	•Tire pressure display	●Tire pressure display
function		
Run-flat tires Seat belt not fastened	-	-
seat beit not fastened reminder	●Front row ●Second row	ullet Front row $ullet$ Second row
ISOFIX child seat		
interface	•	•
ABS anti-lock		
Braking force		
distribution (EBD/CBC,	•	
etc.) Brake assist		
(EBA/BAS/BA, etc.)	•	•
Traction control		
(ASR/TCS/TRC, etc.)		
Body stability control (ESC/ESP/DSC, etc.)	•	•
	Active safety	
Lane Departure Warning System		
Active braking/active safety system		
Fatigue driving tips		
DOW opening warning		•
forward collision	•	•
warning rear collision warning		
Built-in driving		
recorder	•	•
roadside assistance call		
	Driving control	
Driving mode switch	●Sport ●Economy ● Standard/Comfortable	●Sport ●Economy ● Standard/Comfortable ●Off- road
energy recovery system		
automatic parking	•	
Hill assist	•	•
steep descent 🔨		
Frant/mark 1	Driving hardware	
Front/rear parking radar Driving assistance	before●/after●	before●/after●
images	●360-degree panoramic image	●360-degree panoramic image
Transparent chassis/540		•
deg <mark>r</mark> ee image	Draining formation	<u></u>
	Driving function	Eull anothedard
cruise system Assisted driving level	●Full-speed adaptive cruise ●L2	●Full-speed adaptive cruise ●L2
Reverse side warning		
system	•	•
		\sim

cotollito povigation		O^{*}
satellite navigation system	•	•
Navigation traffic		
information display		
map brand	Gaode	●Gaode
Parallel assistance Lane Keeping Assist		
System		•
Lane centering		
Road traffic sign		•
recognition	-	
Automatic parking Automatic lane change	_	
assist	-	-
	Appearance/anti-thef	t
Rim material	Aluminum alloy	●Aluminum alloy
Electric trunk	•	•
induction trunk	•	• ()
Electric trunk position	•	•
memory roof rack		
Engine electronic anti-		
theft		
Central locking in car		•
Key type	●Remote key ●Bluetooth key	●Remote key ●Bluetooth key
<u>Keyless start system</u> Keyless entry function	• • Front row	• •Front row
Hidden electric door	•Front row	UTIONUTION
handle	•	•
Remote start function		•
	Exterior lights	4
low beam light source	• LED	• LED
high beam light source	●LED	●LED ●Matrix ●Geometric multi-
Lighting features	●Matrix ●Geometric multi-beam	beam
L <mark>ED daytime running</mark> lights	•	•
Adaptive high and low		
beam 🔨		•
automatic headlight	•	•
car front fog lights Headlight height	-	
adjustable	•	
Delayed turn off of headlights		•
	Skylight/glass	
Skylight type	• The panoramic sunroof can be opened	●The panoramic sunroof can be opened
Front/rear electric windows	before●/after●	before●/after●

One-touch window lifting function	• The whole car	•The whole car
Window anti-pinch function	Y • 1	•
Multilayer soundproof glass	●Front row	●Front row
Rear side privacy glass	●Main driver + lighting ●Co-	● ●Main driver + lighting ●Co-
Car vanity mirror rear wiper	pilot + lighting	pilot + lighting
Sensing wiper function	●Rain sensor type	• Rain sensor type
bending wiper runetion	Exterior rearview mirr	
	●Electric adjustment ● Electric folding ●Rearview	●Electric adjustment ● Electric folding ●Rearview
Exterior rearview mirror function	mirror memory •Heated rearview mirrors •Automatically flip	mirror memory •Heated rearview mirrors •
	down when reversing ● Automatically fold when the car	
	is locked	when the car is locked
Central control color	Screen/system • Touch LCD screen	●Touch LCD screen
Central control screen size	●14.6 inches	●14.6 inches
Bluetooth/car phone		
Mobile phone interconnection/mapping		
Voice recognition control system	●Multimedia system ● Navigation ●Telephone ●Air conditioning ●Sunroof	●Multimedia system ● Navigation ●Telephone ●Air conditioning ●Sunroof
gesture control		
face recognition	•	
Vehicle smart chip Voice wake word free	●Qualcomm Snapdragon 8155 ●	●Qualcomm Snapdragon 8155 ●
Voice area wake-up recognition	•Single area	•Single area
Speech continuous recognition	· · ·	•
	/Intelligent configurat:	ion 🦳
Internet of Vehicles		•
4G/5G network	•4G	•4G
OTA upgrade In-vehicle biometric monitoring system		- ()
Mobile APP remote function	 Door control Ovehicle start Air conditioning control Ovehicle status Seat heating Ovehicle status inquiry/diagnosis Ovehicle positioning/car search 	 Door control Vehicle start Air conditioning control Seat heating Vehicle status inquiry/diagnosis Vehicle positioning/car search
Steer	ing wheel/interior rearva	

Steering wheel material	●Genuine leather	•Genuine leather
Steering wheel position	• Manual up and down + front	• Manual up and down + front
adjustment	and rear adjustment	and rear adjustment
Shift pattern	●Electronic gear shift	●Electronic gear shift
Multifunction steering wheel	•	•
steering wheel gear 		-
Steering wheel heating		•
steering wheel memory		
Trip computer display screen	●Color	●Color
Full LCD instrument panel	•	•
LCD instrument size	●12.3 inches	●12.3 inches
HUD heads up digital display	-	-
AR-HUD augmented reality head-up display	•	•
Interior rearview mirror function	●Automatic anti-dazzle	●Automatic anti-dazzle
	Charging in car	
Multimedia/charging interface	●USB	●USB
Number of USB/Type-C interfaces	•2 people in the front row/2 people in the back rowO2 people in the front row/3 people in the back row	●2 people in the front row/2 people in the back row○2 people in the front row/3 people in the back row
Mobile phone wireless charging function	●Front row	●Front row
Luggage compartment 12V power interface	•	•
	Seat configuration	
seat material	●Imitation leather ●Genuine leather	●Imitation leather ●Genuine leather
Main seat adjustment method	●Front and back adjustment ● Backrest adjustment ●Height adjustment (4-way) ●Leg support adjustment ●Waist support (2-way) ○Waist support (4-way)	●Front and back adjustment ● Backrest adjustment ●Height adjustment (4-way) ●Leg support adjustment ●Waist support (2-way) ○Waist support (4-way)
Secondary seat adjustment method	●Front and rear adjustment ● Backrest adjustment ○Leg support adjustment ○Waist support (4-way)	●Front and rear adjustment ● Backrest adjustmentOLeg support adjustmentOWaist support (4-way)
Main/passenger seat electric adjustment	Main●/Deputy●	Main●/Deputy●
Front seat functions	●Heating ●Ventilation○ Massage	●Heating ●Ventilation○ Massage

Power seat memory function	•Driving position	•Driving position
Adjustable buttons for the passenger seat and rear row	0	0
Second row seat adjustment	●Fore and aft adjustment ● Backrest adjustment	●Fore and aft adjustment ● Backrest adjustment
Second row seat functions	OHeating	OHeating
Second row independent seats	0	0
Third row seat adjustment	●Backrest adjustment	•Backrest adjustment
Electrically adjustable third row seats		•
Seat layout	●2-3-2 ○2-2-2	●2-3-2 ○2-2-2
Rear seats fold down	•Inverted proportions	•Inverted proportions
Electrically reclining rear seats	•	•
Front/rear center armrest	before●/after●	before●/after●
Rear cup holder		
	Audio/interior lightin	ng
Speaker brand name	OALPINE Alpine	●ALPINE Alpine
Number of speakers	●8 speakers○10 speakers	●10 speakers
Car interior ambient lighting	•32 colors	●32 colors
	Air conditioner/refriger	ator
Air conditioning temperature control method	•Automatic air conditioning	•Automatic air conditioning
Independent air conditioning in the rear	•	
Rear seat air outlet	•	
Temperature zone control	•	
Car air purifier	•	
In-car PM2.5 filter device	•	•
negative ion generator	•	•
	Optional package	
\bigcirc	Brand audio package (3000) Comfort package (luxury 6 seats) (4000)	Comfort package (luxury 6 seats) (4000)
Exterior color	Phantom Silver, Elegant Black, Haoyue Grey, Ink Seal Green, Blade Shadow White	Ink green, elegant black, bright moon gray, magic speed silver, blade shadow white
interior color	Dark Night Lingying, Dawn Star Diamond, Moxi Green Shadow	Ink Seal Green Shadow, Dark Night Lingying, Dawn Star Diamond

Note: •Standard O Optional - None