Manufacturer level Energy type	NIO EC6 2023 model 75kWh Basic parameters NIO	
level		
level	NTO /	
		NIO
	Medium SUV pure electric	Medium SUV pure electric
time to market	2023. 09	2023. 09
CLTC pure electric cruising range (km)	495	630
Fast charging time (hours)		-
Slow charging time (hours)	-	-
Fast charging percentage		-
Maximum power(kW)	360	360
Maximum torque (N• m)	700	700
Motor(Ps)	490	490
Length*width*height (mm)	4849*1995*1697	4849*1995*1697
Body structure	5-door, 5-seat SUV crossover	5-door, 5-seat SUV crossove
Maximum speed (km/h)	200	200
Official O-100km/h acceleration (s)	4.4	4.4
Vehicle warranty	Three years or 120,000 kilometers	Three years or 120,000 kilometers
First owner	6 years or 150,000	6 years or 150,000
warranty policy	kilometers	kilometers
Length(mm)	4849	4849
Width (mm)	1995	1995
Height (mm)	1697	1697
Wheelbase(mm) 🥖	2915	2915
Front wheelbase (mm)	1711	1711
Rear wheelbase (mm)	1711	1711
Approach angle (°)	17	17
Departure angle (°)	19	19
D 1	SUV crossover	SUV crossover
Body structure Car door opening		

Motor type Total motor power	5 5 505-1402 0.24 0.24 2292 1260 2826 Electric motor Front AC/asynchronous rear permanent magnet/synchronous 360	5 5 505-1402 0.24 0.24 2340 1260 2826 Front AC/asynchronous rear permanent magnet/synchronous	
(number)Number of seats (seats)Trunk volume (L)Drag coefficient (Cd)Curb weight (kg)Total mass of quasi-trailer (kg)Maximum full load mass (kg)Motor typeTotal motor power	5 505-1402 0.24 2292 1260 2826 Electric motor Front AC/asynchronous rear permanent magnet/synchronous	5 505-1402 0.24 2340 1260 2826 Front AC/asynchronous rear	
(seats)Trunk volume (L)Drag coefficient (Cd)Curb weight (kg)Total mass of quasi-trailer (kg)Maximum full load mass (kg)Motor typeTotal motor power	505-1402 0.24 2292 1260 2826 Electric motor Front AC/asynchronous rear permanent magnet/synchronous	505-1402 0.24 2340 1260 2826 Front AC/asynchronous rear	
Drag coefficient (Cd)	0.24 2292 1260 2826 Electric motor Front AC/asynchronous rear permanent magnet/synchronous	0.24 2340 1260 2826 Front AC/asynchronous rear	
(Cd)Curb weight (kg)Total mass ofquasi-trailer (kg)Maximum full loadmass (kg)Motor typeTotal motor power	2292 1260 2826 Electric motor Front AC/asynchronous rear permanent magnet/synchronous	2340 1260 2826 Front AC/asynchronous rear	
Total mass of quasi-trailer (kg) Maximum full load mass (kg) Motor type Total motor power	1260 2826 <u>Electric motor</u> Front AC/asynchronous rear permanent magnet/synchronous	1260 2826 Front AC/asynchronous rear	
quasi-trailer (kg)Maximum full load mass (kg)Motor typeMotor typeTotal motor power	2826 <u>Electric motor</u> Front AC/asynchronous rear permanent magnet/synchronous	2826 Front AC/asynchronous rear	
mass (kg) Motor type Total motor power	Electric motor Front AC/asynchronous rear permanent magnet/synchronous	Front AC/asynchronous rear	
Motor type Total motor power	Front AC/asynchronous rear permanent magnet/synchronous		
Motor type Total motor power	rear permanent magnet/synchronous		
			1
(kW)		360	
Total motor power (Ps)	490	490	\sim
Total torque of motor (N•m)	700	700	
Maximum power of front electric motor (kW)	150	150	
Maximum torque of front electric motor (N•m)	280	280	\sim
Maximum power of rear electric motor (kW)	210	210	
Maximum torque of rear electric motor (N•m)	420	420	
Number of drive motors	Dual motor	Dual motor	
Motor layout	Front + rear	Front + rear	
Battery Type	ernary lithium + lithium iron phosphate	Ternary lithium battery	4
Battery brand	Jiangsu Times	Ningde Times/Jiangsu Times/China New Aviation	
Battery cooling method	liquid cooling	liquid cooling	
Exchange battery	support	support	
CLTC pure electric cruising range (km)	495	630	
Battery energy			
(kWh)	75	100	
Battery energy density (Wh/kg)	142. 1	185.44	

Electricity consumption per 100 kilometers	<u> </u>	_	
(kWh/100km) Battery pack warranty	Ten years of unlimited mileage for the first owner (the liability exemption clause shall be subject to the official)	Ten years of unlimited mileage for the first owner (the liability exemption clause shall be subject to the official)	OX,
Fast charging function	support	support	
Fast charging time (hours)	-		
Slow charging time (hours)			-
Fast charging 🔦			1
capacity(%) electric motor	360	360	
	Gearbox (4	
Number of gears	1	1	
Gearbox type	fixed ratio gearbox	fixed ratio gearbox	4
abbreviation	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	
chassis steering	NIO EC6 2023 model 75kWh	NIO EC6 2023 model 100kWh	1
Drive mode	Dual motor four-wheel	Dual motor four-wheel drive	
	drive	Electric four-wheel drive	
four-wheel drive Center differential structure	Electric four-wheel drive -	-	
Front suspension	Five-link independent	Five-link independent	
type	suspension	suspension	
rear suspension	Five-link independent	Five-link independent	
type	suspension	suspension	
Assist type	electric assist	electric assist	-
Body structure	Load-bearing wheel brake	Load-bearing	
Front brake type	ventilated disc	ventilated disc	1
rear brake type	ventilated disc	ventilated disc	\
Parking brake type	Electronic parking	Electronic parking	
Front tire specifications 🧹	255/50 R20	255/50 R20	
Rear tire specifications	255/50 R20	255/50 R20	
Spare tire	Tire repair tool	Tire repair tool	\mathcal{D}
specifications	Passive safety		-
specifications Main/passenger seat airbag	Main●Deputy●	Main●Deputy●	

Front/rear head			
airbags (curtain airbags)	before ● after ●	before ● after ●	
Front middle airbag		•	
Tire pressure	●Tire pressure display	●Tire pressure display	
monitoring function Run-flat tires	0	0	
Seat belt not		•	
fastened reminder	●The whole car	●The whole car	
ISOFIX child seat		• -	
interface			
ABS anti-lock Braking force			
distribution		$\mathbf{\bullet}$	
(EBD/CBC, etc.)			
Brake assist		\bigcirc \bullet	
(EBA/BAS/BA, etc.) Traction control			
(ASR/TCS/TRC, etc.)	•	•	
Body stability			
control	•	•	
(ESC/ESP/DSC, etc.)			
Lane Departure	Active safety	Ŭ	
Warning System		•	
Active			
braking/active			
safety system Fatigue driving			
tips	•	•	
DOW opening warning	•	•	
forward collision			
warning	-		
Sentry mode/clairvoyance	•	•	
Low speed warning	•	•	
Built-in driving			
recorder			
roadside assistance call		$\mathbf{\bullet}$	
Anti-rollover /			
system			
	Driving control		
A	●Sports ●Economy ● Standard/comfortable ●	●Sports ●Economy ● Standard/comfortable ●Off-	
Driving mode switch	Off-road Snow	road •Snow •	
	Customized/personalized	Customized/personalized	
energy recovery			
system			
automatic parking Hill assist			
- 1111 assist	◄		

steep descent		•	
Variable suspension	•Suspension soft and	ullet Suspension soft and hard	
function	hard adjustment	adjustment	
Drag mode	O 4WD/off-road	0	
tow hitch	OElectric	OElectric	
	Driving hardware		
Front/rear parking radar	before $ullet$ after $ullet$	before ● after ●	
Driving assistance images	●360-degree panoramic image	●360-degree panoramic image	
Transparent chassis/540 degree image	•		
Assisted driving chip	●Four NVIDIA Orin-X	●Four NVIDIA Orin-X	
Chip total computing power	●1016 TOPS	●1016 TOPS	\sim
Number of cameras	●11 pieces	●11 pieces	$\mathbf{\nabla}$
Ultrasonic radar quantity	●12 pieces	●12 pieces	
Millimeter wave radar quantity	●5 pieces	●5 pieces	
LiDAR quantity	●1 piece	●1 piece	
	Driving function		
cruise system	•Full-speed adaptive cruise	•Full-speed adaptive cruise	
Assisted driving system	●Aquila NIO super- sensory system	●Aquila NIO super-sensory system	\bigcirc
Assisted driving level Reverse side	●L2 OL3	●L2 OL3	
warning system satellite	•	•	
navigation system Navigation traffic	•	•	
information display			
map brand	●Gaode	●Gaode	1
HD map		•	
Parallel assistance		•	C.
Lane Keeping Assist		•	
System			
Lane centering Road traffic sign	•		
recognition		•	
Automatic parking		•	
remote control			
parking			
Automatic lane			
change assist	-		

	G		
Automatic ramp exit (entry)	0	0	
remote summoning	•	•	
Steering wheel hand	•	•	
off detection	-		
Start reminder			
Autonomous driving assistance road section	OCity section OHigh- speed section	OCity section OHigh-speed section	
	Appearance/anti-the	eft	
Electric spoiler		•-	
Rim material	●Aluminum alloy	●Alumin <mark>um</mark> alloy	
Electric suction door	•The whole car	●The whole car	
Electric trunk			4
induction trunk 💊			
Electric trunk position memory	•	•	
Central locking in car	•	•	
Key type	●Remote key ●Bluetooth key ●NFC/RFID key ●UWB digital key	●Remote key ●Bluetooth key ●NFC/RFID key ●UWB digital key	
Keyless start system		•	
Keyless entry function	●The whole car	●The whole car	
Hidden electric door handle	•	- C	
Active closing air intake grille	•	•	
Remote start function	•	ト・ノ	
Battery preheating	•	•	2
ex <mark>t</mark> ernal discharge	• Exterior lights	•	
low beam light source	●LED	• LED	
high beam light source	●LED	●LED	
Lighting features	●Geometric multi-beam ●	●Geometric multi-beam ●	X
lights Adaptive high and	•		
low beam			
automatic headlight			
Turn assist light		•	
car front fog lights	●LED	●LED	
Headlight height adjustable	•		

		\bigcirc	1
Delayed turn off of headlights	•	•	C
	Skylight/glass	1	
Skylight type	• The panoramic sunroof cannot be opened	• The panoramic sunroof cannot be opened	
Light-sensing awning	0		\mathbf{O}^{*}
Front/rear electric windows	before ● after ●	before ● after ●	
One-touch window lifting function	●The whole car	●The whole car	
Window anti-pinch function	•	\bullet	
Multilayer soundproof glass	•The whole car	●The whole car	
Rear side privacy glass	•	•	
Car vanity mirror	<pre>•Main driver + lighting •Co-pilot + lighting</pre>	●Main driver + lighting ● Co-pilot + lighting	\bigcirc
rear wiper Sensing wiper	- ●Rain sensor type	- ●Rain sensor type	
function	Exterior rearview mi		
Exterior rearview mirror function	Electric folding Rearview mirror memory Rearview mirror heating Automatic flip-down when reversing Automatic folding when locking the car Automatic anti-dazzle	●Electric adjustment ● Electric folding ●Rearview mirror memory ●Rearview mirror heating ●Automatic flip-down when reversing ● Automatic folding when locking the car ●Automatic anti-dazzle	Ò
Central control	Screen/System		•
color screen	●Touch LCD screen	ullet Touch LCD screen	
Central control screen size	●12.8 inches	●12.8 inches	
Bluetooth/car phone	•		
Mobile phone interconnection/map ping		-	
Voice recognition control system	●Multimedia system ● Navigation ●Telephone ● Air conditioning ● Sunroof	●Multimedia system ● Navigation ●Telephone ●Air conditioning ●Sunroof	
face recognition		•	
Vehicle intelligent system	●Banyan	●Banyan	
Vehicle smart chip	●Qualcomm Snapdragon 8155	●Qualcomm Snapdragon 8155	

Rear LCD screen			
size	•6.6 inches	●6.6 inches	C
Rear seat control multimedia	•	•	
Vehicle system memory (GB)	●16	●16	\bigcirc
Vehicle <mark>s</mark> ystem storage (GB)	●256	•256	
Voice wake word free	• () •	•	
Voice area wake-up recognition	●Four areas	●Four areas	
Speech continuous recognition	•	•	
It can be said that it is visible	•		
Internet of	Intelligent configura		\mathbf{G}
Vehicles 4G/5G network OTA upgrade	• 5G	• 5G	
Wi-Fi hotspot		• • •	
V2X communication		•	
In-vehicle			
biometric monitoring system		•	
Mobile APP remote	●Door control ●Window control ●Vehicle start ●Charging management ● Air conditioning control ●Vehicle condition query/diagnosis ●Vehicle positioning/car search ● Car owner service (find charging piles, gas stations, parking lots, etc.)	●Door control ●Window control ●Vehicle start ● Charging management ●Air conditioning control ● Vehicle condition query/diagnosis ●Vehicle positioning/car search ●Car owner service (find charging piles, gas stations, parking lots, etc.)	
simulated sound	eering wheel/Interior rear		
Steering wheel material	LeatherOGenuine leather	●Leather⊖Genuine leather	
Steering wheel	•Electric up and down +	●Electric up and down +	
	front and rear adjustment	front and rear adjustment	
Shift pattern	●Electronic gear shift	●Electronic gear shift	
Multifunction		•	
steering wheel			
steering wheel gear shift	- () >	-	
Steering wheel heating	•		

steering wheel memory	•	•	
Trip computer display screen	•Color	●Color	
Full LCD instrument panel	•	•	\bigcirc
LCD instrument size HUD heads up	●10.2 inches	●10.2 inches	
digital display Interior rearview mirror function	●Automatic anti-dazzle	●Automatic anti-dazzle	
ETC device	Charging in car		·
Multimedia/charging interface	●USB ●Type-C	●USB ●Type-C	
Number of USB/Type- C interfaces	•3 in the front row/1 in the back row	●3 in the front row/1 in the back row	A
Mobile phone wireless charging function	•Front row	●Front row	
Luggage compartment 12V power interface	•	•	e e e e e e e e e e e e e e e e e e e
	Seat configuration	n ●Imitation leather⊖Genuine	
seat material	Genuine leather	leather	•
Sports style seats Main seat adjustment method	●Front and back adjustment ●Backrest adjustment ●Height adjustment (4-way) ●Leg rest adjustment ●Waist support (4-way) ●Front and back	●Front and back adjustment ●Backrest adjustment ● Height adjustment (4-way) ● Leg rest adjustment ●Waist support (4-way)	Ó
Secondary seat adjustment method	adjustment •Backrest adjustment •Height adjustment (4-way) •Leg rest adjustment •Waist support (4-way)	 ●Front and back adjustment ●Backrest adjustment ● Height adjustment (4-way) ● Leg rest adjustment ●Waist support (4-way) 	
Main/passenger seat electric adjustment	Main●Deputy●	Main●Deputy●	
Front seat functions	●Heating ●Ventilation ●Massage	●Heating ●Ventilation ● Massage	
Power seat memory function	●Driver's seat ●Co- pilot's seat	●Driver's seat ●Co-pilot's seat	N.
Adjustable buttons for the passenger seat and rear row	-	-	
Second row seat adjustment	●Backrest adjustment	Backrest adjustment	

Electrically adjustable second	•	•	
row seats Second row seat functions	●Heating○Ventilation○ Massage	●Heating○Ventilation○ Massage	
Rear seats fold down	●Inverted proportions	•Inverted proportions	
Front/rear center armrest	before $ullet$ after $ullet$	before ● after ●	
Rear cup holder	Audio/interior light	ing	
Speaker brand name Number of speakers	− ●23 speakers	●23 speakers	
Dolby Atmos			
touch reading light Car interior			
ambient lighting	●256 colors Air conditioner/refrig	•256 colors	
Air conditioning temperature control method	•Automatic air conditioning	•Automatic air conditioning	
heat pump air conditioner	•	• •	
Independent air conditioning in the rear		•	
Rear seat air outlet	•	•	
Temperature zone control	•	•	
Car air purifier In-car PM2.5 filter device	•		
negative ion generator	•	•	
Car fragrance device			
Optional package	Optional package NIO EC6 2023 model 75kWh	NIO EC6 2023 model 100kWh	

	4		
	NIO battery (75kWh battery pack) rental service (1) NAD full function service subscription (1) Front wiper defrost function (1000) Airglow Orange caliper (3500) Appearance package (4500) N-Box enhanced entertainment host (4600) NOMI vehicle artificial intelligence system (4900) Rear comfort package (5500) Towing package (7500) Nappa premium interior package (16000)	NIO battery (100kWh battery pack) rental service (1) NAD full function service subscription (1) Front wiper defrost function (1000) Airglow Orange caliper (3500) Appearance package (4500) N-Box enhanced entertainment host (4600) NOMI vehicle artificial intelligence system (4900) Rear comfort package (5500) Towing package (7500) Nappa premium interior package (16000)	
Exterior color	Deep space black, cloud white, star gray, spiritual purple, aurora green, aerospace blue, Antarctic star blue, dawn gold, stratosphere blue	Dawn gold, spiritual purple, aurora green, Antarctic star blue, deep space black, stratosphere blue, aerospace blue, star gray, cloud white	
interior color	Black/Morning Lake Blue, Black/Thin Vine Purple, Black/Danxia Red, Agate Black	Black/Thin Vine Purple, Black/Danxia Red, Black/Morning Lake Blue, Agate Black	
Note: OStandard O		Agate Dlack	