

## QINGDAO QHCY INTERNATIONAL TRADING CO., LTD. Web:cartradinghub.com Tel: 86-15176650760

E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

| Model Y 2023 rearwheel drive version  |                    |                      |                      |                      |
|---|--------------------|----------------------|----------------------|----------------------|
| Model Y 2023 rearwheld drive version   Pange all-wheel drive version   Pange all-wheel drive version  |                    | Model Y conf         | iguration table      |                      |
| Wheel drive version   |                    | Model V 2023 rear-   |                      |                      |
| Namuration   State   Parameters   |                    |                      | _                    |                      |
| Manufacturer  |                    |                      |                      | drive version        |
| Nedium SUV  |                    |                      |                      |                      |
| Energy type   |                    |                      |                      |                      |
| time to market         2023.10         2023.10         2023.10           CLTC pure electric cruising range (km)         554         688         615           Fast charging time (hours)         -         -         -           Slow charging time (hours)         -         -         -           Fast charging percentage         -         -         -           Maximum power(kW)         220         331         357           Maximum torque (N·m)         440         559         659           Motor(Ps)         299         450         486           Length*width*height (mm)         4750*1921*1624         4750*1921*1624         4750*1921*1624           Maximum speed (km/h)         217         217         250           Official 0-100km/h acceleration (s)         5.9         5         3.7           Electric energy equivalent fuel consumption (L/100km)         -         -         -         -           Vehicle warranty         Four years or 80,000 kilometers           Length(mm)         4750         4750         4750           Height (mm)         1921         1921         1921           Hei  |                    |                      |                      |                      |
| CLTC pure electric cruising range (km)  |                    |                      |                      |                      |
| Solution   Company   Solution    |                    | 2023. 10             | 2023. 10             | 2023. 10             |
| Fast charging time (hours)  Slow charging time (hours)  Fast charging time (hours)  Fast charging time (hours)  Fast charging percentage  Maximum power(kW)  Maximum torque (N • m)  Motor (Ps)  Length*width*height (mm)  Body structure  Maximum speed (km/h)  Official 0-100km/h acceleration (s)  Electric energy equivalent fuel consumption (L/100km)  Vehicle warranty  First owner warranty policy  Length (mm)  Length (mm)  Four years or 80,000 kilometers  Body  Length (mm)  Length (mm)  4750 | *                  | 554                  | 688                  | 615                  |
| Chours   Slow charging time (hours)   |                    |                      |                      |                      |
| Slow charging time (hours)  |                    | _                    | _                    | <u> </u>             |
| Chours   Fast charging   Percentage   Chours    |                    |                      |                      |                      |
| Fast charging percentage  | ~ ~                | -                    | -                    | _                    |
| Maximum power (kW)   220   331   357  |                    |                      | •                    |                      |
| Maximum power (kW)         220         331         357           Maximum torque (N·n)         440         559         659           Motor (Ps)         299         450         486           Length*width*height (mm)         4750*1921*1624         4750*1921*1624         4750*1921*1624           Body structure         5-door, 5-seater SUV         5-door, 5-seater SUV         5-door, 5-seater SUV           Maximum speed (km/h)         217         217         250           Official 0-100km/h acceleration (s)         5.9         5         3.7           Electric energy equivalent fuel consumption (L/100km)         -         1.52         1.63           Vehicle warranty         Four years or 80,000 kilometers           First owner warranty policy         -         -         -         -         -           Length (mm)         4750         4750         4750         4750           Width (mm)         1921         1921         1921         1921           Height (mm)         2890         2890         2890         2890   |                    | - \                  | _                    | _                    |
| Maximum torque (N⋅m)       440       559       659         Motor(Ps)       299       450       486         Length*width*height (mm)       4750*1921*1624       4750*1921*1624       4750*1921*1624         Body structure       5-door, 5-seater SUV       5-door, 5-seater SUV         Maximum speed (km/h)       217       217       250         Official 0-100km/h acceleration (s)       5.9       5       3.7         Electric energy equivalent fuel consumption (L/100km)       -       1.52       1.63         Vehicle warranty       Four years or 80,000 kilometers       Four years or 80,000 kilometers       Four years or 80,000 kilometers         First owner warranty policy       -       -       -       -         Length(mm)       4750       4750       4750         Width(mm)       1921       1921       1921         Height (mm)       1624       1624       1624         Wheelbase (mm)       2890       2890       2890   |                    | 220                  | 221                  | 257                  |
| Motor(Ps)   299   450   486   |                    | 220                  | 331                  | 331                  |
| Motor(Ps)   | _                  | 440                  | 559                  | 659                  |
| Length*width*height (mm)  |                    | 299                  | 450                  | 486                  |
| Maximum speed (km/h)  |                    |                      |                      |                      |
| Body structure  |                    | 4750*1921*1624       | 4750*1921*1624       | 4750*1921*1624       |
| Maximum speed (km/h)         217         217         250           Official 0-100km/h acceleration (s)         5.9         5         3.7           Electric energy equivalent fuel consumption (L/100km)         -         1.52         1.63           Vehicle warranty         Four years or 80,000 kilometers         Four years or 80,000 kilometers         Four years or 80,000 kilometers           First owner warranty policy         -         -         -         -           Length (mm)         4750         4750         4750         4750           Width (mm)         1921         1921         1921         1921           Height (mm)         1624         1624         1624         1624           Wheelbase (mm)         2890         2890         2890         2890   | ` ′                | 5-door, 5-seater SUV | 5-door, 5-seater SUV | 5-door, 5-seater SUV |
| (km/h)         5.9         5         3.7           Official 0-100km/h acceleration (s)         5.9         5         3.7           Electric energy equivalent fuel consumption (L/100km)         -         1.52         1.63           Vehicle warranty         Four years or 80,000 kilometers         Four years or 80,000 kilometers         Four years or 80,000 kilometers           First owner warranty policy         -         -         -           Length (mm)         4750         4750         4750           Width (mm)         1921         1921         1921           Height (mm)         1624         1624         1624           Wheelbase (mm)         2890         2890         2890   |                    | <b>&gt;</b>          |                      |                      |
| Second Construction   | (km/h)             | 217                  | 217                  | 250                  |
| Electric energy equivalent fuel consumption (L/100km)   | Official O-100km/h | Γ.0                  | _                    | 2. 7                 |
| equivalent fuel consumption (L/100km)       -       1.52       1.63         Vehicle warranty       Four years or 80,000 kilometers       Four years or 80,000 kilometers       Four years or 80,000 kilometers         First owner warranty policy       -       -       -         Length (mm)       4750       4750       4750         Width (mm)       1921       1921       1921         Height (mm)       1624       1624       1624         Wheelbase (mm)       2890       2890       2890  | acceleration (s)   | ə <b>.</b> 9         | θ                    | 3. 1                 |
| Consumption (L/100km)   | Electric energy    | (                    |                      |                      |
| consumption (L/100km)           Vehicle warranty         Four years or 80,000 kilometers         Four years or 80,000 kilometers         Four years or 80,000 kilometers           First owner warranty policy         -         -         -         -           Length (mm)         4750         4750         4750           Width (mm)         1921         1921         1921           Height (mm)         1624         1624         1624           Wheelbase (mm)         2890         2890         2890  | equivalent fuel    |                      | 1 59                 | 1 63                 |
| Vehicle warranty         Four years or 80,000 kilometers         Four years or 80,000 kilometers         Four years or 80,000 kilometers           First owner warranty policy         -         -         -         -           Body           Length (mm)         4750         4750         4750           Width (mm)         1921         1921         1921           Height (mm)         1624         1624         1624           Wheelbase (mm)         2890         2890         2890   | consumption        |                      | 1. 52                | 1.03                 |
| Vehicle warranty         kilometers         kilometers           First owner warranty policy         -         -           Body           Length (mm)         4750         4750           Width (mm)         1921         1921           Height (mm)         1624         1624           Wheelbase (mm)         2890         2890           Eront wheelbase         2890         2890   | (L/100km)          |                      |                      | P                    |
| First owner warranty policy  Body  Length (mm) 4750 4750 4750  Width (mm) 1921 1921 1921  Height (mm) 1624 1624 1624  Wheelbase (mm) 2890 2890 2890   | Vehicle warranty   | Four years or 80,000 | Four years or 80,000 | Four years or 80,000 |
| warranty policy           Body           Length (mm)         4750         4750         4750           Width (mm)         1921         1921         1921           Height (mm)         1624         1624         1624           Wheelbase (mm)         2890         2890         2890  | venitere warranty  | kilometers           | kilometers           | kilometers /         |
| Body       Length (mm)     4750     4750     4750       Width (mm)     1921     1921     1921       Height (mm)     1624     1624     1624       Wheelbase (mm)     2890     2890     2890  |                    | _                    | <b>\</b> -           | _ \                  |
| Length (mm)       4750       4750       4750         Width (mm)       1921       1921       1921         Height (mm)       1624       1624       1624         Wheelbase (mm)       2890       2890       2890   | warranty policy    |                      |                      |                      |
| Width (mm)     1921     1921     1921       Height (mm)     1624     1624     1624       Wheelbase (mm)     2890     2890     2890  |                    | <u> </u>             | Body                 |                      |
| Height (mm)     1624     1624     1624       Wheelbase (mm)     2890     2890     2890  |                    |                      |                      |                      |
| Wheelbase (mm) 2890 2890 2890   |                    |                      |                      |                      |
| Front wheelbase   |                    |                      |                      |                      |
| Front wheelbase   |                    | 2890                 | 2890                 | 2890                 |
| (mm) 1636 1646  |                    | 1636                 | 1636                 | 1646                 |
| Rear wheelbase (mm) 1636 1630   |                    | 1636                 | 1636                 | 1630                 |

| Minimum ground clearance with full   | 167   | 167  | 167  |
|--|---|--|--|
| load (mm)<br>Approach angle (°)  | 17  | 17   | 17   |
| Departure angle  | 18  | 18   | 18   |
| Maximum grade(%)   | 30  | 30   | 30   |
| Maximum climbing angle (°)   | 16. 7   | 16. 7  | 16. 7  |
| Minimum turning<br>radius (m)  | 6. 065  | 6. 065   | 6. 065   |
| Body structure   | SUV   | SUV  | SUV  |
| Car door opening method  | swing door  | swing door   | swing door   |
| Number of doors<br>(number)  | 5   | 5  | 5  |
| Number of seats<br>(seats)   | 5   | 5  | 5  |
| Front trunk volume (L)   | 117   | 117  | 117  |
| Trunk volume (L)   | 971-2158  | 971-2158   | 971-2158   |
| Drag coefficient (Cd)  | 0. 23   | 0.23   | 0. 23  |
| Curb weight (kg)   | 1911  | 1981   | 1998   |
| Maximum full load  | 2319  | 2389   | 2403   |
| maga (1rm)   | 2319  | 2369   | 2403   |
| mass (kg)  |   |  |  |
| mass (kg)  | Electr  | ric Motor  |  |
| Motor type   | Electr<br>Permanent<br>magnet/synchronous           | Front  | Front induction/asynchronous rear permanent magnet/synchronous               |
|  | Permanent   | Front induction/asynchronou s rear permanent   | induction/asynchronous<br>rear permanent                                     |
| Motor type  Total motor power  | Permanent<br>magnet/synchronous                     | Front induction/asynchronou s rear permanent magnet/synchronous                          | induction/asynchronous<br>rear permanent<br>magnet/synchronous               |
| Motor type  Total motor power (kW)  Total motor power  | Permanent<br>magnet/synchronous<br>220              | Front induction/asynchronou s rear permanent magnet/synchronous 331                      | induction/asynchronous<br>rear permanent<br>magnet/synchronous<br>357        |
| Motor type  Total motor power (kW)  Total motor power (Ps)  Total torque of  | Permanent<br>magnet/synchronous<br>220<br>299       | Front induction/asynchronou s rear permanent magnet/synchronous  331  450                | induction/asynchronous rear permanent magnet/synchronous 357 486             |
| Motor type  Total motor power (kW)  Total motor power (Ps)  Total torque of motor (N • m)  Maximum power of front electric motor (kW)  Maximum torque of front electric motor (N • m)  | Permanent<br>magnet/synchronous<br>220<br>299       | Front induction/asynchronou s rear permanent magnet/synchronous  331  450  559           | induction/asynchronous rear permanent magnet/synchronous 357 486 659         |
| Motor type  Total motor power (kW)  Total motor power (Ps)  Total torque of motor (N • m)  Maximum power of front electric motor (kW)  Maximum torque of front electric  | Permanent<br>magnet/synchronous<br>220<br>299       | Front induction/asynchronou s rear permanent magnet/synchronous  331  450  559           | induction/asynchronous rear permanent magnet/synchronous 357 486 659         |
| Motor type  Total motor power (kW)  Total motor power (Ps)  Total torque of motor (N • m)  Maximum power of front electric motor (kW)  Maximum torque of front electric motor (N • m)  Maximum power of rear electric motor      | Permanent magnet/synchronous  220  299  440         | Front induction/asynchronou s rear permanent magnet/synchronous  331  450  559  137      | induction/asynchronous rear permanent magnet/synchronous 357 486 659 137     |
| Motor type  Total motor power (kW)  Total motor power (Ps)  Total torque of motor (N • m)  Maximum power of front electric motor (kW)  Maximum torque of front electric motor (N • m)  Maximum power of rear electric motor (kW) | Permanent magnet/synchronous  220  299  440  -  220 | Front induction/asynchronou s rear permanent magnet/synchronous  331  450  559  137  219 | induction/asynchronous rear permanent magnet/synchronous 357 486 659 137 219 |

| Motor layout  | rear                                   | Front + rear                            | Front + rear 🥏                         |
|---|--|---|--|
| Battery Type  | Lithium iron phosphate battery         | Ternary lithium<br>battery              | Ternary lithium<br>battery             |
| Battery brand   | Ningde era                             | LG New Energy                           | LG New Energy                          |
| Battery cooling method  | liquid cooling                         | liquid cooling                          | liquid cooling                         |
| Exchange battery  | not support                            | not support                             | not support                            |
| CLTC pure electric cruising range (km)                          | 554                                    | 688                                     | 615                                    |
| Battery energy (kWh)  | 60                                     | 78. 4                                   | 78. 4                                  |
| Battery energy<br>density (Wh/kg)                               | 126                                    | 168                                     | 168                                    |
| Electricity<br>consumption per 100<br>kilometers<br>(kWh/100km) | <u></u>                                | 13. 4                                   | 14. 4                                  |
| Battery pack<br>warran <mark>t</mark> y                         | Eight years or 160,000 kilometers      | Eight years or<br>192,000 kilometers    | Eight years or 192,000<br>kilometers   |
| Fast charging function  | support                                | support                                 | support                                |
| Fast charging time (hours)                                      | - 10                                   | _                                       | <b>U</b> -                             |
| Slow charging time (hours)                                      |  | -                                       | _                                      |
| Fast charging capacity (%)                                      |  | -                                       | -                                      |
| electric motor  | 220                                    | 331                                     | 357                                    |
|   | Ge                                     | arbox                                   |  |
| Number of gears   | 1                                      | 1                                       | 1                                      |
| Gearbox type  | fixed ratio gearbox                    | fixed ratio gearbox                     | fixed ratio gearbox                    |
| abbreviation  | Electric vehicle                       | Electric vehicle                        | Electric vehicle                       |
|   |  | single speed gearbox                    | single speed gearbox                   |
|   | Chassis                                | Steering Dual meter four-wheel          | Dual motor four-wheel                  |
| Drive mode  | rear wheel drive                       | Dual motor four-wheel drive             | drive                                  |
| four-wheel drive  | -,                                     | Electric four-wheel<br>drive            | Electric four-wheel<br>drive           |
| Center differential structure                                   | -                                      |   | - (                                    |
| Front suspension type   | Double wishbone independent suspension | Double wishbone independent suspension  | Double wishbone independent suspension |
| rear suspension<br>type   | Multi-link independent suspension      | Multi-link<br>independent<br>suspension | Multi-link independent suspension      |
| Assist type   | electric assist                        | electric assist                         | electric assist                        |
| Body structure  | Load-bearing                           | Load-bearing                            | Load-bearing                           |
| Front brake type  | Whee ventilated disc                   | l Brake<br>ventilated disc              | ventilated disc                        |
|   |  |   |  |

| rear brake type                                  | ventilated disc                | ventilated disc                | ventilated disc                |
|--|--------------------------------|--------------------------------|--------------------------------|
| Parking brake type                               | Electronic parking             | Electronic parking             | Electronic parking             |
| Front tire specifications                        | 255/45 R19                     | 255/45 R19                     | 255/35 R21                     |
| Rear tire<br>specifications                      | 255/45 R19                     | 255/45 R19                     | 275/35 R21                     |
| Spare tire<br>specifications                     | none                           | none                           | none                           |
|  | Passiv                         | ve Safety                      | 4                              |
| Main/passenger seat<br>airbag                    | Main●/Deputy●                  | Main⊕/Deputy⊕                  | Main●/Deputy●                  |
| Front/rear side<br>airbags                       | Before●/After-                 | Before●/After-                 | Before●/After-                 |
| Front/rear head airbags (curtain airbags)        | before●/after●                 | before●/after●                 | before●/after●                 |
| Front middle airbag                              | •                              | •                              | •                              |
| Tire pressure monitoring function Run-flat tires | ●Tire pressure<br>display<br>- | ●Tire pressure<br>display<br>- | ●Tire pressure<br>display<br>- |
| Seat belt not<br>fastened reminder               | ●The whole car                 | ●The whole car                 | •The whole car                 |
| ISOFIX child seat interface                      |                                | •                              | •                              |
| ABS anti-lock                                    |                                | •                              | •                              |
| Braking force<br>distribution<br>(EBD/CBC, etc.) | •                              | •                              | •                              |
| Brake assist (EBA/BAS/BA, etc.)                  | •                              |                                | •                              |
| Traction control (ASR/TCS/TRC, etc.)             | •                              | •                              | •                              |
| Body stability control (ESC/ESP/DSC, etc.)       | •                              | •                              | . ( )                          |
| (Back, Back, State)                              | Activ                          | e Safety                       |                                |
| Lane Departure<br>Warning System                 | . (•,                          | •                              | •                              |
| Active<br>braking/active                         |                                | •                              | • (                            |
| safety system Fatigue driving                    | <u> </u>                       | 4 -                            |                                |
| tips forward collision                           | •                              | •                              |                                |
| warning Sentry mode/clairvoyance                 | •                              | •                              | •                              |
| Low speed warning                                | • ( <i>)</i>                   | •                              | •                              |
| Built-in driving recorder                        | •                              | •                              | •                              |
| . (  | 7                              |                                |                                |
|  |                                |                                |                                |

|  | D : :                       | 0 1                         |                             |
|--|-----------------------------|-----------------------------|-----------------------------|
|  | Drivin  • Economic •        | g Control<br>●Economic ●    | ●Sports ●Economy ●          |
| Driving mode switch                                  | Standard/comfortable  Snow  | Standard/comfortable Snow   | Standard/Comfortable  Snow  |
| Single pedal mode                                    | •                           |                             |                             |
| energy recovery<br>system                            | •                           | •                           |                             |
| automatic parking                                    | •                           |                             | •                           |
| Hill assist<br>steep descent                         | -                           | _                           | _                           |
| Steep descent  | driving                     | g hardware                  |                             |
| Front/rear parking<br>radar                          | before●/after●              | before●/after●              | before●/after●              |
| Driving assistance images                            | •Reversing image            | •Reversing image            | ●Reversing image            |
| Assisted driving chip                                | ●Tesla FSD                  | ●Tesla FSD                  | ●Tesla FSD                  |
| Chip total   | ●144 TOPS                   | ●144 TOPS                   | ●144 TOPS                   |
| computing power Number of cameras                    | ●8 pieces                   | ●8 pieces                   | ●8 pieces                   |
| Ultrasonic radar                                     |                             |                             |                             |
| quantity   | ●12 pieces                  | ●12 pieces                  | ●12 pieces                  |
|  |                             | g Function                  |                             |
| cruise system  | ●Full-speed adaptive cruise | ●Full-speed adaptive cruise | ●Full-speed adaptive cruise |
| Assisted driving system Assisted driving             | ●Autopilot                  | ●Autopilot                  | ●Autopilot                  |
| level satellite                                      | ●L2 OL3                     | ●L2 OL3                     | ●L2 OL3                     |
| navigation system                                    | •                           | •                           | •                           |
| Navigation traffic                                   | •                           |                             |                             |
| information display                                  |                             |                             |                             |
| Parallel assistance<br>Lane Keeping Assist<br>System | •\                          | •                           |                             |
| Lane centering                                       |                             |                             |                             |
| Road traffic sign recognition                        | 0                           | 0                           | 0                           |
| Automatic parking                                    | 0                           | 0                           | 0                           |
| remote control  parking  Automatic lane              | 0                           | 0                           | 0                           |
| change assist  | 0                           | 0                           | 0                           |
| Traffic light identification                         | 0                           | 0                           | 0                           |
| remote summoning                                     | 0                           | 0                           | 0                           |
| Discourse 1  |                             | e/Anti-theft                | A1                          |
| Rim material   | ●Aluminum alloy             | ●Aluminum alloy             | ●Aluminum alloy             |
|  |                             |                             |                             |

| door<br>Electric trunk               | •  | •  | •  |
|--------------------------------------|--|--|--|
| Electric trunk<br>position memory    | •  | •  | •  |
| Central locking in car               | •  | •  |  |
| Key type                             | ○Remote key<br>Bluetooth key<br>NFC/RFID key   | ORemote key ●<br>Bluetooth key ●<br>NFC/RFID key | ○Remote key ● Bluetooth key ● NFC/RFID key     |
| Keyless start<br>system              | •  | • (  | •  |
| Keyless entry<br>function            | ●The whole car                                 | ●The whole car                                   | ●The whole car                                 |
| Remote start function                | •  | •  | •  |
| Battery preheating                   | •  |  |  |
|                                      | Exteri   | or Lights  |  |
| Low beam light source                | ●LED   | ●LED   | ●LED   |
| high beam light<br>source            | ● LED  | ●LED   | • LED  |
| LED daytime running<br>lights        | •  | •  | •  |
| Adaptive high and low beam           | •  | •  | •  |
| automatic headlight                  | •  |  | •  |
| car front fog<br>lights              | _  | •LED   | ●LED   |
| Headlight height<br>adjustable       | •  | •  | •  |
| Delayed turn off of<br>headlights    | •  | •  | •  |
|                                      | Skylig   | ght/Glass  |  |
| Skylight type                        | ●The panoramic sunroof cannot be opened        | ●The panoramic<br>sunroof cannot be<br>opened    | ●The panoramic<br>sunroof cannot be<br>opened  |
| Front/rear electric windows          | before●/after●                                 | before●/after●                                   | before●/after●                                 |
| One-touch window<br>lifting function | ●The whole car                                 | ●The whole car                                   | ●The whole car                                 |
| Window anti-pinch<br>function        | •  | •  | •  |
| Multilayer<br>soundproof glass       | ●The whole car                                 | •The whole car                                   | ●The whole car                                 |
| Rear side privacy<br>glass           | •  | •  | •  |
| Car vanity mirror                    | ● Main driver + lighting ● Co-pilot + lighting | ●Main driver + lighting ●Co-pilot + lighting     | ● Main driver + lighting ● Co-pilot + lighting |
| rear wiper                           |  |  |  |
|                                      |  |  |  |

| Sensing wiper function                  | ●Rain sensor type   | ●Rain sensor type  | ●Rain sensor type   |
|---|---|--|---|
| Tunetion                                | Exterior Re   | arview Mirror  |   |
| Exterior rearview mirror function       | ●Electric adjustment ●Electric folding ● Rearview mirror memory ●Rearview mirror heating ●Automatic flip down when reversing ●Automatic folding when locking the car ●Automatic anti-dazzle | ● Electric adjustment ● Electric folding ● Rearview mirror memory ● Rearview mirror heating ● Automatic flip down when reversing ● Automatic folding when locking the car ● Automatic anti- dazzle | ●Electric adjustment ●Electric folding ● Rearview mirror memory ●Rearview mirror heating ●Automatic flip down when reversing ●Automatic folding when locking the car ●Automatic anti-dazzle |
|   | Scree   | n/System   | 4   |
| Central control color screen            | ●Touch LCD screen   | ●Touch LCD screen  | ●Touch LCD screen   |
| Central control screen size             | ●15 inches  | ●15 inches   | ●15 inches  |
| Bluetooth/car phone                     | •   | •  |   |
| Mobile phone interconnection/map ping   | - 50  | _  | _   |
| Voice recognition control system        | ●Multimedia system ● Navigation ●Telephone ●Air conditioning  | <ul><li>Multimedia system</li><li>Navigation</li><li>Telephone</li><li>Air</li><li>conditioning</li></ul>  | ●Multimedia system ● Navigation ●Telephone ●Air conditioning  |
| Vehicle system memory (GB)              | ●16   | ●16  | ●16   |
| Vehicle system storage (GB)             | ●256  | ●256   | ●256  |
| Storage (ob)                            | Intelligent   | Configuration  |   |
| Internet of<br>Vehicles                 | •   | •  | •   |
| 4G/5G network                           | ●4G   | <b>•</b> 4G  | ●4G   |
| OTA upgrade  Mobile APP remote function | ● Door control ● Vehicle starting ● Charging management ● Air conditioning control ● Vehicle status inquiry/diagnosis ● Vehicle positioning/car search                                      | ● Door control ● Vehicle starting ● Charging management ● Air conditioning control ● Vehicle status inquiry/diagnosis ● Vehicle positioning/car search   | ● Door control ● Vehicle starting ● Charging management ● Air conditioning control ● Vehicle status inquiry/diagnosis ● Vehicle positioning/car search                                      |
| Stooning wheel                          | Steering wheel/Inte   | erior rearview mirron  |   |
| Steering wheel material                 | ●Genuine leather  | •Genuine leather   | ●Genuine leather  |
|   |   |  |   |

| Steering wheel position adjustment                     | • Electric up and down  + front and rear adjustment   | ●Electric up and<br>down + front and rear<br>adjustment   | ●Electric up and down<br>+ front and rear<br>adjustment  |
|--|---|---|--|
| Shift pattern  | ●Electronic gear<br>shifting  | ●Electronic gear<br>shifting  | ●Electronic gear<br>shifting   |
| Multifunction steering wheel                           | •   | •   |  |
| steering wheel gear<br>shift                           | -   | -   | _  |
| Steering wheel heating                                 |   | •   | 4 •  |
| steering wheel<br>memory                               | •   | • (   | ) •  |
| Trip computer<br>display screen                        | Color   | <b>●</b> Color  | ● Color  |
| Full LCD instrument panel                              | <u> </u>  |   |  |
| LCD instrument size                                    |   |   |  |
| Interior rearview mirror function                      | ●Automatic anti-<br>dazzle  | ●Automatic anti-<br>dazzle  | ●Automatic anti-<br>dazzle   |
|  | Chargi  | ng in car   |  |
| Multimedia/charging interface                          | ●USB ●Type-C  | ●USB ●Type-C  | ●USB ●Type-C   |
| Number of USB/Type-<br>C interfaces                    | ●3 people in the front row/2 people in the back row   | ●3 people in the front row/2 people in the back row   | ●3 people in the front row/2 people in the back row  |
| Mobile phone wireless charging function                | ●Front row  | •Front row  | ●Front row   |
| Luggage compartment 12V power interface                | •   | •   | •  |
|  | Seat Cor  | nfiguration   |  |
| seat material  | ●Imitation leather  | ●Imitation leather  | ●Imitation leather   |
| Main seat<br>adjustment method                         | ● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Waist support (4-way) | ● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way) ● Waist support (4-way) | ●Front and back adjustment ●Backrest adjustment ●Height adjustment (4-way) ● Waist support (4-way) |
| Secondary seat adjustment method                       | ● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way)                         | ● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way)                         | ● Front and back adjustment ● Backrest adjustment ● Height adjustment (4-way)                      |
| Main/passenger seat electric adjustment                | Main⊕/Deputy●   | Main●/Deputy●   | Main●/Deputy●  |
| Fron <mark>t</mark> seat<br>func <mark>t</mark> ions   | ●Heating  | ●Heating  | ●Heating   |
| Power seat memory function                             | ●Driving position   | ●Driving position   | ●Driving position  |
| Adjustable buttons for the passenger seat and rear row | -   | - (   | _  |
|  |   |   |  |

| Second row seat adjustment                  | ●Backrest adjustment  | ●Backrest adjustment  | ●Backrest adjustment  |  |
|---|---|---|---|--|
| Second row seat functions                   | ●Heating  | ●Heating  | ●Heating  |  |
| Rear seats fold<br>down                     | ● Inverted proportions  | ●Inverted proportions   | ●Inverted proportions   |  |
| Front/rear center<br>armrest                | before●/after●  | before●/after●  | before●/after●  |  |
| Rear cup holder                             |   |   | •   |  |
|   | Audio/Inte  | rior lighting   |   |  |
| Speaker brand name                          | -   | -   | -   |  |
| Number of speakers                          | ●14 speakers  | ●14 speakers  | ●14 speakers  |  |
| Car interior ambient lighting               | ullet Multicolor  | ullet Multicolor  | ●Multicolor   |  |
|   | Air condition   | ner/Refrigerator  | 4   |  |
| Air conditioning temperature control method | •Automatic air conditioning   | •Automatic air conditioning   | ●Automatic air conditioning   |  |
| heat pump air<br>conditioner                | •   | •   | •   |  |
| Independent air conditioning in the rear    | - 🔍   | -   | <u></u>   |  |
| Rear seat air<br>outlet                     | •   | •   | •   |  |
| Temperature zone control                    |   | •   | •   |  |
| Car air purifier                            | •   | . • 1   |   |  |
| In-car PM2.5 filter<br>device               | •   | •   | •   |  |
|   | Optiona   | al package  |   |  |
|   | Enhanced automatic<br>assisted driving<br>function (32000) Fully<br>automatic driving<br>capability (64000) | Enhanced automatic assisted driving function (32000) Fully automatic driving capability (64000) | Enhanced automatic<br>assisted driving<br>function (32000) Fully<br>automatic driving<br>capability (64000) |  |
| Exterior color                              | Cold silver, pearl<br>white, deep sea blue,<br>black, Chinese red   | Black, cold silver,<br>deep sea blue, pearl<br>white, Chinese red                               | Black, cold silver,<br>deep sea blue, pearl<br>white, Chinese red   |  |
| interior color                              | black, black/white  | black, black/white  | black, black/white  |  |
|   | Optional - None   |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |
|   |   |   |   |  |