

## QINGDAO QHCY INTERNATIONAL TRADING CO., LTD.

Web:cartradinghub.com Tel: 86-15176650760

E-mail: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

	II	MLS6 configuration s	sheet	
	IM LS6 2023 Max Standard Edition	IM LS6 2023 Max Long Battery Edition	IM LS6 2023 Max ultra-long battery life version	IM LS6 2023 Max Super Performance Edition
J		Basic parameters		
Manufacturer	IM Automobile	IM Automobile	IM Automobile	IM Automobile
level	Medium and large SUV	Medium and large SUV	Medium and large SUV	Medium and large SUV
Energy type	pure electric	pure electric	pure electric	pure electric
time to market	2023.10	<b>2023.</b> 10	2023.10	2023.10
CLTC pure electric cruising range (km)	560	680	760	702
Fast charging time (hours)	- ()	-	1-	-
Slow charging time (hours)	-	-	$G^{-}$	- (
Fast charging percentage	-		-	-
Maximum power(kW)	231	250	379	579
Maximum torque (N · m)	450	450	500	800
Motor(Ps)	314	340	515	787
Length*width*hei ght (mm)	4904*1988*1669	4904*1988*1669	4904*1988*1669	4904*1988*1669
Body structure	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV	5-door, 5-seater SUV
Maximum speed (km/h)	200	200	220	252
Official 0- 100km/h acceleration (s)	5.9	5.9	5.5	3.48

Vehicle warranty	Five years or 150,000 kilometers	Five years or 150,000 kilometers	Five years or 150,000 kilometers	Five years or 150,000 kilometers
First owner warranty policy		-	-	-
warrente, benef		Body	· ·	
Length(mm)	4904	4904	4904	4904
Width(mm)	1988	1988	1988	1988
Height(mm)	1669	1669	1669	1669
Wheelbase(mm)	2950	2950	2950	2950
Front wheelbase (mm)	1698	1698	1698	1698
Rear wheelbase (mm)	1707	1707	1707	1707
Approach angle (°)	17	17	17	17
Departure angle (°)	twenty one	twenty one	twenty one	twenty one
Body structure	SUV	SUV	SUV	SUV
Car door opening method	swing door	swing door	swing door	swing door
Number of doors (number)	5	5	5	5
Number of seats (seats)	5	5	5	5
Front trunk volume (L)	32	32	32	32
Trunk volume (L)	665-1640	665-1640	665-1640	665-1640
Drag coefficient (Cd)	0.237	0.237	0.237	0.237
Curb weight (kg)	2150	2227	2354	2432
Maximum full load mass (kg)	2601	2678	2805	2883
		Electric Motor		
Motor type	Permanent magnet/synchrono us	Permanent magnet/synchronous	Permanent magnet/synchronou s	Permanent magnet/synchronou s
Total motor	021	250	270	570
power (kW)	231	250	379	579
Total motor power (Ps)	314	340	515	787

motor (N · m)notMaximum power-of front electric-motor (kW)-Maximum torque-of front electric-motor (N · m)-Maximum power-of rear electric231motor (kW)250Maximum torque-of rear electric231motor (kW)-Maximum torque-of rear electric450motor (kW)-Maximum torque-of rear electric450motor (N · m)-Number of drivesingle motorMotor layoutrearTernary lithiumTernary lithiumBattery TypeTimes SAICBattery brandTimes SAICIiquid coolingliquid cooling	rear m Ternary lithium	200 300 379 500 Dual motor Front + rear
of front electric motor (N · m)Maximum power of rear electric motor (kW)231250Maximum torque of rear electric of rear electric motor (N · m)450450Mumber of drive motors450450Number of drive motorssingle motorsingle motorMotor layoutrearrearBattery TypeTernary lithium batteryTernary lithium batteryBattery brandTimes SAICTimes SAIC	500 single motor rear m Ternary lithium	379 500 Dual motor
of rear electric motor (kW)231250Maximum torque of rear electric motor (N · m)450450Number of drive motorssingle motorsingle motorMotor layoutrearrearBattery TypeTernary lithium batteryTernary lithium batteryBattery brandTimes SAICTimes SAICBattery coolingliquid coolingliquid cooling	500 single motor rear m Ternary lithium	500 Dual motor
of rear electric motor (N · m)450Number of drive motorssingle motorNumber of drive motorssingle motorMotor layoutrearTernary lithium batteryTernary lithium batteryBattery brandTimes SAICBattery coolingliquid cooling	r single motor rear Im Ternary lithium	Dual motor
motorssingle motorsingle motorMotor layoutrearrearBattery TypeTernary lithium batteryTernary lithium batteryBattery brandTimes SAICTimes SAICBattery coolingliquid coolingliquid cooling	rear m Ternary lithium	
Battery TypeTernary lithium batteryTernary lithium batteryBattery brandTimes SAICTimes SAICBattery coolingliquid coolingliquid cooling	m Ternary lithium	Front + rear
Battery brandTimes SAICTimes SAICBattery coolingliquid coolingliquid cooling		Ternary lithium
Battery cooling liquid cooling liquid coolin	battery Ningde era	battery Ningde era
method		liquid cooling
CLTC pure electric cruising 560 680 range (km)	760	702
Battery energy (kWh) 71 90	100	100
Electricity consumption per 100 kilometers (kWh/100km)	O'Y	-
Battery pack Eight years or Eight years o		Eight years or
warranty 240,000 kilometers 240,000 kilometers Fast charging support support	ters 240,000 kilometers support	240,000 kilometers support
Fast charging power (kW)105105	396	396
High voltage fast charging	support	support

Fast charging time (hours)		-	-	(
Slow charging time (hours)	Q.	-	-	
Fast charging capacity (%)	-		-	O.
electric motor	231	250	379	579
		Gearbox		
Number of gears	1	1	1	1
Gearbox type	fixed ratio gearbox	fixed ratio gearbox	fixed ratio gearbox	fixed ratio gearbox
abbreviation	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox	Electric vehicle single speed gearbox
		Chassis Steering		
Drive mode	rear wheel drive	rear wheel drive	rear wheel drive	Dual motor four- wheel drive
four-wheel drive	-	$\Sigma$	-	Electric four-wheel drive
Center differential structure	- ()	-	-	-
Front suspension type	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension	Double wishbone independent suspension
rear suspension type	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension	Multi-link independent suspension
Assist type	electric assist	electric assist	electric assist	electric assist
Body structure	Load-bearing	Load-bearing	Load-bearing	Load-bearing
	<u> </u>	Wheel Brake		
Front brake type	ventilated disc	ventilated disc	ventilated disc	ventilated disc 🛌
rear brake type Parking brake	ventilated disc Electronic parking	ventilated disc Electronic parking	ventilated disc Electronic parking	ventilated disc Electronic parking
type Front tire specifications	235/50 R20	235/50 R20	235/50 R20	235/50 R20
Rear tire specifications	255/45 R20	255/45 R20	255/45 R20	255/45 R20
Spare tire specifications	-	$\nabla_{\cdot}$	4	-

Main/passenger		passive safety		
seat airbag	Main●/Deputy●	Main●/Deputy●	Main●/Deputy●	Main ●/Deputy●
Front/rear side airbags	Before● / After-	Before●/After-	Before ●/After-	Before / After-
Front/rear head airbags (curtain airbags)	before●/after●	before●/after●	before●/after●	before●/after●
Tire pressure monitoring function	● Tire pressure display	● Tire pressure display	●Tire pressure display	● Tire pressure display
Run-flat tires	<u> </u>	-	-	-
Seat belt not		•		
fastened reminder		-	-	
ISOFIX child seat	•	•	•	•
interface ABS anti-lock				
Braking force	• •			
distribution	•	•	•	•
(EBD/CBC, etc.)				
Brake assist (EBA/BAS/BA, etc.)	•	•		•
Traction control (ASR/TCS/TRC, etc.)		•)	•	•
Body stability control (ESC/ESP/DSC, etc.)	•	•	•	•
		Active Safety		4
Lane Departure Warning System		•	•	•
Active braking/active	•	•	•	
safety system Fatigue d <mark>r</mark> iving				
tips	-		-	-
DOW opening	•	$\smile_{\bullet}$		•
warning				

forward collision		)		
warning	•	•	•	•
rear collision				
warning		•	•	
Low speed				
warning	•		•	
Built-in driving	•		•	•
recorder				
roadside	•	•	•	•
assistance call		Driving Control		
	• Sports •	● Sports ● Economy	• Sports •	●Sports ●
	Economy		Economy	Economy
Driving mode		Standard/Comfortab		
switch	able $ullet$	le •	ble •	ble Snow
	Customized/Perso	Customized/Persona	Customized/Person	Customized/Person
	nalized	lized	alized	alized
energy recovery	•		•	
system				
automatic parking Hill assist	•	•	•	•
	• •	•	•	•
steep descent	<b>_</b>	Driving Hardware		
Front/rear				
parking rad <mark>a</mark> r	before●/after●	before • / after •	before●/after●	before ● / after ●
	● 360-degree	• 360-degree	● 360-degree	• 360-degree
Driving assistance	panoramic image	panoramic image $lacebox$	panoramic image 🔵	panoramic image
images	•Vehicle side	Vehicle side blind	Vehicle side blind	•Vehicle side blind
A	blind spot image	spot image	spot image	spot image
Assisted driving chip	• NVIDIA Orin-X	• NVIDIA Orin-X	●NVIDIA Orin-X	• NVIDIA Orin-X
Number of	●11 pieces	●11 pieces	●11 pieces	●11 pieces
cameras Ultrasonic radar				
quantity	●12 pieces	●12 pieces	●12 pieces	•12 pieces
Millimeter wave				
radar quantity	• 3 pieces	• 3 pieces	• 3 pieces	• 3 pieces
LiDAR quantity	●1 piece	•1 piece	●1 piece	●1 piece
	l	Driving Function		T
cruise system	•Full-speed	• Full-speed	• Full-speed	• Full-speed
	adaptive cruise	adaptive cruise	adaptive cruise	adaptive cruise

Assisted driving	• IM AD	●IM AD	●IM AD	● IM AD
system Assisted driving level	●L2	●L2	●L2	●L2
Reverse side warning system	•	•	•	
satellite navigation system	•	•	• \	•
Navigation traffic				
information display	•	•		•
map brand	Gaode	●Gaode	Gaode	●Gaode
Parallel assistance		•		
Lane Keeping Assist System	•	•	•	
Lane centering	•	-	•	
Road traffic sign	•		•	•
recognition	-			
Automatic	•	•	•	•
parking remote control parking	• •	•	1.	•
Automatic lane change assist 🔺	1 •	• 💙	•	•
Follow the trail and reverse	•	•	•	1.
Steering wheel hand off detection	•	•	• ,(	•
Autonomous driving assistance road section	<ul> <li>Urban sections</li> <li>High-speed sections</li> </ul>	●Urban sections ● High-speed sections	●Urban sections ● High-speed sections	●Urban sections ● High-speed sections
roud section		Appearance/Anti-th	eft	
Rim material	•Aluminum alloy	•Aluminum alloy	●Aluminum alloy	•Aluminum alloy
Frameless design door	•		•	
Electric trunk	•		•	•
Electric trunk	٠		• \	•
position memory	A		X	

Central locking in car		•	•	•
Key type	●Bluetooth key ● NFC/RFID key	●Bluetooth key ● NFC/RFID key	●Bluetooth key ● NFC/RFID key	●Bluetooth key ● NFC/RFID key
Keyless start system	•	•	•	
Keyless entry	•The whole car	• The whole car	•The whole car	•The whole car
Hidden electric door handle	•	•		•
Active closing air intake grille	-	•	•	•
Remote start function	$\mathbf{x}$	•	•	
Battery preheating	•	•	•	
external discharge	•			•
		Exterior Lights		
Low beam light source	●LED	• LED	●LED	●LED
high beam light source	●LED	●LED	• LED	●LED
LED daytime running lights	•	•	$\bigcirc$	• (
Adaptive high and low beam	•	•	•	•
automatic headlight	•	•	•	<b>~</b> •
car front fog lights Headlight height	•	-	-	•
adjustable Delayed turn off of headlights	•	•		•
or neutingitts		Skylight/Glass	1	
Skylight type	• The panoramic sunroof cannot be opened	<ul> <li>The panoramic sunroof cannot be opened</li> </ul>	<ul> <li>The panoramic sunroof cannot be opened</li> </ul>	● The panoramic sunroof cannot be opened
Front/rear electric windows	before●/after●	before●/after●	before●/after●	before●/after●

window lifting function	● The whole car	• The whole car	●The whole car	• The whole car
Window anti- pinch function	٠	•	•	•
Multilayer soundproof glass	● The whole car	• The whole car	•The whole car	• The whole car
Car vanity mirror	●Main driver + lighting ●Co-pilot + lighting	●Main driver + lighting ●Co-pilot + lighting	●Main driver + lighting ●Co-pilot + lighting	●Main driver + lighting ●Co-pilot + lighting
rear wiper	<u> </u>	_	-	-
Sensing wiper function	• Rain sensor type	• Rain sensor type	•Rain sensor type	• Rain sensor type
	I	Exterior Rearview Mi	rror	
Exterior rearview mirror function	adjustment Electric folding Heated rearview mirrors Automatically flip down when reversing Automatically fold when the car is	<ul> <li>●Electric</li> <li>adjustment</li> <li>●</li> <li>Electric folding</li> <li>●</li> <li>Heated rearview</li> <li>mirrors</li> <li>●</li> <li>Automatically flip</li> <li>down when reversing</li> <li>●</li> <li>●</li> <li>Automatically fold</li> <li>when the car is</li> <li>locked</li> </ul>	adjustment Electric folding Heated rearview mirrors Automatically flip down when reversing Automatically fold when the car is	adjustment Electric folding Heated rearview mirrors Automatically flip down when reversing Automatically fold when the car is
Central control	●Touch LCD	Screen/System	• Touch LCD	• Touch LCD
color screen	screen	●Touch LCD screen	screen	screen
Central control screen size	•26.3 inches	●26.3 inches	●26.3 inches	●26.3 inches
Screen size under central control	10.5 inches	●10.5 inches	●10.5 inches	●10.5 inches
Passenger entertainment screen	O15.5 inches	○15.5 inches	⊖15.5 inches	⊖15.5 inches
Screen Resolution	● 720P ● 2K ● 4K	● 720P ● 2K ●4K	$\bullet$ 720P $\bullet$ 2K $\bullet$ 4K	● 720P ● 2K ● 4K
Bluetooth/car phone	٠	$\bigcirc$ •	•1	•

Mobile phone				
interconnection/ mapping	$\circ$	-	-	
Voice recognition control system	●Multimedia system ● Navigation ● Telephone ●Air conditioning	<ul> <li>Multimedia system</li> <li>Navigation ●</li> <li>Telephone ● Air conditioning</li> </ul>	<ul> <li>Multimedia</li> <li>system</li> <li>Navigation</li> <li>Telephone</li> <li>Air</li> <li>conditioning</li> </ul>	<ul> <li>Multimedia</li> <li>system</li> <li>Navigation</li> <li>Telephone</li> <li>Air</li> <li>conditioning</li> </ul>
Vehicle intelligent system	●IM OS	● IM OS	● IM OS	●IM OS
Vehicle smart chip	●Qualcomm Snapdragon 8155	●Qualcomm Snapdragon 8155	●Qualcomm Snapdragon 8155	●Qualcomm Snapdragon 8155
Multi-finger flying screen control	•	•	•	•
Voice wake word free	•	•	•	
Voice area wake- up recognition	●Four areas	• Four areas	●Four areas	•Four areas
Speech continuous recognition	•	•	•	•
It can be said that it is visible	•	•	~	•
		Intelligent Configurat	tion	
Internet of Vehicles	•	•	•	•
4G/5G network OTA upgrade	• 5G	●5G	● 5G	●5G ●
Wi-Fi hotspot	•	•	•	•

Mobile APP remote function	<ul> <li>Door control</li> <li>Window control</li> <li>Charging management</li> <li>Air conditioning control</li> <li>Steering wheel heating</li> <li>Seat heating</li> <li>Vehicle condition inquiry/diagnosis</li> <li>Vehicle positioning/car search</li> <li>Car owner service (find charging piles, gas stations, parking lots, etc.)</li> <li>Maintenance appointment/appo intment repair</li> </ul>	<ul> <li>Door control</li> <li>Window control</li> <li>Charging</li> <li>management</li> <li>Air</li> <li>conditioning control</li> <li>Steering wheel</li> <li>heating</li> <li>Seat</li> <li>heating</li> <li>Vehicle</li> <li>condition</li> <li>inquiry/diagnosis</li> <li>Vehicle</li> <li>positioning/car</li> <li>search</li> <li>Car owner</li> <li>service (find</li> <li>charging piles, gas</li> <li>stations, parking lots,</li> <li>etc.)</li> <li>Maintenance</li> <li>appointment/appoin</li> <li>tment repair</li> </ul>	conditioning control • Steering wheel heating • Seat heating • Vehicle condition inquiry/diagnosis • Vehicle positioning/car search • Car owner service (find charging piles, gas stations, parking lots, etc.) • Maintenance	<ul> <li>Door control ●</li> <li>Window control ●</li> <li>Charging</li> <li>management ● Air</li> <li>conditioning control</li> <li>● Steering wheel</li> <li>heating ● Seat</li> <li>heating ● Vehicle</li> <li>condition</li> <li>inquiry/diagnosis</li> <li>● Vehicle</li> <li>positioning/car</li> <li>search ● Car owner</li> <li>service (find</li> <li>charging piles, gas</li> <li>stations, parking</li> <li>lots, etc.) ●</li> <li>Maintenance</li> <li>appointment/appoi</li> <li>ntment repair</li> </ul>
J		wheel/Interior reary		
Steering wheel material	•Genuine leather	●Genuine leather	•Genuine leather	●Genuine leather
Steering wheel position adjustment	● Manual up and down + front and rear adjustment	● Manual up and down + front and rear adjustment	● Manual up and down + front and rear adjustment	●Manual up and down + front and rear adjustment
Shift pattern	•Electronic gear shifting	●Electronic gear shifting	●Electronic gear shifting	● Electronic gear shifting
Multifunction steering wheel	•	•		•
steering wheel gear shift		-	-	(
Steering wheel heating	•	•	•	
steering wheel	-		-	<u> </u>
Trip computer display screen	●Color	Color	• Color	● Color

Full LCD instrument panel	•	•	•	• (
LCD instrument size	$\Theta$	-	-	
Interior rearview mirror function	●Automatic anti- dazzle	●Automatic anti- dazzle	● Automatic anti- dazzle	•Automatic anti- dazzle
		Charging in car		
Multimedia/charg ing interface	● Type-C	● Type-C	•Type-C	• Type-C
Number of USB/Type-C	•2 in the front row/1 in the back	●2 in the front row/1 in the back	• 2 in the front row/1 in the back	●2 in the front row/1 in the back
interfaces Mobile phone	row	fow	row	row
wireless charging function	• Front row	●Front row	● Front row	• Front row
Mobile phone wireless charging power	●15W	•15W	●15W	•15W
		Seat Configuration	1	
seat material	<ul><li>Imitation leather</li><li>Genuine leather</li></ul>	●Imitation leather ○Genuine leather	<ul><li>Imitation leather</li><li>Genuine leather</li></ul>	<ul><li>Imitation leather</li><li>Genuine leather</li></ul>
Main seat adjustment method	<ul> <li>Front and back adjustment</li> <li>Backrest adjustment</li> <li>Height adjustment</li> <li>(4-way)</li> <li>Leg rest adjustment</li> <li>Waist support (4- way)</li> </ul>	<ul> <li>Front and back adjustment</li> <li>Backrest adjustment</li> <li>Height adjustment (4-way)</li> <li>Leg rest adjustment</li> <li>Waist support (4-way)</li> </ul>	<ul> <li>Front and back adjustment</li> <li>Backrest adjustment</li> <li>Height adjustment (4-way)</li> <li>Leg rest adjustment</li> <li>Waist support (4-way)</li> </ul>	<ul> <li>Height</li> <li>adjustment (4-way)</li> <li>Leg rest</li> </ul>
Secondary seat adjustment method	<ul> <li>Front and back</li> <li>adjustment</li> <li>Backrest</li> <li>adjustment</li> <li>Height adjustment</li> <li>(2-way)</li> </ul>	<ul> <li>Front and back adjustment</li> <li>Backrest adjustment</li> <li>Height adjustment (2-way)</li> <li>Leg rest adjustment</li> </ul>	<ul> <li>Front and back</li> <li>adjustment</li> <li>Backrest adjustment</li> <li>Height</li> <li>adjustment (2-way)</li> <li>Leg rest</li> <li>adjustment</li> </ul>	<ul> <li>Front and back adjustment</li> <li>Backrest adjustment</li> <li>Height adjustment (2-way)</li> <li>Leg rest adjustment</li> </ul>
Main/passenger seat electric adjustment	Main●/Deputy●	Main●/Deputy●	Main●/Deputy●	Main●/Deputy●

Front seat functions	<ul> <li>Heating</li> <li>Ventilation</li> </ul>	●Heating ● Ventilation	<ul> <li>Heating</li> <li>Ventilation</li> </ul>	●Heating ● Ventilation
Power seat memory function	•Driving position	•Driving position	•Driving position	•Driving position
Adjustable buttons for the passenger seat and rear row	-		-	0
Second row seat	<ul> <li>Backrest</li> </ul>	<ul> <li>Backrest</li> </ul>	● Backrest	<ul> <li>Backrest</li> </ul>
adjustment	adjustment	adjustment	adjustment	adjustment
Rear seats fold	• Inverted	<ul> <li>Inverted</li> </ul>	• Inverted	<ul> <li>Inverted</li> </ul>
down	proportions	proportions	proportions	proportions
Front/rear center armrest	before●/after●	before●/after●	before●/after●	before • / after •
Rear cup holder	•	•	•	
-		Audio/Interior light	ing	$\mathbf{x}$
Speaker brand name	-		- (	-
Number of speakers	●20 speakers	●20 speakers	●20 speakers	●20 speakers
touch reading light	•	•	4	•
Car interior ambient lighting	●256 colors	●256 colors	• 256 colors	•256 colors
C	Air	r conditioner/Refrige	erator	4
Air conditioning temperature control method	•Automatic air conditioning	•Automatic air conditioning	•Automatic air conditioning	•Automatic air conditioning
heat pump air conditioner	• _	•	•	•
Independent air conditioning in the rear	A A	-	-	- , Ć
Rear seat air outlet	•	•	•	
Temperature zone control	•		•	
Car air purifier				
In-car PM2.5 filter			-	
		$\bullet$		

## Optional package

				YAT cruise half-			
	YAT cruise half- spoke soft-feel and smooth-heating steering wheel (2000) Continental German front four- piston integrated fixed caliper (2000) 20-inch ultra-fast lightweight wheels (3000) 15.5-inch smart independent entertainment screen for passenger car (6000) 21-inch sports high performance Wheels (9000) Nappa perforated first-layer premium leather seats (9800)	YAT cruise half- spoke soft-feel and smooth-heating steering wheel (2000) Continental German front four-piston integrated fixed caliper (2000) 20- inch ultra-fast lightweight wheels (3000) 15.5-inch smart independent entertainment screen for passenger car (6000) 21-inch sports high performance Wheels (9000) Nappa perforated first-layer premium leather seats (9800)	YAT cruise half- spoke soft-feel and smooth-heating steering wheel (2000) Continental German front four- piston integrated fixed caliper (2000) 20-inch ultra-fast lightweight wheels (3000) 15.5-inch smart independent entertainment screen for passenger car (6000) 21-inch sports high performance Wheels (9000) Nappa perforated first-layer premium leather seats (9800)	spoke soft-feel and smooth-heating steering wheel (2000) German continental front four-piston integrated fixed caliper (2000) 20- inch ultra-fast lightweight wheels (3000) Passenger 15.5-inch smart independent entertainment screen (6000) ISC streamer overlay interaction Taillight (8800) 21-inch sports high- performance wheels (9000) Nappa perforated head- level premium			
Exterior color	Pissarro white, Ferdinand pink, Raphael tea, Cezanne black, Rembrandt gray, Monet green, Vermeer yellow	Rembrandt gray, Vermeer yellow, Pissarro white, Ferdinand pink, Raphael tea, Monet green, Cézanne black	Rembrandt gray, Pissarro white, Ferdinand pink, Raphael tea, Monet green, Cézanne black, Vermeer yellow	Monet green, Pissarro white, Ferdinand pink, Raphael tea, Rembrandt gray, Cézanne black, Vermeer yellow			
interior color	Verona swimming, Etna Yuanli, Elba chasing the sea	Verona swimming, Etna Yuanli, Elba chasing the sea	Etna Yuanli, Elba Chasing the Sea, Verona Swimming	Verona swimming, Etna Yuanli, Elba chasing the sea			
Note:  Standard  Optional - None							