QINGDAO QHCY INTERNATIONAL TRADING CO.,LTD.

OFFICE 206, BUILDING 4, NO. 2059 BINHAI AVENUE, HUANGDAO DISTRICT, QINGDAO CITY, SHANDONG
Email: ctl15588640503@gmail.com / ctl:15176650760@gmail.com

https://www.cartradinghub.com/ Telephone/Whatsapp/Wechat :+86 15176650760

Lixiang Auto L9

	2024 New Model Lixiang L9 Pro	2024 New Model Lixiang L9 Ultra	Old Model Lixiang L9 Pro	Old Model Lixiang L9 Max			
Basic Parameters							
Manufacturer:	Lixiang Auto	Lixiang Auto	Lixiang Auto	Lixiang Auto			
Class:	Full-size SUV	Full-size SUV	Full-size SUV	Full-size SUV			
Engine:	330kW	330kW	330kW	330kW			
Engme.	(Electric Motor)	(Electric Motor)	(Electric Motor)	(Electric Motor)			
Power Type:	Programmable	Programmable	Programmable	Programmable			
Combined maximum power (kW):	330	330	330	330			
Combined maximum torque (Nm):	620	620	620	620			
Transmission:	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio	1st gear fixed gear ratio			
Length x width x height (mm):	5218×1998×1800	5218×1998×1800	5218×1998×1800	5218×1998×1800			
Body structure:	5-door, 6-seat SUV	5-door, 6-seat SUV	5-door, 6-seat SUV	5-door, 6-seat SUV			
Year of launch:	2024	2024	2023	2022			
Top speed (km/h):	180	180	180	180			
Official 0-100km/h acceleration time (s):	5.3	5.3	5.3	5.3			
Official 0-50km/h acceleration time (s):		-		-			
NEDC combined fuel consumption (L/100km):	-	-	-	-			
WLTC combined fuel consumption (L/100km):	-	-	0.86	0.86			
Minimum charge state fuel consumption (L/100km):	-	-	7.8	7.8			
Vehicle Parameters							
Vehicle length (mm):	5218	5218	5218	5218			
Vehicle width (mm):	1998	1998	1998	1998			
Vehicle height (mm):	1800	1800	1800	1800			
Wheelbase (mm):	3105	3105	3105	3105			

Overall mass(kg):	2570	2570	2520	2520	
Total mass of quasi-trailer (kg):	-	-	-	-	
Minimum Ground Clearance(mm):	-	-	-	-	
Front wheelbase(mm):	1725	1725	1725	1725	
Rear wheelbase (mm):	1741	1741	1741	1741	
Approach angle (°):	1741	1741	1741	1741	
Passing angle (°):	-	-	-	-	
Departure angle (°):	21	21	21	21	
Body structure:	SUV	SUV	SUV	SUV	
Number of doors:	5	5	5	5	
Number of seats:	6	6	6	6	
Fuel tank volume (L):	65 (Fuel generators)	65 (Fuel generators)	65 (Fuel generators)	65 (Fuel generators)	
Minimum volume of luggage compartment (L):	332	332	332	332	
Luggage compartment maximum volume (L):	1191	1191	1191	1191	
	Ele	ectric motor			
Electric motor type:	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous	Permanent magnet/synchronous	
Maximum power of electric motor (kW):	330	330	330	330	
Maximum torque of electric motor (Nm):	620	620	620	620	
Maximum power of front electric motor (kW):	130	130	130	130	
Front motor max. torque (Nm):	220	220	220	220	
Rear motor max. power (kW):	200	200	200	200	
Rear motor max. torque (Nm):	400	400	400	400	
Battery					
NEDC pure electric range (km):	-	-	-	-	
WLTC pure electric range (km):	235	235	180	180	

CLTC pure electric range (km):	280	280	215	215	
NEDC combined range (km):	-	-	-	-	
WLTC combined range (km):	1176	1176	1100	1100	
CLTC combined range (km):	1412	1412	1315	1315	
Battery energy (kWh):	52.3kWh	52.3kWh	44.5kWh	44.5kWh	
100km power consumption (kWh/100km):	-	-	22.2	22.2	
Battery type:	Li-ion ternary battery	Li-ion ternary battery	Li-ion ternary battery	Li-ion ternary battery	
		chargeable		<u> </u>	
Normal full charge time:	7.9h	7.9h	6.5h	6.5h	
Fast Full Charge Time:	-		-	_	
_					
Fast charge to 80% charge time:	0.5h	0.5h	0.5h	0.5h	
	(Generator	* A		
Charge Fuel Engine Displacement (mL):	1496	1496	1496	1496	
Intake form:	Turbocharged	Turbocharged	Turbocharged	Turbocharged	
Cylinder arrangement form:	Inline (L-type)	Inline (L-type)	Inline (L-type)	Inline (L-type)	
Number of cylinders (pcs):	4	4	4	4	
Maximum power (kW/rpm):	113/-	113/-	113/-	113/-	
Maximum torque (Nm/rpm):	-	-	-	-	
Fuel:	Gasoline	Gasoline	Gasoline	Gasoline	
Fuel grade:	No. 95	No. 95	No. 95	No. 95	
Fuel supply mode:	Direct Injection	Direct Injection	Direct Injection	Direct Injection	
Environmental protection standard:	National VI	National VI	National VI	National VI	
Transmission					
Number of gears:	1	1	1	1	
Transmission type:	Fixed Gear Ratio	Fixed Gear Ratio	Fixed Gear Ratio	Fixed Gear Ratio	
Transmission Name:	Single speed gearbox for electric vehicles				

Chassis steering					
Drive Type:	Dual-motor four- wheel drive	Dual-motor four- wheel drive	Dual-motor four- wheel drive	Dual-motor four- wheel drive	
Four-wheel drive form:	Electric 4WD	Electric 4WD	Electric 4WD	Electric 4WD	
Body Structure:	Load-bearing	Load-bearing	Load-bearing	Load-bearing	
Power Assist Type:	Electric Power Assist	Electric Power Assist	Electric Power Assist	Electric Power Assist	
Front Suspension Type:	Double Wishbone Independent Suspension	Double Wishbone Independent Suspension	Double Wishbone Independent Suspension	Double Wishbone Independent Suspension	
Rear Suspension Type:	Five-link independent suspension	Five-link independent suspension	Five-link independent suspension	Five-link independent suspension	
Front axle limited-slip differential/differential lock:	-	-		-	
Center differential locking function:				-	
Rear axle limited-slip differential/differential lock:	-		-	-	
	W	heel Brakes			
Front Brake Type:	Ventilated Disc	Ventilated Disc	Ventilated Disc	Ventilated Disc	
Rear Brake Type:	Ventilated disc	Ventilated disc	Ventilated disc	Ventilated disc	
Parking Brake Type:	Electronic Parking	Electronic Parking	Electronic Parking	Electronic Parking	
Front Tire Specifications:	265/45 R21	265/45 R21	265/45 R21	265/45 R21	
Rear Tire Specifications:	265/45 R21	265/45 R21	265/45 R21	265/45 R21	
Spare tire:	-	-	<u>-</u>	-	
Safety Features					
Primary/passenger airbags:	Primary • / Secondary	Primary • / Secondary	Primary • / Secondary •	Primary • / Secondary •	
Head airbags (air curtain):	Front ● / Rear ●				
Side airbags:	Front ● / Rear ●	Front ● / Rear ●	Front • / Rear -	Front • / Rear -	
Knee airbags:	-	-	-	-	
Front center airbags:	•	•	-	-	
Rear seat belt airbags:	-	-	-	-	
Passive pedestrian protection:	-	-	-	-	
Child seat interface:	•	•	•	•	
Tire pressure monitoring device:	•	•	•	•	
Zero tire pressure continue driving:	-	-	-	-	

		<u> </u>		<u> </u>	
Seatbelt unbuckled reminder:	•	•	•	•	
Interior center lock:	•	•	•	•	
Remote key:	•	•	•	•	
Fatigue Driving Alert:	•	•	•	•	
	Maneuver	ing Configuration	ns		
ABS anti-lock:	•	•	•	•	
Brake force distribution (EBD/CBC, etc.):	•	•	•	•	
Brake assist (EBA/BAS/BA, etc.):	•	•	•	•	
Traction control (ASR/TCS, etc.):		•	•	•	
Stability control (ESP/ESC, etc.):		•	•	•	
Hill Descent Assist:	•		•	•	
Steep hill descent:	•		•	•	
Automatic parking:	•	/ / •	•	•	
Merge assist:	•		* •	•	
Lane departure warning system:					
Variable suspension:	Hard/soft+high/low adjustment	Hard/soft+high/low adjustment	Hard/soft+high/low adjustment	Hard/soft+high/low adjustment	
Air suspension:	•	•	•	•	
Variable steering ratio:		-	-	-	
Active braking:	•	•	•	•	
	Exte	rior Features			
Power sunroof:	-	-	-	-	
Panoramic sunroof:	•	•	•	•	
Sport Edition surround:	-	-	-	-	
Aluminum wheels:	•	•	•	•	
Power suction doors:	•	•	•	•	
Luggage rack:	-	-	-	-	
Active closing grille:	•	•	•	•	
Remote start:	•	•	•	•	
Electric trunk:	•	•	•	•	
Sensor trunk:	•	•	•	•	
Interior Configurations					
Leather steering wheel:	•	•	•	•	

	1		1	
Steering wheel adjustment:	Up and down ● / Near and far ●	Up and down ● / Near and far ●	Up and down ● / Near and far ●	Up and down ● / Near and far ●
Multifunction steering wheel:	•	•	•	•
Power adjustable steering wheel:	•	•	•	•
Steering wheel memory:	•	•	•	•
Heated steering wheel:	•	•	•	•
Shift paddles:	-	-	-	-
Parking radar:	Front • / Back •	Front • / Back •	Front ● / Back ●	Front ● / Back ●
Reversing video camera:	-	-	-	-
Panoramic camera:		•	•	•
Transparent chassis/540-degree image:	•			-
Automatic parking in place:			•	•
Cruise control:	-	/ / - /		-
Adaptive cruise control:				•
Keyless entry:	•	- ///		•
Keyless Start:	• =	•	•	•
Trip computer display:	•	•	•	•
Full LCD instrument cluster:		•	•	•
LCD gauge sizes:	4.82 inches	4.82 inches	4.82 inches	4.82 inches
HUD head-up digital display:	•	•	•	•
220V/230V power supply:	•	•	•	•
Built-in car recorder:	•	•	•	•
Cell phone wireless charging function:	•	•	•	•
ETC device:	-	-	-	-
	Seat	Configuration		
Seat Material:	Leather	Leather	Cortex	Cortex
Sport style seats:	-	-	-	-
Seat height adjustment:	•	•	•	•
Power-adjustable main/passenger seats:	Primary • / Secondary			

Rear seat power adjustment:	•	•	•	•
Passenger seat rear adjustment:	•	•	•	•
Lumbar support adjustment:	•	•	•	•
Shoulder support adjustment:	-	-	-	-
Leg support adjustment:	-	-	-	-
Primary/secondary seat memory:	Primary • /secondary	Primary • /secondary	Primary • / Secondary	Primary • / Secondary
Rear seat memory:	-	-	-	-
Heated seats:	Front • / Back •	Front ● / Back ●	Front • / Back •	Front • / Back •
Seat ventilation:	Front • / Back •	Front ● / Back ●	Front ● / Back ●	Front • / Back •
Seat massage:	Front ● / Back ●	Front ● / Back ●	Front ● / Back ●	Front ● / Back ●
Second row back angle adjustment:	•		•	•
Second row individual seats:			* •	•
Second row seat movement:			•	•
Rear seat-reclining mode:	Ratio	Ratio	Ratio	Ratio
Third row seats:	•	•	•	•
Center armrest:	Front ● / Rear ●	Front ● / Rear ●	Front ● / Rear ●	Front ● / Rear ●
Rear cup holders:	•		•	•
	Multime	dia configuration		
Wi-Fi hotspot:	•	•	•	•
In-car navigation system:	•	•	•	•
Bluetooth/in-car phone:	•	•	•	•
Center control color screen:	•	•	•	•
Center control screen size:	15.7 inches	15.7 inches	15.7 inches	15.7 inches
Passenger side screen size:	15.7 inches	15.7 inches	15.7 inches	15.7 inches
Rear LCD screen:	•	•	•	•
Voice control system:	•	•	•	•
Roadside assistance call:	•	•	•	•
Cell phone connectivity/mapping:	-	-	-	-
Audio Brand:	-	-	-	-
· · · · · · · · · · · · · · · · · · ·				

	1			1
External audio interface (AUX/USB, etc.):	•	•	•	•
Number of speakers:	21 speakers	21 speakers	21 speakers	21 speakers
	Lightin	g Configuration		
Low beam:	LED	LED	LED	LED
High beam:	LED	LED	LED	LED
Front fog lights:	-	-	-	-
Daytime running lights:	•	•	•	•
Height-adjustable headlights:	•	•	•	•
Automatic headlights:	•	•	•	•
Cornering assist lighting:	•	•	•	•
Follow steering headlights:	-	-	-	-
Automatic switching between high and low beam:	•	•	•	•
Headlamp washers:	-	- A-	-	-
Interior ambient lighting:	-		-	-
Color-changing ambient lighting:			•	•
	Gl	ass/Mirrors	A + 6	
Power windows:	Front ● / Rear ●	Front ● / Rear ●	Front ● / Rear ●	Front ● / Rear ●
One-touch window up/down:	Main - Front - Vehicle •	Main - Front - Vehicle •	Main - Front - Vehicle •	Main - Front - Vehicle
Window anti-pinch feature:		•	•	•
Multi-layer acoustic glass:	•	•	•	•
Rear privacy glass:	•	•	•	•
Power mirrors:	•	•	•	•
Heated mirrors:	•	•	•	•
Power folding rearview mirrors:	•	•	•	•
Automatic anti-glare rearview mirror:	Inner ● / Outer ●	Inner ● / Outer ●	Inner ● / Outer ●	Inner ● / Outer ●
Rearview mirror memory:	•	•	•	•
Streaming interior rearview mirror:	-	-	-	-
Rear side sunshade:	-	-	-	-
Rear windshield sunshade:	-	-	-	-

Sun visor vanity mirrors:	•	•	•	•
Rain-sensing wipers:	•	•	•	•
Rear windshield wipers:	· .	•	•	•
	Air Condit	ioning/Refrigerat	tor	
Air Conditioning Controls:	Automatic●	Automatic●	Automatic●	Automatic●
Heat pump air conditioning:	-		-	-
Individual rear air conditioning:	1 .			•
Rear air vents:	• .	. #1		•
Temperature zone control:	Tri-zone	Tri-zone	Tri-zone	Tri-zone
In-vehicle PM2.5 filter:		•	•	•
In-vehicle air purifier:		•	•	•
In-car refrigerator:	•	•	•	•